

OceanStor 5000 and 6000 V5 Series V500R007

Product Description

Issue 08
Date 2019-06-30



Copyright © Huawei Technologies Co., Ltd. 2019. All rights reserved.

No part of this document may be reproduced or transmitted in any form or by any means without prior written consent of Huawei Technologies Co., Ltd.

Trademarks and Permissions



HUAWEI and other Huawei trademarks are trademarks of Huawei Technologies Co., Ltd.

All other trademarks and trade names mentioned in this document are the property of their respective holders.

Notice

The purchased products, services and features are stipulated by the contract made between Huawei and the customer. All or part of the products, services and features described in this document may not be within the purchase scope or the usage scope. Unless otherwise specified in the contract, all statements, information, and recommendations in this document are provided "AS IS" without warranties, guarantees or representations of any kind, either express or implied.

The information in this document is subject to change without notice. Every effort has been made in the preparation of this document to ensure accuracy of the contents, but all statements, information, and recommendations in this document do not constitute a warranty of any kind, express or implied.

Huawei Technologies Co., Ltd.

Address: Huawei Industrial Base
Bantian, Longgang
Shenzhen 518129
People's Republic of China

Website: <http://e.huawei.com>

About This Document

Purpose

This document describes the positioning, features, typical applications, architecture, specifications, environmental requirements, standards compliance, and granted certifications of OceanStor storage systems.

Supported product models are as follows.




Product Series	Product Model
OceanStor 5000 V5 series	OceanStor 5110 V5 ^a , 5300 V5, 5500 V5, 5600 V5, and 5800 V5
OceanStor 6000 V5 series	OceanStor 6800 V5
a: supported in V500R007C30	



Intended Audience

This document is intended for: All readers

Symbol Conventions

The symbols that may be found in this document are defined as follows.

Symbol	Description
	Indicates an imminently hazardous situation which, if not avoided, will result in death or serious injury.
	Indicates a potentially hazardous situation which, if not avoided, could result in death or serious injury.
	Indicates a potentially hazardous situation which, if not avoided, may result in minor or moderate injury.

Symbol	Description
	Indicates a potentially hazardous situation which, if not avoided, could result in equipment damage, data loss, performance deterioration, or unanticipated results. NOTICE is used to address practices not related to personal injury.
	Calls attention to important information, best practices and tips. NOTE is used to address information not related to personal injury, equipment damage, and environment deterioration.

Change History

Changes between document issues are cumulative. The latest document issue contains all the changes made in earlier issues.

Issue 08 (2019-06-30)

This issue is the eighth official release. The updates are as follows:

Made some changes in specifications.

Issue 07 (2019-05-15)

This issue is the seventh official release.

- Added the feature of SmartMigration for file services.
- Optimized the description of storage systems' environment requirements.
- Updated specifications.

Issue 06 (2019-03-30)

This issue is the sixth official release that contains the following changes:

Added the description of 5110 V5.

Issue 05 (2018-12-06)

This issue is the fifth official release that contains the following changes:

- Added the 40GE and 100GE interface modules.
- Added the 1288H V5 quorum server.
- Updated specifications.

Issue 04 (2018-07-30)

This issue is the fourth official release that updated specifications.

Issue 03 (2018-05-09)

This issue is the third official release that updated specifications.

Issue 02 (2018-01-30)

This issue is the second official release that updated specifications.

Issue 01 (2017-11-30)

This issue is the first official release.

Contents

About This Document.....	ii
1 Product Positioning.....	1
2 Product Features.....	3
3 Typical Applications.....	10
3.1 High-Performance Applications.....	10
3.2 High-Availability Applications.....	12
3.3 High-Density and Multi-Service Applications.....	14
4 Hardware Architecture.....	17
4.1 Device Composition.....	17
4.2 3D Interactive Hardware Demonstration.....	20
4.3 2 U Controller Enclosure (Supported by OceanStor 5110 V5/5300 V5).....	21
4.3.1 Overview.....	21
4.3.2 Component Description.....	24
4.3.2.1 System Subrack.....	24
4.3.2.2 Controller.....	25
4.3.2.3 Power Module.....	28
4.3.2.4 Disk Module.....	30
4.3.3 Indicator Introduction.....	31
4.4 2 U Controller Enclosure (Supported by OceanStor 5500 V5).....	35
4.4.1 Overview.....	35
4.4.2 Component Description.....	38
4.4.2.1 System Subrack.....	38
4.4.2.2 Controller.....	39
4.4.2.3 Power-BBU Module.....	42
4.4.2.4 Disk Module.....	44
4.4.3 Indicator Introduction.....	46
4.5 3 U Controller Enclosure (Supported by OceanStor 5600 V5 and 5800 V5).....	50
4.5.1 Overview.....	50
4.5.2 Component Description.....	52
4.5.2.1 System Subrack.....	52
4.5.2.2 Controller.....	53
4.5.2.3 Fan Module.....	55

4.5.2.4 BBU.....	56
4.5.2.5 Management Module.....	57
4.5.2.6 Power Module.....	58
4.5.3 Indicator Introduction.....	60
4.6 6 U Controller Enclosure (Supported by OceanStor 6800 V5).....	64
4.6.1 Overview.....	65
4.6.2 Component Description.....	68
4.6.2.1 System Subrack.....	68
4.6.2.2 Controller.....	68
4.6.2.3 Assistant Cooling Unit.....	70
4.6.2.4 Fan Module.....	71
4.6.2.5 BBU.....	73
4.6.2.6 Management Module.....	74
4.6.2.7 Power Module.....	75
4.6.3 Indicator Introduction.....	76
4.7 Interface Module.....	80
4.7.1 GE Electrical Interface Module.....	80
4.7.2 10GE Electrical Interface Module.....	81
4.7.3 40GE Interface Module.....	83
4.7.4 100GE Interface Module.....	84
4.7.5 SmartIO Interface Module.....	85
4.7.6 8 Gbit/s Fibre Channel Interface Module (Four Ports).....	89
4.7.7 8 Gbit/s Fibre Channel Interface Module (Eight Ports).....	91
4.7.8 16 Gbit/s Fibre Channel Interface Module (Eight Ports).....	92
4.7.9 10 Gbit/s FCoE Interface Module (Two Ports).....	94
4.7.10 56 Gbit/s InfiniBand Interface Module.....	95
4.7.11 12 Gbit/s SAS Expansion Module.....	96
4.7.12 12 Gbit/s SAS Shared Expansion Module.....	98
4.8 2 U Disk Enclosure (2.5-Inch Disks).....	99
4.8.1 Overview.....	99
4.8.2 Component Description.....	101
4.8.2.1 System Subrack.....	101
4.8.2.2 Expansion Module.....	102
4.8.2.3 Power Module.....	103
4.8.2.4 Disk Module.....	105
4.8.3 Indicator Introduction.....	106
4.9 4 U Disk Enclosure (3.5-Inch Disks).....	108
4.9.1 Overview.....	108
4.9.2 Component Description.....	110
4.9.2.1 System Subrack.....	110
4.9.2.2 Expansion Module.....	111
4.9.2.3 Power Module.....	113

4.9.2.4 Fan Module.....	114
4.9.2.5 Disk Module.....	115
4.9.3 Indicator Introduction.....	116
4.10 High-Density Disk Enclosure.....	119
4.10.1 Overview.....	119
4.10.2 Component Description.....	122
4.10.2.1 System Subrack.....	122
4.10.2.2 Expansion Module.....	123
4.10.2.3 Disk Module.....	124
4.10.2.4 Power Module.....	126
4.10.2.5 Fan Module.....	127
4.10.3 Indicator Introduction.....	127
4.11 Coffered Disk.....	130
4.12 (Optional) Data Switch.....	134
4.13 (Optional) Quorum Server.....	135
4.13.1 (Optional) Quorum Server (RH1288 V3).....	135
4.13.2 (Optional) Quorum Server (1288H V5).....	140
4.13.3 (Optional) Quorum Server (TaiShan 200).....	144
4.14 Device Cables.....	149
4.14.1 Power Cables.....	149
4.14.2 Ground Cables.....	150
4.14.3 Network Cables.....	151
4.14.4 Serial Cables.....	151
4.14.5 Mini SAS HD Cables.....	152
4.14.5.1 Mini SAS HD Electrical Cables.....	152
4.14.5.2 Mini SAS HD Optical Cables.....	152
4.14.6 Optical Fibers.....	153
4.14.7 FDR Cables.....	154
4.14.8 MPO-4*DLC Fiber.....	155
5 Software Architecture.....	156
6 Product Specifications.....	163
6.1 Hardware Specifications (5300 V5/5500 V5/5600 V5/5800 V5/6800 V5).....	163
6.2 Hardware Specifications (5110 V5).....	178
6.3 Software Specifications (5300 V5/5500 V5/5600 V5/5800 V5/6800 V5).....	184
6.4 Software Specifications (5110 V5).....	209
7 Environmental Requirements.....	222
7.1 Temperature, Humidity, and Altitude.....	222
7.2 Vibration and Shock.....	223
7.3 Particle Contaminants.....	224
7.4 Corrosive Airborne Contaminants.....	225
7.5 Heat Dissipation and Noise.....	227

8 Standards Compliance	231
9 Certifications	235
10 Operation and Maintenance	238
A How to Obtain Help	240
A.1 Preparations for Contacting Huawei	240
A.1.1 Collecting Troubleshooting Information	240
A.1.2 Making Debugging Preparations	240
A.2 How to Use the Document	240
A.3 How to Obtain Help from Website	241
A.4 Ways to Contact Huawei	241
B Glossary	242
C Acronyms and Abbreviations	243

1 Product Positioning

The OceanStor 5110 V5/5300 V5/5500 V5/5600 V5/5800 V5 storage system is Huawei mid-range storage providing stable, reliable, converged, and efficient data services for enterprises. The OceanStor 6800 V5 storage system is Huawei mission-critical storage dedicated to providing the highest level of data services for enterprises' key services.


The 5110 V5/5300 V5/5500 V5/5600 V5/5800 V5/6800 V5 storage system offers comprehensive and superb solutions by unifying file-based, block-based offerings and various protocols into a single product and using diverse efficiency boost mechanisms to provide industry-leading performance. Those solutions help customers maximize their return on investment (ROI) and meet the requirements of different application scenarios such as Online Transaction Processing (OLTP) and Online Analytical Processing (OLAP) of large databases, high-performance computing (HPC), digital media, Internet operation, centralized storage, backup, disaster recovery, and data migration.

In addition to providing high-performance storage services for application servers, the storage system supports advanced data backup and disaster recovery technologies, ensuring the secure and smooth running of data services. Also, it offers easy-to-use management modes and convenient local/remote maintenance modes, greatly decreasing the management and maintenance costs.

On a Unified SAN and NAS Network

Figure 1-1 shows the position and application of the storage system on a unified SAN and NAS network.

Figure 1-1 Position and application



2 Product Features

Designed for midtier-to-enterprise storage environments, the storage system utilizes high-specification hardware and is available in block, file, and unified configurations. It offers significant advancements in data applications and protection and provides the following benefits.

Unified Storage

- Support for SAN and NAS storage technologies
Unifies SAN and NAS technologies to store both structured and unstructured data.
- Support for mainstream storage protocols
Supports mainstream storage protocols such as iSCSI, Fibre Channel, NFS, CIFS, HTTP, and FTP.
- Support for hosts to access any LUN or file system using the front-end ports of any controller.

High Performance

The storage system offers a three-level performance acceleration technology, and delivers hierarchical performance for different applications. The three levels are:

1. State-of-the-art hardware
The storage system is equipped with 64-bit multi-core processors, high-speed and large-capacity caches, and various high-speed interface modules. The superior hardware allows it to offer better storage performance than tradition storage systems.
2. SmartTier
The SmartTier technology identifies hotspot data and periodically promotes them to high-performance storage medium for a performance boost. In addition, SmartTier supports SSD data caching, accelerating access to hotspot data.
3. Solid state drives (SSDs)
The storage system can be fully configured with SSDs to provide peak performance for the most-demanding applications.

Flexible Scalability

The storage system has an outstanding scalability. It supports a wide range of the following disks and host interface modules in a high density:

- Disks:
SAS disks, NL-SAS disks, and SSDs.
- Host interface modules:
8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, GE, 10GE, 10 Gbit/s FCoE, 56 Gbit/s (4 x 14 Gbit/s) InfiniBand, and SmartIO.

The storage system also supports the Scale-out technology to improve storage system performance as the number of controllers increases.

Proven Reliability

The storage system uses advanced technologies to offer protection measures, minimizing risks of failures and data loss.

- Protection against component failures
The storage system components are in 1+1 redundancy and work in active-active mode. Normally, every two components are working simultaneously and share loads. If one component fails or goes offline, the other one takes over all loads and speeds up to compensate. The whole process is transparent to applications.
- RAID 2.0+ underlying virtualization
The storage system employs innovative RAID 2.0+ underlying virtualization technology for automatic disk load balancing. If a disk encounters a fault, all the other disks in the same disk domain help construct the faulty disk's service data, achieving a 20-fold faster reconstruction speed than traditional RAID technology. In addition, RAID 2.0+ significantly reduces the possibility of multi-disk failure.
- Data protection in the event of a controller failure
 - Built-in backup battery units (BBUs) supply power to controller enclosures in the event of unexpected power failures. BBUs enable cache data to be written to built-in disks of controllers to avoid data loss.
 - When a piece of software is faulty, the storage system will attempt to reboot. During the reboot, data is stored in the cache. If the reboot fails, data in the cache will be written into the built-in disks of controllers to avoid data loss.
 - If hardware of a controller is faulty, the storage system will use the memory mirroring technology to enable the other normal controller to take over the services to ensure data consistency.
- Bad sector repair
In a storage system, the frequently occurred faults are bad sectors of disks. The storage system adopts the bad sector repair technology to proactively detect and repair bad sectors, reduce the disk failure rate by 50%, and prolong the service life of disks.
- Disk pre-copy
The disk pre-copy technology enables the storage system to routinely check the hardware status. Once it detects that a disk has fault risks, it will enable data migration from the disk to another normal disk to prevent data loss.
- IP address failover
The storage system adopts IP address failover technology. If a physical host port that implements the NAS protocol is damaged, the IP address assigned to that port automatically fails over to another functional port. Based on the correct networking, services are seamlessly failed over, preventing damage to a port from affecting services.

- Online disk diagnosis
The online disk diagnosis feature is used to handle disk faults. If a disk fault occurs, the storage system takes the disk offline. Then, the online diagnosis module reads the S.M.A.R.T information about the disk and takes analysis, testing, and recovery measures. After the disk is recovered, the online diagnosis module enables the disk to rejoin the RAID, prolonging the lifecycle of the disk.
- Data coffer disk
Data coffer disks consist of the first four disks of a storage system's controller enclosure or disk enclosure as well as each controller's built-in disk or disks. They store three types of data: cache data requiring power failure protection, OceanStor OS system data, and system configuration information and logs.

High Availability

In routine maintenance:

The storage system (OceanStor 5110 V5, 5300 V5, 5500 V5, 5600 V5, 5800 V5, or 6800 V5) uses Turbo Module, online capacity expansion, and disk roaming technologies to provide high availability for applications and non-disruptive system running during maintenance.

- Turbo Module enables controllers, fans, power modules, interface modules, BBUs, and disks to be hot-swappable, allowing online operations.
- Dynamic capacity expansion enables users to add disks to a disk domain in an online and easy manner.
- Disk roaming enables a storage system to automatically identify relocated disks and resume their services.

In data protection:

The storage system provides the following advanced data protection technologies and protocols to protect data integrity and continuous system running even when catastrophic disasters happen:

- HyperSnap generates multiple point-in-time images for the source logical unit number (LUN) or source file system data. The snapshot images can be used to recover data quickly when needed.
- HyperCopy backs up data among heterogeneous storage systems for data protection.
- HyperReplication backs up local data onto a remote storage system for disaster recovery.
- HyperClone preserves a real-time physical copy of a source LUN or file system for the high availability of local data.
- HyperMirror backs up data in real time. If the source data becomes unavailable, applications can automatically use the data copy, ensuring data security and application continuity.
- HyperMetro synchronizes and replicates data between storage arrays, monitors service operating status, and performs failovers. In addition, it can switch over services and implement service load sharing when storage arrays are running.
- The Network Data Management Protocol (NDMP) is used for data backup and recovery.

In resource management:

The storage system employs the following resource application technologies for flexible resource management to protect customers' storage investments:

- SmartVirtualization enables a local storage system to centrally manage storage resources of heterogeneous storage systems, simplifying storage system management and reducing maintenance costs.
- SmartMigration migrates LUNs or file systems in or between storage systems, adjusting and allocating resources along with business development.
- SmartMulti-Tenant enables a storage system to provide different tenants with shared storage resources and to separate tenant access and management.

The storage system supports memory upgrade so that storage performance matches service development.

High System Security

Storage network security:

- Security of management channels
The management operations from physical ports are controlled by the access authentication mechanism of the storage system, and only authorized users are allowed to manage the storage system.
- Anti-attack protection for protocols and ports
The storage system provides only necessary ports to the external for system operations and maintenance. All the ports used are listed in the *Communication Matrix*. Dynamic listening ports are functioning in the proper scope, and no undisclosed interface exists.
- Service ports are isolated from management ports
The Access Control List (ACL) mechanism is adopted to isolate Ethernet ports from internal heartbeat network ports, management network ports, and maintenance network ports.

Storage service security:

- Security of the operating system
The storage system uses a dedicated operating system. Security of the operating system has been hardened before the storage system is delivered. The storage systems update security patches for their operating systems and open-source software based on site requirements, safeguarding users' data.
- Data storage encryption
 - The storage system supports data encryption by using a network password manager. The network password manager employs the standard cryptographic algorithm supported by the State Encryption Administration of China. It allows only the hosts that comply with security policies to access storage system data by auditing access control policies and controlling access attempts from hosts. After the network password manager is deployed, all mutual information between the hosts and storage system will pass the network password manager to enable read/write data encryption and decryption. This ensures data security of the storage system.
 - The storage system supports disk encryption. The hardware circuits and internal data encrypt key of disks are used for data writing encryption and data reading decryption. To ensure the security of the data encrypt key, the storage system and the third-party key management server jointly provide a highly secure, reliable, and available key management solution.
- Data destruction

When deleting unwanted data, the system erases the specified LUN to make the deleted data unable to be restored, preventing critical data leaks.

- File antivirus

When the storage system runs a file system and shares the file system with clients through CIFS, third-party antivirus software can be used to trigger virus scanning and delete virus-infected files, improving storage system security.

Storage management security:

- Security of management and maintenance

The operations of users can be allowed and denied. All management operations are logged by the system.

- Data integrity protection and tamper resistance

The Write Once Read Many (WORM) feature allows users to set critical data to the read-only state, preventing unauthorized data change and deletion during a specified period of time.

In addition, trusted verification is enabled during the storage system startup to measure and verify **BIOS > Grub > Euler Linux Kernel > Euler Linux > Storage application software** level by level to prove integrity of loaded software at each level and to prevent software tampering. The storage system's power-on process will be verified to ensure that the system is not tampered with.

Virtualization, Intelligence, and Efficiency

The storage system absorbs the concept of "Virtualization, Intelligence, and Efficiency", which fits the up-to-date storage design idea and wins a leading position for the storage system. Compared with traditional storage systems, the series introduces the following technologies to provide higher storage space usage, faster data reconstruction, smarter performance allocation, and finer service quality control:

- RAID 2.0+ underlying virtualization

Divides disk storage space into small-sized data blocks and uses the blocks to create RAID groups for fine-grained resource management. The technology realizes automatic load balancing, higher storage performance, better storage space utilization, faster disk reconstruction, and finer storage space management. RAID 2.0+ serves as a basis for a number of other advanced storage technologies.

- SmartTier (intelligent storage tiering)

Enables a storage system to automatically analyze data access frequency per unit time and relocate data to disks of different performance levels based on the analysis result. High-performance disks store hot data, performance disks store warm data, and large-capacity disks store cold data. As a result, SmartTier optimizes overall performance and reduces costs per IOPS.

- SmartQoS (intelligent service quality control)

Enables a storage system to categorize service data based on data characteristics (each category represents a type of application) and set a priority and performance objective for each category. In this way, resources are assigned to services based on priorities, ensuring the performance of mission-critical services that have the top priority.

- SmartThin (Thin provisioning)

Allows on-demand allocation of storage space rather than the traditional method of pre-allocating all storage space at the initial stage. It is more efficient because the amount of

resources used is close to the amount of resources allocated. In this way, the initial purchase cost and total cost of ownership are reduced.

- SmartCache (intelligent storage cache)
Uses SSDs as cache resources to significantly promote system read performance when random, small I/Os with hot data require more read operations than write operations.
- Quick document incremental backup with Tivoli Storage Manager (TSM)
When the storage system interworks with the TSM backup software to perform incremental file backup, the Snapdiff feature uses the snapshot mechanism to quickly obtain differential file information and identify changed files. Without the need for full scanning, only changed files are backed, greatly shortening backup time. The backup performance is not affected by the number of files, which greatly improves the backup efficiency.

Cost-Effectiveness and Ease-of-Use

The storage system delivers cost-effective performance through intelligent CPU frequency control, delicate fan speed control, and deduplication and compression. It also provides a series of management and maintenance tools for easy use and maintenance.

- Cost-effectiveness
 - Intelligent CPU frequency control
Automatically changes the CPU frequency based on the system loads, that is, it decreases the CPU frequency and power consumption during off-peak hours for a low operation cost and long CPU service life.
 - Delicate fan speed control
Dynamically adjusts the fan speed based on the storage system's temperature. It lowers the noise and power consumption and cuts the operation cost.
 - Deduplication and compression
Checks and processes duplicate data in disks based on deduplication, and minimizes space occupied by data based on compression to improve disk utilization.
- Ease-of-use
 - DeviceManager
An HTML5-based tool providing the graphical user interface (GUI) allows you to easily manage storage systems through wizard-instructed operations.
 - Integrated management
Implements convenient device management by integrating a management plug-in into mainstream management software such as VMware vCenter plug-in, Hyper-V System Center, vSphere API for Storage Awareness (VASA), vSphere Storage APIs for Array Integration (VAAI), and Volume Shadow Copy Service (VSS) Provider.
 - Tablet management
Supports flexible storage system management on a tablet.
 - Various alarm notification methods
Provides alarm notification by sound, indicator, short message service (SMS), and email.
 - Tool for an upgrade at your fingertips
Provides online upgrade for controllers. The operation is easy without interrupting services.

Intelligent O&M

The eService intelligent cloud management system (eService for short) improves customers' O&M capabilities and takes planned maintenance actions to prevent potential risks.

Being authorized by customers, eService monitors device alarms in 24/7 mode. Whenever an alarm is detected, eService automatically notifies Huawei technical support center and creates service requests (SRs). Huawei service engineers will help customers solve problems in a timely manner.

- eService provides a self-service O&M system for customers, aiming for precise and customized information services.
- Based on HUAWEI CLOUD, the eService cloud system drives IT O&M activities via big data analytics and artificial intelligence (AI) technologies to identify faults in advance, reduce O&M difficulties, and improve O&M efficiency.
- Data is encrypted during the data transmission, ensuring secure data transmission. eService can access the customer's system only after being authorized by the customer.
- eService provides 24/7 secure, reliable, and proactive O&M services. SRs can be automatically created.
- Customers can use any PC to access eService at any time and any place to view device information.

eService enables the client system to work with the cloud system.

- eService client system:

Deployed on the customer side, the eService client system collects customer device alarms and sends them to the eService cloud system in a timely manner to implement remote maintenance functions, such as remote inspection and remote log collection.

- eService cloud system:

Deployed in Huawei technical support center, the eService cloud system receives device alarms from the client system in 24/7 mode, automatically notifies Huawei technical support personnel to handle the alarms in a timely manner, and supports automatic inspection and log collection for devices on the customer side.

For details, see the *eService Intelligent Cloud Management System User Guide* or log in to <http://support.eservice.huawei.com> to access and use eService.

3 Typical Applications

About This Chapter

The storage system offers industry-leading hardware specifications, a flexible and reliable hardware design, a virtualized underlying architecture, and a variety of data protection technologies, addressing the needs of differentiated storage applications. It is designed for a wide range of applications including high-performance, high-availability, or high-density and multi-service applications.

[3.1 High-Performance Applications](#)

[3.2 High-Availability Applications](#)

[3.3 High-Density and Multi-Service Applications](#)

3.1 High-Performance Applications

The storage system incorporates various technologies to boost the system performance. Its high-performance hardware delivers outstanding data access performance. The virtualization technology can improve the storage performance continuously and it shatters performance bottlenecks from future business growth. The intelligent data tiering technology SmartTier automatically detects and prioritizes hotspot data. Therefore, the storage system is a great choice for the high-performance applications.

On-Demand System Performance Boost

In certain scenarios, a storage system may have been provisioned to meet the initial application requirements. However, the future growth of applications often exceeds expectation, and the performance of a traditional storage system will soon become a limiting factor. The virtualization technology of the storage system (OceanStor 5110 V5, 5300 V5, 5500 V5, 5600 V5, 5800 V5, or 6800 V5) can address this issue. It dynamically increases storage performance based on current application requirements. This prolongs the system service life and lowers customers' total cost of ownership (TCO).

After the initial purchase, the storage system is equipped with affordable hard disk drives (HDDs) to deliver data storage services. As the service requirements increase and the storage system requires higher performance, administrators can add HDDs or SSDs to boost the system performance. If even greater system performance is required, administrators can replace all the existing HDDs with SSDs to further improve system performance.

This on-demand system performance boost brings the following benefits:


- The system performance is improved gradually, balancing the return on investment (ROI) and the system service life.
- Components for upgrade are available, following the Moore's Law to reduce the purchase cost and the TCO.

Dynamic Storage Tiering for Hotspot Data

In media and website applications, information has a high access frequency, which can generate hotspot data. The hotspot data receives simultaneous read and write requests from a large number of servers, and poses a demanding requirement on storage system performance. Traditional storage systems cannot address such a storage requirement.

The storage system uses its resident intelligent data tiering technology, SmartTier, to identify hotspot data and promote it to high-performance SAS disks or SSDs. If SmartTier later finds out that the hotspot data becomes cold (receiving fewer access requests), it demotes the data to low-performance disks and clears storage space for new hotspot data. **Figure 3-1** depicts the working principle of SmartTier.

Figure 3-1 SmartTier working principle



3.2 High-Availability Applications

The storage system has a highly reliable design, achieving a long mean time between failures (MTBF), and ensuring high availability of storage applications. It also incorporates a variety of data protection technologies, and protects data integrity and service continuity against catastrophic disasters.

In-Service Routine Maintenance

In traditional storage systems, routine maintenance tasks, such as component replacement and capacity expansion, must be implemented in offline mode. The storage system, however, assembles advanced technologies for in-service routine maintenance:

- Turbo Module
Enables online replacement of components and requires no system restart.
- Online capacity expansion
Allows online addition of disks and expansion of storage pools.


Tolerance of Single Points of Failures

The storage system incorporates a hierarchical redundancy design to eliminate the impact of single points of failure:

- Hardware redundancy
All components of the series are in redundancy and work in active-active mode. If one component fails, the other speeds up to compensate so that the storage system can continue operating.
- Link redundancy
If there is only one link between the storage system and an application server, the disconnection of the link terminates their communication. To eliminate this failure, the series storage system uses two or more links to communicate with the application server. Therefore, if one link is down, the other links take over the services to continue the data transmission.
- Application server clustering
If the storage system cooperates with only one application server, the failure of the application server interrupts services. Application server clustering can address this issue. A cluster consists of two or more application servers that share loads. If one application server in the cluster fails, the other application servers take over its loads, and the whole process is transparent to users. Application server clustering supported by the series ensures business continuity.

Based on the previous protection mechanisms, the storage system has proven tolerance of single points of failure, as shown in [Figure 3-2](#).

Figure 3-2 Tolerance of single points of failure



In the example in [Figure 3-2](#), application server A and controller A are faulty, and a link between the cluster and the storage system is down. Under this circumstance, the redundant components and links compensate for the failed ones, and services are switched to application server B that is running properly. This ensures the nonstop system operations and greatly improves the service availability.

Resilience Against Disasters

The storage system compliments various data protection methods for backup and disaster recovery. Those methods eliminate the risks of unexpected downtime and data loss caused by natural disasters, serious device failures, or man-made misoperations.

The supported data protection methods include:

- Backup

The storage system processes a huge amount of data, and the loss of any data can lead to a disastrous result. Therefore, enterprises are used to periodically back up their critical data. The following backup technologies are most commonly used because they complete data backup in a hitless manner:

- HyperSnap: locally generates a virtual duplicate for a source LUN or file system at a specified point in time. The duplicate is immediately usable and any access to it will have no impact on the source LUN or file system data.
- HyperClone: locally generates a complete copy for a source LUN or file system at a specified point in time. After the clone task, the destination LUN or file system stores the same data as the source LUN or file system, and their relationship can be split. Then any access to the destination LUN or file system has no impact on the source LUN data.

- HyperCopy: replicates data from the source LUN to the destination LUN at block level. A LUN copy task can be performed within a storage system or among storage systems (even if they are heterogeneous).
- HyperMirror: backs up data in real time. If the source data becomes unavailable, applications can automatically use the data copy, ensuring data security and application continuity.
- HyperMetro: synchronizes and replicates data between storage arrays, monitors service operating status, and performs failovers. In addition, it can switch over services and implement service load sharing when storage arrays are running.

- Disaster recovery

Disaster recovery is essential for critical applications that must continue operating even during catastrophic disasters. Disaster recovery technologies involve many aspects such as storage systems, application servers, application software, and technicians. From the storage system aspect, the remote replication technology is used for disaster recovery because it can back up data in real time.

The technology duplicates backup data in real time across sites, and utilizes the long distance between sites to eliminate data loss. This ensures that data is readily available on other sites if one site is destroyed.

3.3 High-Density and Multi-Service Applications

The storage system delivers industry-leading density of interface modules in an enclosure and a flexible configuration of interface modules and hard disks of different types. This design makes the series suitable for high-density and multi-service applications.

High-Density Virtual Machine Applications


The virtual machine technology greatly improves application servers' utilization, and lowers services' deployment and operating expense. Therefore, it is popular in many application scenarios. However, virtual machines are now facing a challenge, that is, they are equipped with an increasing number of application systems and virtual desktops, leading to the high density of virtual machines. Compared with a single server, high-density virtual machines generate more service data, consume more bandwidth, and pose more demanding requirements on performance and scalability.

Excellent in both performance and compatibility, the storage system is ideal for high-density virtual machine applications:

- The three-level performance acceleration technology provides robust storage performance for high-density virtual machine applications.
- The proprietary Turbo Module technology significantly improves the density of interface modules in a single enclosure. This high-density design translates into a capability to support hundreds of virtual machines.
- Various virtual machine applications are supported, including VMware, Hyper-V, and Citrix Xen.

Figure 3-3 shows an example of the high-density virtual machine application scenario.

Figure 3-3 Example of the high-density virtual machine application scenario



Multi-Service Applications

It is common nowadays for one storage system to process diversified applications. However, those applications have differentiated requirements on storage. Therefore, the storage system must have high flexibility in performance and networking.

Each type of services has its specific requirements for storage systems:

- Database servers (featuring structured data) have high requirements on storage performance, data integrity, and system stability.
- Mail servers (featuring high randomness of concurrent accesses) have high requirements on storage performance, data integrity, and system stability.
- Video servers have high requirements on storage capacity, data access continuity, and continuous bandwidths.
- Backup servers have low requirements on performance and bandwidths.

The storage system supports an intermixed configuration of SSDs, SAS disks, and NL-SAS disks to deliver optimal performance.


- SSDs: deliver the highest performance among these three types of disks, and are suitable for application servers such as busy database servers and mail servers that require superior storage performance.
- SAS disks: deliver performance lower than SSDs but higher than NL-SAS disks, and are suitable for application servers such as common database servers, mail servers, and high-definition (HD) video servers that have a moderate storage performance requirement.

- NL-SAS disks: deliver the lowest performance among these three types of disks, and are suitable for application servers such as low-end video servers and backup servers that have a low storage performance requirement.

Multiple front-end interface modules are flexibly configured with customizable transmission rates, adapting to various networks and providing storage services in different networks.

Figure 3-4 shows an example of multi-service application scenario.

Figure 3-4 Example of a multi-service application scenario



4 Hardware Architecture

About This Chapter

The OceanStor storage hardware is the basis of data storage. A storage unit typically consists of a controller enclosure or a controller enclosure plus disk enclosures.

[4.1 Device Composition](#)

[4.2 3D Interactive Hardware Demonstration](#)

[4.3 2 U Controller Enclosure \(Supported by OceanStor 5110 V5/5300 V5\)](#)

[4.4 2 U Controller Enclosure \(Supported by OceanStor 5500 V5\)](#)

[4.5 3 U Controller Enclosure \(Supported by OceanStor 5600 V5 and 5800 V5\)](#)

[4.6 6 U Controller Enclosure \(Supported by OceanStor 6800 V5\)](#)

[4.7 Interface Module](#)

[4.8 2 U Disk Enclosure \(2.5-Inch Disks\)](#)

[4.9 4 U Disk Enclosure \(3.5-Inch Disks\)](#)

[4.10 High-Density Disk Enclosure](#)

[4.11 Coffer Disk](#)

[4.12 \(Optional\) Data Switch](#)

[4.13 \(Optional\) Quorum Server](#)

[4.14 Device Cables](#)

4.1 Device Composition

A storage system consists of one or more controller enclosures and disk enclosures, and it provides an intelligent storage platform that features robust reliability, high performance, and large capacity.

Different product models use different types of controller enclosures and disk enclosures. [Table 4-1](#) compares each model in the storage system.

Table 4-1 Model comparison

Product Model	Controller Enclosure	Disk Enclosure
OceanStor 5110 V5 with disk and controller integration	<ul style="list-style-type: none"> ● 2 U controller enclosure with 12 disk slots ● 2 U controller enclosure with 25 disk slots 	<ul style="list-style-type: none"> ● 2 U disk enclosure with 25 disk slots ● 4 U disk enclosure with 24 disk slots
OceanStor 5300 V5/5500 V5 with disk and controller integration		<ul style="list-style-type: none"> ● 2 U disk enclosure with 25 disk slots ● 4 U disk enclosure with 24 disk slots ● 4 U high-density disk enclosure with 75 disk slots
OceanStor 5600 V5/5800 V5 with disk and controller separation	3 U controller enclosure	
OceanStor 6800 V5 with disk and controller separation	6 U controller enclosure	

The following figures show the appearances of the storage devices.

Figure 4-1 2 U controller enclosure with 12 disk slots




Figure 4-2 2 U controller enclosure with 25 disk slots



Figure 4-3 3 U controller enclosure



Figure 4-4 6 U controller enclosure




Figure 4-5 2 U disk enclosure with 25 disk slots



Figure 4-6 4 U disk enclosure with 24 disk slots



Figure 4-7 4 U high-density disk enclosure with 75 disk slots




4.2 3D Interactive Hardware Demonstration

OceanStor storage systems provide all-new hardware simulation for interactive experience, which supports all-round demonstration of hardware components and manual disassembly, providing details on the internal structure. Furthermore, documents, utilities, multimedia, software, and success stories relevant to the products are provided for reference.


1. Log in to <https://support.huawei.com/enterprise/>.
2. Choose **Technical Support** > **Product Support** > **Enterprise Data Center** > **Enterprise Storage**.
3. Select the desired product model.
4. Click the **Video** tab and select **3D Demo** in **Type**.

Figure 4-8 Selecting 3D Demo



5. Select the desired demonstration.
A page similar to [Figure 4-9](#) is displayed

Figure 4-9 3D interactive demonstration



4.3 2 U Controller Enclosure (Supported by OceanStor 5110 V5/5300 V5)

This section describes a controller enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.

4.3.1 Overview

The controller enclosure adopts a modular design and consists of a system subrack, controllers (housing backup power modules), power modules, and disk modules.

The 2 U controller enclosure of OceanStor 5110 V5 supports AC power modules, and that of OceanStor 5300 V5 supports both AC and DC power modules. One 2 U controller enclosure supports dual controllers only. The following figures show the structure of OceanStor 5300 V5 with dual controllers and AC power modules.

Overall Structure

Figure 4-10 shows the overall structure and components of a 2 U 25-disk controller enclosure and **Figure 4-11** shows the overall structure and components of a 2 U 12-disk controller enclosure.

Figure 4-10 Overall structure of a 2 U 25-disk controller enclosure





Figure 4-11 Overall structure of a 2 U 12-disk controller enclosure



NOTE

Controller A is above controller B. Controllers communicate with each other using internal heartbeat links and do not need cable connections.

Front View

Figure 4-12 shows the front view of a 2 U 25-disk controller enclosure and **Figure 4-13** shows the front view of a 2 U 12-disk controller enclosure.

Figure 4-12 Front view of a 2 U 25-disk controller enclosure





Figure 4-13 Front view of a 2 U 12-disk controller enclosure



NOTE

- The disk slots of a 2 U 25-disk controller enclosure are numbered 0 to 24 from left to right. The four coffer disks are located in slot 0 to slot 3.
- The disk slots of a 2 U 12-disk controller enclosure are numbered 0 to 11 from left to right and from top to bottom. The four coffer disks are located in slot 0 to slot 3.
- SAS, NL-SAS, and SSD disks can be used as coffer disks. The type of the four coffer disks must be the same.
- Slots are used to accommodate and secure disks, interface modules, controller modules, fan modules, and power modules.
- The information plate records device information.

Rear View

Figure 4-14 shows the rear view of a 2 U controller enclosure of OceanStor 5300 V5, with the AC power supply and SmartIO interface modules.


NOTICE

Do not connect the management network port and maintenance network port to the same switch.

NOTE

- OceanStor 5110 V5/5300 V5 provides onboard GE and mini SAS HD ports.
- The controller enclosure of OceanStor 5110 V5 supports 8 Gbit/s Fibre Channel interface modules (four ports), GE electrical interface modules, 10GE electrical interface modules, SmartIO interface modules, 8 Gbit/s Fibre Channel interface modules (eight ports), 16 Gbit/s Fibre Channel interface modules (eight ports), and 12 Gbit/s SAS expansion modules.
- The controller enclosure of OceanStor 5300 V5 supports 8 Gbit/s Fibre Channel interface modules (four ports), GE electrical interface modules, 10GE electrical interface modules, 40GE interface modules, 100GE interface modules, SmartIO interface modules, 8 Gbit/s Fibre Channel interface modules (eight ports), 16 Gbit/s Fibre Channel interface modules (eight ports), and 12 Gbit/s SAS expansion modules.
- When the maintenance network port is used for management and maintenance, the maintenance network port can only be used by Huawei technical support for emergency maintenance and cannot be connected to the same network with the management network port. Otherwise, a network loopback may occur, causing a network storm. The initial value for the IP address of the maintenance network port is 172.31.128.101 or 172.31.128.102. The default subnet mask is 255.255.0.0. You are advised to only connect the management network port to the network.

Figure 4-14 Rear view of the OceanStor 5300 V5 controller enclosure (with AC power modules)



NOTE

A 2 U controller enclosure houses controller A and controller B from top to bottom. From left to right, the interface module slots of controller A are A0 and A1, and those of controller B are B0 and B1. When the storage device requires IP Scale-out, SmartIO interface modules must be installed in A1 and B1 slots.

4.3.2 Component Description

This section provides the detailed illustration and description for each component.

4.3.2.1 System Subrack

The system subrack houses a midplane to provide reliable connections for interface modules and to distribute power and signals to inner modules.

Appearance

Figure 4-15 shows the appearance of a system subrack.

Figure 4-15 System subrack



4.3.2.2 Controller

A controller is the core component of a storage system. It processes storage services, receives configuration management commands, saves configuration data, connects to disk enclosures, and saves critical data onto coffer disks. Each controller houses one backup power module to supply power to a controller enclosure in the event of unexpected power failures.

 **NOTE**


Each controller has two built-in disks. The disks are used to store the configuration data of the storage system, data in cache after a power failure, and OceanStor OS data. The disks built in one controller and those built in another are redundant for each other.

Appearance

Each controller supports two interface modules.

Figure 4-16 shows the appearance of a controller.


Figure 4-16 Controller



Ports

Figure 4-17 describes the ports of a controller.

Figure 4-17 Ports of a controller



Indicators

Table 4-2 describes the states and corresponding meanings of indicators on a controller after it is powered on.

Table 4-2 Checklist for indicators on a controller

Indicator	Status and Description
Link/Active/Mode indicator of the SmartIO port	<ul style="list-style-type: none"> ● Blinking blue slowly (1 Hz): The interface module is working in FC mode, and the port link is down. ● Blinking blue quickly (2 Hz): The interface module is working in FC mode, and data is being transmitted. ● Steady blue: The interface module is working in FC mode, the port link is up, and no data is being transmitted. ● Blinking green slowly (1 Hz): The interface module is working in ETH mode, and the port link is down. ● Blinking green quickly (2 Hz): The interface module is working in ETH mode, and data is being transmitted. ● Steady green: The interface module is working in ETH mode, the port link is up, and no data is being transmitted. ● Steady red: The port is faulty. ● Off: The port is not powered on.
Power indicator of the interface module/Hot Swap button of the module	<ul style="list-style-type: none"> ● Steady green: The interface module is running properly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or can be hot-swappable.
Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.
Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
Running/Alarm indicator of the backup power module	<ul style="list-style-type: none"> ● Steady green: The backup power module is fully charged. ● Blinking green (1 Hz): The backup power module is being charged. ● Blinking green (4 Hz): The backup power module is being discharged. ● Steady red: The backup power module is faulty.

Indicator	Status and Description
Power indicator of the controller	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process, or the controller is in the power-off process. ● Off: The controller is absent or powered off.
Alarm indicator of the controller	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the controller. ● The Alarm indicator blinking red and the Power indicator blinking green: The controller is being located. ● Off: The controller is working correctly.
Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.
Link/Active indicator of the GE electrical port	<ul style="list-style-type: none"> ● Steady green: The link to the application server is normal. ● Blinking green: Data is being transferred. ● Off: The link to the application server is down or no link exists.
Speed indicator of the GE electrical port	<ul style="list-style-type: none"> ● Steady orange: The data transfer rate between the storage system and the application server is 1 Gbit/s. ● Off: The data transfer rate between the storage system and the application server is less than 1 Gbit/s.

4.3.2.3 Power Module

Power modules can ensure that the controller enclosure works correctly in maximum power consumption mode. The controller enclosure supports both AC and DC power modules.

 **NOTE**

OceanStor 5110 V5 does not support DC power modules.

Appearance

Figure 4-18 and **Figure 4-19** show the front view of an AC power module and a DC power module respectively.

Figure 4-18 Front view of an AC power module





Figure 4-19 Front view of a DC power module



Indicators

Table 4-3 describes indicators on a power module of a powered-on storage system.

Table 4-3 Indicators on a power module

Indicator	Status and Description
Running/Alarm indicator of the power module	<ul style="list-style-type: none">● Steady green: The power supply is correct.● Green blinking: The power input is normal but the enclosure is powered off.● Steady red: The power supply is faulty.● Off: No external power input is found.

4.3.2.4 Disk Module

Disk modules provide storage capacity for a storage system. Disk modules can function as system coffer disks to save service data, system data, and cache data.

Appearance

Figure 4-20 shows the appearance of a 2.5-inch disk module. **Figure 4-21** shows the appearance of a 3.5-inch disk module.

Figure 4-20 2.5-inch disk module





Figure 4-21 3.5-inch disk module



Indicators

Table 4-4 describes indicators on a disk module of a powered-on storage system.

Table 4-4 Indicators on a disk module

Indicator	Status and Description
Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.
Alarm/Location indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.

4.3.3 Indicator Introduction

After a controller enclosure is powered on, you can check the current operating status of the controller enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-22 shows the indicators on the front panel of a 2 U 25-disk controller enclosure and **Figure 4-23** shows the indicators on the front panel of a 2 U 12-disk controller enclosure.

Figure 4-22 Indicators on the front panel of a 2 U 25-disk controller enclosure




Figure 4-23 Indicators on the front panel of a 2 U 12-disk controller enclosure




Table 4-5 describes the indicators on the front panel of a controller enclosure.

Table 4-5 Description of the indicators on the front panel of a controller enclosure

Module	Indicator	Status and Description
Disk module	Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.
	Location/Alarm indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.
System subrack	Location indicator of the controller enclosure	<ul style="list-style-type: none"> ● Blinking blue: The controller enclosure is being located. ● Off: The controller enclosure is not located.
	Alarm indicator of the controller enclosure	<ul style="list-style-type: none"> ● Steady red: An alarm whose severity is major or higher is generated on the storage system. ● Off: The storage system is running properly.

Module	Indicator	Status and Description
	Power indicator/Power button of the controller enclosure	<ul style="list-style-type: none"> ● Steady green: The controller enclosure is powered on. ● Blinking green (0.5 Hz): The controller enclosure is being powered on. ● Blinking green (1 Hz): The controller enclosure is in the burn-in test. ● Blinking green (2 Hz): The controller enclosure is in the operating system boot process, or is being powered off. ● Off: The controller enclosure is powered off or is in the standby state.

Indicators on the Rear Panel

Figure 4-24 shows the indicators on the rear panel of a controller enclosure.

Figure 4-24 Indicators on the rear panel of a controller enclosure




Table 4-6 describes the indicators on the rear panel of a controller enclosure.

Table 4-6 Description of the indicators on the rear panel of a controller enclosure

Module	Indicator	Status and Description
Interface module	Power indicator of the interface module/Hot Swap button of the module	<ul style="list-style-type: none"> ● Steady green: The interface module is running properly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or can be hot-swappable.

Module	Indicator	Status and Description
	Link/Active/Mode indicator of the SmartIO port	<ul style="list-style-type: none"> ● Blinking blue slowly (1 Hz): The interface module is working in FC mode, and the port link is down. ● Blinking blue quickly (2 Hz): The interface module is working in FC mode, and data is being transmitted. ● Steady blue: The interface module is working in FC mode, the port link is up, and no data is being transmitted. ● Blinking green slowly (1 Hz): The interface module is working in ETH mode, and the port link is down. ● Blinking green quickly (2 Hz): The interface module is working in ETH mode, and data is being transmitted. ● Steady green: The interface module is working in ETH mode, the port link is up, and no data is being transmitted. ● Steady red: The port is faulty. ● Off: The port is not powered on.
Power module	Running/Alarm indicator of the power module	<ul style="list-style-type: none"> ● Steady green: The power supply is correct. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module is faulty. ● Off: No external power input is found.
Controller	Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.
	Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
	Running/Alarm indicator of the backup power module	<ul style="list-style-type: none"> ● Steady green: The backup power module is fully charged. ● Blinking green (1 Hz): The backup power module is being charged. ● Blinking green (4 Hz): The backup power module is being discharged. ● Steady red: The backup power module is faulty.

Module	Indicator	Status and Description
	Power indicator of the controller	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process, or the controller is in the power-off process. ● Off: The controller is absent or powered off.
	Alarm indicator of the controller	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the controller. ● The Alarm indicator blinking red and the Power indicator blinking green: The controller is being located. ● Off: The controller is working correctly.
	Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.
	Link/Active indicator of the GE electrical port	<ul style="list-style-type: none"> ● Steady green: The link to the application server is normal. ● Blinking green: Data is being transferred. ● Off: The link to the application server is down or no link exists.
	Speed indicator of the GE electrical port	<ul style="list-style-type: none"> ● Steady orange: The data transfer rate between the storage system and the application server is 1 Gbit/s. ● Off: The data transfer rate between the storage system and the application server is less than 1 Gbit/s.

4.4 2 U Controller Enclosure (Supported by OceanStor 5500 V5)

This section describes a controller enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.

4.4.1 Overview

The controller enclosure adopts a modular design and consists of a system subrack, controllers, Power-BBU modules, and disk modules.

Overall Structure

Figure 4-25 shows the overall structure and components of a 2 U 25-disk controller enclosure and **Figure 4-26** shows the overall structure and components of a 2 U 12-disk controller enclosure.

NOTE

2 U controller enclosures support both AC and DC power modules. The following figure uses the AC power module as an example.

Figure 4-25 Overall structure of a 2 U 25-disk controller enclosure





Figure 4-26 Overall structure of a 2 U 12-disk controller enclosure



 **NOTE**

Controller A is above controller B. Controllers communicate with each other using internal heartbeat links and do not need cable connections.

Front View

Figure 4-27 shows the front view of a 2 U 25-disk controller enclosure and **Figure 4-28** shows the front view of a 2 U 12-disk controller enclosure.

Figure 4-27 Front view of a 2 U 25-disk controller enclosure





Figure 4-28 Front view of a 2 U 12-disk controller enclosure



 **NOTE**

- The disk slots of a 2 U 25-disk controller enclosure are numbered 0 to 24 from left to right. The four coffer disks are located in slot 0 to slot 3.
- The disk slots of a 2 U 12-disk controller enclosure are numbered 0 to 11 from left to right and from top to bottom. The four coffer disks are located in slot 0 to slot 3.
- SAS, NL-SAS, and SSD disks can be used as coffer disks. The type of the four coffer disks must be the same.
- Slots are used to accommodate and secure disks, interface modules, controller modules, fan modules, and power modules.
- The information plate records device information.

Rear View

Figure 4-29 shows the rear view of a 2 U controller enclosure of OceanStor 5500 V5, with AC power supply and 8 Gbit/s Fibre Channel interface modules.


NOTICE

Do not connect the management network port and maintenance network port to the same switch.

NOTE

- OceanStor 5500 V5 provides onboard SmartIO and mini SAS HD ports.
- A controller enclosure supports 8 Gbit/s Fibre Channel interface modules (four ports), GE electrical interface modules, 10GE electrical interface modules, 10 Gbit/s FCoE interface modules (two ports), 56 Gbit/s InfiniBand interface modules, SmartIO interface modules, 8 Gbit/s Fibre Channel interface modules (eight ports), 16 Gbit/s Fibre Channel interface modules (eight ports), and 12 Gbit/s SAS expansion modules.
- When the maintenance network port is used for management and maintenance, the maintenance network port can only be used by Huawei technical support for emergency maintenance and cannot be connected to the same network with the management network port. Otherwise, a network loopback may occur, causing a network storm. The initial value for the IP address of the maintenance network port is 172.31.128.101 or 172.31.128.102. The default subnet mask is 255.255.0.0. You are advised to only connect the management network port to the network.

Figure 4-29 Rear view of a controller enclosure (with AC power modules)



NOTE

A 2 U controller enclosure houses controller A and controller B from top to bottom. The slots for interface modules of controller A are A0 and A1, and the slots for interface modules of controller B are B0 and B1. When the storage device requires IP Scale-out, SmartIO interface modules must be installed in A1 and B1 slots.

4.4.2 Component Description

This section provides the detailed illustration and description for each component.

4.4.2.1 System Subrack

The system subrack houses a midplane that provides reliable connections for interface modules and distributes power and signals to inner modules.

Appearance

Figure 4-30 shows the appearance of a system subrack.

Figure 4-30 System subrack



4.4.2.2 Controller

A controller is the core component of a storage system. It processes storage services, receives configuration management commands, saves configuration data, connects to disk enclosures, and saves critical data onto coffer disks.


 **NOTE**

Each controller has one or more built-in disks to store system data. If a power failure occurs, such disks also store cache data. The disks built in one controller and those built in another are redundant for each other.

Appearance

Figure 4-31 shows the appearance of a controller.


Figure 4-31 Controller



Ports

Figure 4-32 describes the ports of a controller.

Figure 4-32 Ports of a controller



Indicators

Table 4-7 describes the states and corresponding meanings of indicators on a controller after it is powered on.

Table 4-7 Checklist for indicators on a controller

Indicator	Status and Description
Link/Speed indicator of the 8 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate between the storage system and the application server is 8 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: The data transfer rate between the storage system and the application server is 2 Gbit/s or 4 Gbit/s. ● Blinking green: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.
Power indicator/Hot Swap button of the module	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The interface module is powered off or can be hot-swappable.
Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.
Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
Power indicator of the controller	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Power indicator blinking green and Alarm indicator blinking red: The controller is being located. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process, or the controller is in the power-off process. ● Off: The controller is absent or powered off.
Alarm indicator of the controller	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the controller. ● The Alarm indicator blinking red and the Power indicator blinking green: The controller is being located. ● Off: The controller is working correctly.

Indicator	Status and Description
Mini SAS HD expansion port indicator	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate between the controller enclosure and the disk enclosure is 4 x 12 Gbit/s. ● Steady green: The data transfer rate between the controller enclosure and the disk enclosure is 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link is down.
Link/Active/Mode indicator of the SmartIO port	<ul style="list-style-type: none"> ● Blinking blue slowly (1 Hz): The interface module is working in FC mode, and the port link is down. ● Blinking blue quickly (2 Hz): The interface module is working in FC mode, and data is being transmitted. ● Steady blue: The interface module is working in FC mode, the port link is up, and no data is being transmitted. ● Blinking green slowly (1 Hz): The interface module is working in ETH mode, and the port link is down. ● Blinking green quickly (2 Hz): The interface module is working in ETH mode, and data is being transmitted. ● Steady green: The interface module is working in ETH mode, the port link is up, and no data is being transmitted. ● Steady red: The port is faulty. ● Off: The port is not powered on.

4.4.2.3 Power-BBU Module

A Power-BBU module consists of a power module, a fan module, and a BBU. Both AC and DC power modules are supported and they allow the controller enclosure to work correctly in maximum power consumption mode. BBUs provide enough power to ensure that any data in flight is de-staged to the vault area in the event of a power failure. If a BBU is faulty, it can be isolated without affecting the normal running of the storage system. If a power failure occurs, BBUs ensure that the storage system writes cached data to the built-in disks of the controllers, preventing data loss. After the external power supply resumes, the driver reads data from the built-in disks of the controllers to the cache. In a system using the lithium batteries, the battery capacity is updated and detected by charging and discharging the batteries. In this way, the problems can be detected in advance that the battery capacity attenuates, the batteries fail to meet the power backup requirements of the system, and thus the data backup fails when the batteries are not used for a long time. Then, the reliability of data protection upon the system power failure can be improved.

Appearance

[Figure 4-33](#), [Figure 4-34](#), and [Figure 4-35](#) show the front view of an AC Power-BBU module, the front view of a DC Power-BBU module, and the rear view of a Power-BBU module respectively.

Figure 4-33 Front view of an AC Power-BBU module




Figure 4-34 Front view of a DC Power-BBU module





Figure 4-35 Rear view of a Power-BBU module



Indicators

Table 4-8 describes indicators on a Power-BBU module of a powered-on storage system.

Table 4-8 Indicators on a Power-BBU module

Indicator	Status and Description
Running/Alarm indicator of the power module	<ul style="list-style-type: none"> ● Steady green: The power supply is normal. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power supply is faulty. ● Off: No external power input is found.
Running/Alarm indicator of the BBU	<ul style="list-style-type: none"> ● Steady green: The BBU is fully charged. ● Blinking green (1 Hz): The BBU is being charged. ● Blinking green (4 Hz): The BBU is being discharged. ● Steady red: The BBU is faulty.

4.4.2.4 Disk Module

Disk modules provide storage capacity for a storage system. Disk modules can function as system coffer disks to save service data, system data, and cache data.

Appearance

Figure 4-36 shows the appearance of a 2.5-inch disk module. **Figure 4-37** shows the appearance of a 3.5-inch disk module.

Figure 4-36 2.5-inch disk module





Figure 4-37 3.5-inch disk module



Indicators

Table 4-9 describes indicators on a disk module of a powered-on storage system.

Table 4-9 Indicators on a disk module

Indicator	Status and Description
Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.
Alarm/Location indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.

4.4.3 Indicator Introduction

After a controller enclosure is powered on, you can check the current operating status of the controller enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-38 shows the indicators on the front panel of a 2 U 25-disk controller enclosure and **Figure 4-39** shows the indicators on the front panel of a 2 U 12-disk controller enclosure.

Figure 4-38 Indicators on the front panel of a 2 U 25-disk controller enclosure




Figure 4-39 Indicators on the front panel of a 2 U 12-disk controller enclosure




Table 4-10 describes the indicators on the front panel of a controller enclosure.

Table 4-10 Description of the indicators on the front panel of a controller enclosure

Module	Indicator	Status and Description
Disk module	Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.
	Location/Alarm indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.
System subrack	Location indicator of the controller enclosure	<ul style="list-style-type: none"> ● Blinking blue: The controller enclosure is being located. ● Off: The controller enclosure is not located.
	Alarm indicator of the controller enclosure	<ul style="list-style-type: none"> ● Steady red: An alarm whose severity is major or higher is generated on the storage system. ● Off: The storage system is running properly.
	Power indicator/Power button of the controller enclosure	<ul style="list-style-type: none"> ● Steady green: The controller enclosure is powered on. ● Blinking green (0.5 Hz): The controller enclosure is being powered on. ● Blinking green (1 Hz): The controller enclosure is in the burn-in test. ● Blinking green (2 Hz): The controller enclosure is in the operating system boot process, or is being powered off. ● Off: The controller enclosure is powered off or is in the standby state.

Indicators on the Rear Panel

Figure 4-40 shows the indicators on the rear panel of a controller enclosure.

Figure 4-40 Indicators on the rear panel of a controller enclosure




Table 4-11 describes the indicators on the rear panel of a controller enclosure.

Table 4-11 Description of the indicators on the rear panel of a controller enclosure

Module	Indicator	Status and Description
Interface module	Power indicator/Hot Swap button on an interface module	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or can be hot-swappable.
	Link/Speed indicator of the 8 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate is 8 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: The data transfer rate is 2 Gbit/s or 4 Gbit/s. ● Blinking green: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.
Power-BBU module	Running/Alarm indicator of the power module	<ul style="list-style-type: none"> ● Steady green: The power supply is correct. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module is faulty. ● Off: No external power input is found.
Controller	Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.

Module	Indicator	Status and Description
	Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
	Power indicator of the controller	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Power indicator blinking green and Alarm indicator blinking red: The controller is being located. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process, or the controller is in the power-off process. ● Off: The controller is absent or powered off.
	Alarm indicator of the controller	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the controller. ● The Alarm indicator blinking red and the Power indicator blinking green: The controller is being located. ● Off: The controller is working correctly.
	Mini SAS HD expansion port indicator	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.
	Link/Active/Mode indicator of the SmartIO port	<ul style="list-style-type: none"> ● Blinking blue slowly (1 Hz): The interface module is working in FC mode, and the port link is down. ● Blinking blue quickly (2 Hz): The interface module is working in FC mode, and data is being transmitted. ● Steady blue: The interface module is working in FC mode, the port link is up, and no data is being transmitted. ● Blinking green slowly (1 Hz): The interface module is working in ETH mode, and the port link is down. ● Blinking green quickly (2 Hz): The interface module is working in ETH mode, and data is being transmitted. ● Steady green: The interface module is working in ETH mode, the port link is up, and no data is being transmitted. ● Steady red: The port is faulty. ● Off: The port is not powered on.

Module	Indicator	Status and Description
Power-BBU module	Running/Alarm indicator of the BBU	<ul style="list-style-type: none"> ● Steady green: The BBU is fully charged. ● Blinking green (1 Hz): The BBU is being charged. ● Blinking green (4 Hz): The BBU is being discharged. ● Steady red: The BBU is faulty.

4.5 3 U Controller Enclosure (Supported by OceanStor 5600 V5 and 5800 V5)

This section describes a controller enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.

4.5.1 Overview

The controller enclosure consists of a system subrack, controllers, BBU modules, power modules, management modules, and interface modules.


Overall Structure

Figure 4-41 shows the overall structure of a 3 U controller enclosure.

NOTE

A 3 U controller enclosure can use AC or DC power modules. The following figure uses the AC power module as an example.


Figure 4-41 Overall structure of a controller enclosure



Front View

Figure 4-42 shows the front view of a controller enclosure.

Figure 4-42 Front view of a controller enclosure



NOTE

- After opening the controller panel latch, you will see that each controller contains three fan modules.
- BBU slots are numbered 0 to 3 from left to right. BBUs are inserted into slots 0, 1, and 3. The other slots are vacant (filler panels are installed for these slots).
- The information plate records device information.
- Controllers are controller A and controller B from left to right. Controllers communicate with each other using internal heartbeat links and do not need cable connections.

Rear View

Figure 4-43 shows the rear view of a controller enclosure with the AC power module as an example.


NOTE

A controller enclosure supports 8 Gbit/s Fibre Channel interface modules (four ports), GE electrical interface modules, 10GE electrical interface modules, 10 Gbit/s FCoE interface modules (two ports), 56 Gbit/s InfiniBand interface modules, SmartIO interface modules, 8 Gbit/s Fibre Channel interface modules (eight ports), and 12 Gbit/s SAS expansion modules.

NOTICE

Do not connect the management network port and maintenance network port to the same switch.

Figure 4-43 Rear view of a controller enclosure with the AC power module



The slots for interface modules of a 3 U controller enclosure are B0, B1, B2, B3, B4, B5, B6, B7, A7, A6, A5, A4, A3, A2, A1, and A0 from left to right. Among the slots, A0 to A7 are slots for the interface modules of controller A and B0 to B7 are slots for the interface modules of controller B.

NOTE

A controller enclosure provides the following interface modules. You can configure them based on service needs.

- Slots A0 and B0 accommodate back-end ports and only allow 12 Gbit/s SAS expansion modules.
- A6, A7, B6, and B7 are slots for front-end interface modules and do not support 12 Gbit/s SAS expansion modules.
- When the storage device requires IP Scale-out, SmartIO interface modules must be installed in A3 and B3 slots.
- Management module (mandatory): used for management and maintenance.
- 12 Gbit/s SAS expansion module (mandatory): used for connecting disk enclosures.
- Interface modules (optional but at least one type required): used for connecting application servers.
- When the maintenance network port is used for management and maintenance, the maintenance network port can only be used by Huawei technical support for emergency maintenance and cannot be connected to the same network with the management network port. Otherwise, a network loopback may occur, causing a network storm. The initial value for the IP address of the maintenance network port is 172.31.128.101 or 172.31.128.102. The default subnet mask is 255.255.0.0. You are advised to only connect the management network port to the network.

4.5.2 Component Description

This section provides the detailed illustration and description for each component.


4.5.2.1 System Subrack

The system subrack houses a midplane that provides reliable connections for interface modules and distributes power and signals to inner modules.

Appearance

Figure 4-44 shows the appearance of a system subrack.

Figure 4-44 System subrack



4.5.2.2 Controller

A controller is the core component of a storage system. It processes storage services, receives configuration management commands, saves configuration data, connects to disk enclosures, and saves critical data onto coffer disks.

 **NOTE**

Each controller has one or more built-in disks to store system data. If a power failure occurs, such disks also store cache data. The disks built in one controller and those built in another are redundant for each other.


Appearance

Figure 4-45 shows the appearance of a controller. **Figure 4-46** shows the front view of a controller.

Figure 4-45 Appearance of a controller



Figure 4-46 Front view of a controller



Indicators

Table 4-12 describes the indicators on a controller of a storage system that is powered on.

Table 4-12 Indicators on a controller

Indicator	Status and Description
Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.

Indicator	Status and Description
Controller alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the controller. ● Off: The controller is working correctly.
Controller power indicator	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process. ● Off: The controller cannot be detected or is powered off.

4.5.2.3 Fan Module

A fan module dissipates heat and enables a controller enclosure to work properly at the maximum power consumption.


Appearance

[Figure 4-47](#) shows the appearance of a fan module. [Figure 4-48](#) shows the front view of a fan module.

Figure 4-47 Appearance of a fan module



Figure 4-48 Front view of a fan module



Indicators

Table 4-13 describes indicators on a fan module of a powered-on storage system.

Table 4-13 Indicators on a fan module

Indicator	Status and Description
Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.

4.5.2.4 BBU

A BBU provides backup power for a storage system during an external power failure, protecting the integrity of service data. When the external power supply is normal, BBUs are standby. In the event of a power failure, BBUs provide power for the storage system. A faulty BBU can be isolated without affecting the normal running of the storage system. If a power failure occurs, BBUs ensure that the storage system writes cached data to the built-in disks of the controllers, preventing data loss. After the external power supply resumes, the driver reads data from the built-in disks of the controllers to the cache. In a system using the lithium batteries, the battery capacity is updated and detected by charging and discharging the batteries. In this way, the problems can be detected in advance that the battery capacity attenuates, the batteries fail to meet the power backup requirements of the system, and thus the data backup fails when the batteries are not used for a long time. Then, the reliability of data protection upon the system power failure can be improved.


Appearance

Figure 4-49 shows the appearance of a BBU. **Figure 4-50** shows the front view of a BBU.

Figure 4-49 Appearance of a BBU



Figure 4-50 Front view of a BBU



Indicator

[Table 4-14](#) describes the indicator on a BBU of a storage system that is powered on.

Table 4-14 Indicator on a BBU

Indicator	Status and Description
Running/Alarm indicator on a BBU	<ul style="list-style-type: none"> ● Steady green: The BBU is fully charged. ● Blinking green (1 Hz): The BBU is being charged. ● Blinking green (4 Hz): The BBU is being discharged. ● Steady red: The BBU is faulty. ● Off: The interface module is powered off or hot swappable.


4.5.2.5 Management Module

A management module provides management ports, including a USB port, management network port, serial port, and maintenance network port.

Ports

Figure 4-51 shows a management module.

Figure 4-51 Management module



Indicators

Table 4-15 describes the indicators on a management module of a storage system that is powered on.

Table 4-15 Indicators on a management module

Indicator	Status and Description
Power indicator of the management module	<ul style="list-style-type: none"> ● Steady green: The module is working correctly. ● Blinking green: The module receives a hot swap request. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.
Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.

4.5.2.6 Power Module

Power modules are AC power modules and DC power modules that allow a controller enclosure to work properly at the maximum power consumption.

Appearance

Figure 4-52 shows the appearance of an AC power module. **Figure 4-53** shows the appearance of a DC power module.

Figure 4-52 AC power module





Figure 4-53 DC power module



Indicators

Table 4-16 describes indicators on a power module of a powered-on storage system.

Table 4-16 Indicators on a power module

Indicator	Status and Description
Running/Alarm indicator of the power module	<ul style="list-style-type: none"> ● Steady green: The power supply is correct. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power supply is faulty. ● Off: No external power input is found.

4.5.3 Indicator Introduction

After a controller enclosure is powered on, you can check the current operating status of the controller enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-54 shows the indicators on the front panel of a controller enclosure.

Figure 4-54 Indicators on the front panel of a controller enclosure




Table 4-17 describes the indicators on the front panel of a controller enclosure.

Table 4-17 Indicators on the front panel of a controller enclosure

Module	Indicator	Status and Description
BBU	Running/Alarm indicator on a BBU	<ul style="list-style-type: none"> ● Steady green: The BBU is fully charged. ● Blinking green (1 Hz): The BBU is being charged. ● Blinking green (4 Hz): The BBU is being discharged. ● Steady red: The BBU is faulty.
System subrack	Location indicator on the controller enclosure	<ul style="list-style-type: none"> ● Blinking blue: The controller enclosure is being located. ● Off: The controller enclosure is not located.

Module	Indicator	Status and Description
	Alarm indicator on the controller enclosure	<ul style="list-style-type: none"> ● Steady red: An alarm whose severity is major or higher is generated on the storage system. ● Off: The storage system is running properly.
	Power indicator/Power button on the controller enclosure	<ul style="list-style-type: none"> ● Steady green: The controller enclosure is powered on. ● Blinking green (0.5 Hz): The controller enclosure is powered on for a short time. ● Blinking green (1 Hz): The controller enclosure is in the burn-in test. ● Blinking green (2 Hz): The controller enclosure is in the operating system boot process or in the power-off process. ● Off: The controller enclosure is powered off or powered by BBUs.
Controller	Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.
	Controller power indicator	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process. ● Off: The controller cannot be detected or is powered off.
	Controller alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm about the controller is generated. ● Off: The controller is working correctly.

Indicators on the Rear Panel

Figure 4-55 shows the indicators on the rear panel of a controller enclosure.

Figure 4-55 Indicators on the rear panel of a controller enclosure




Table 4-18 describes the indicators on the rear panel of a controller enclosure.

Table 4-18 Indicators on the rear panel of a controller enclosure

Module	Indicator	Status and Description
Power module	Running/Alarm indicator on a power module	<ul style="list-style-type: none"> ● Steady green: The power supply is normal. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module is faulty. ● Off: No external power input is available.
Management module	Power indicator on a management module	<ul style="list-style-type: none"> ● Steady green: The module is working correctly. ● Blinking green: The module receives a hot swap request. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.
	Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
	Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.

Module	Indicator	Status and Description
Interface module	Power indicator/Hot Swap button on an interface module	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or can be hot-swappable.
	Speed indicator of a GE electrical port	<ul style="list-style-type: none"> ● Steady orange: The data transfer rate between the controller enclosure and the application server is 1 Gbit/s. ● Off: The data transfer rate between the controller enclosure and the application server is lower than 1 Gbit/s.
	Link/Active indicator of a GE electrical port	<ul style="list-style-type: none"> ● Steady green: The connection between the controller enclosure and the application server is correct. ● Blinking green: Data is being transferred. ● Off: The connection between the controller enclosure and the application server is incorrect.
	Speed indicator of a 10 GE electrical port	<ul style="list-style-type: none"> ● Steady orange: The data transfer rate between the controller enclosure and the application server is 10 Gbit/s. ● Off: The data transfer rate between the controller enclosure and the application server is lower than 10 Gbit/s.
	Link/Active indicator of a 10 GE electrical port	<ul style="list-style-type: none"> ● Steady green: The connection between the controller enclosure and the application server is correct. ● Blinking green: Data is being transferred. ● Off: The connection between the controller enclosure and the application server is incorrect.

Module	Indicator	Status and Description
	Link/Active/Mode indicator of the SmartIO port	<ul style="list-style-type: none"> ● Blinking blue slowly (1 Hz): The interface module is working in FC mode, and the port link is down. ● Blinking blue quickly (2 Hz): The interface module is working in FC mode, and data is being transmitted. ● Steady blue: The interface module is working in FC mode, the port link is up, and no data is being transmitted. ● Blinking green slowly (1 Hz): The interface module is working in ETH mode, and the port link is down. ● Blinking green quickly (2 Hz): The interface module is working in ETH mode, and data is being transmitted. ● Steady green: The interface module is working in ETH mode, the port link is up, and no data is being transmitted. ● Steady red: The port is faulty. ● Off: The port is not powered on.
	Link/Speed indicator of a 10 Gbit/s FCoE port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate between the storage system and the application server is 10 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.
	Link/Speed indicator of an 8 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate is 8 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: The data transfer rate is 2 Gbit/s or 4 Gbit/s. ● Blinking green: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.
	Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.6 6 U Controller Enclosure (Supported by OceanStor 6800 V5)

This section describes a controller enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.

4.6.1 Overview

A controller enclosure employs a modular design and consists of a system subrack, controllers, BBUs, power modules, management modules, and interface modules.


Overall Structure

Figure 4-56 shows the overall structure of a 6 U controller enclosure.

 **NOTE**

A 6 U controller enclosure can use AC or DC power modules. The following figure uses the AC power module as an example.


Figure 4-56 Overall structure of a controller enclosure



Front View

Figure 4-57 shows the front view of a controller enclosure.

Figure 4-57 Front view of a controller enclosure



NOTE

- After opening the controller panel latch, you will see that each controller contains three fan modules.
- The information plate records device information.
- Controllers A, B, C, and D are placed from left to right and from top to bottom. Controllers communicate with each other using internal heartbeat links and do not need cable connections.

Rear View

Figure 4-58 shows the rear view of a controller enclosure with the AC power module as an example.


NOTE

A controller enclosure supports 8 Gbit/s Fibre Channel interface modules (four ports), GE electrical interface modules, 10GE electrical interface modules, 10 Gbit/s FCoE interface modules (two ports), 56 Gbit/s InfiniBand interface modules, SmartIO interface modules, 8 Gbit/s Fibre Channel interface modules (eight ports), 16 Gbit/s Fibre Channel interface modules (eight ports), and 12 Gbit/s SAS shared expansion modules.

NOTICE

Do not connect the management network port and maintenance network port to the same switch.

Figure 4-58 Rear view of a controller enclosure with the AC power module



The slots for interface modules of a 6 U controller enclosure are L0, L1, L2, L3, L4, L5, R5, R4, R3, R2, R1, and R0 from left to right. From the top to bottom, the slots are IOM0 and IOM1.

- R5IOM0 to R0IOM0 are slots for interface modules of controller A.
- L0IOM0 to L5IOM0 are slots for interface modules of controller B.
- R5IOM1 to R0IOM1 are slots for interface modules of controller C.
- L0IOM1 to L5IOM1 are slots for interface modules of controller D.

NOTE

A controller enclosure provides the following interface modules. You can configure them based on service needs.

- The first pair of 12 Gbit/s SAS shared expansion modules are installed in slots L5 and R5, and the second pair are installed in slots L4 and R4.
- Front-end interface modules are installed in slots L0, L1, L2, R0, R1, and R2. Slots L4 and R4 can only be used once all the slots on the front-end interface modules are fully configured and SAS interface modules are not installed in slots L4 and R4.
- When the storage system requires IP Scale-out, SmartIO interface modules must be installed in L3IOM0, R3IOM0, L3IOM1, and R3IOM1 slots.
- Insert interface modules of the same type into a slot of controller A and the corresponding slot of controller B. Insert interface modules of the same type into a slot of controller C and the corresponding slot of controller D.

For example, if you insert a 10 Gbit/s FCoE interface module into slot R2IOM0 of controller A, you must insert a 10 Gbit/s FCoE interface module into slot L2IOM0 on controller B.

- Management module (mandatory): used for management and maintenance
- 12 Gbit/s SAS shared expansion module (mandatory): used for connecting disk enclosures
- Interface modules (optional but at least one type required): used for connecting application servers
- When the maintenance network port is used for management and maintenance, the maintenance network port can only be used by Huawei technical support for emergency maintenance and cannot be connected to the same network with the management network port. Otherwise, a network loopback may occur, causing a network storm. The initial value for the IP address of the maintenance network port is 172.31.128.101 or 172.31.128.102. The default subnet mask is 255.255.0.0. You are advised to only connect the management network port to the network.

4.6.2 Component Description

This section provides the detailed illustration and description for each component.

4.6.2.1 System Subrack

The system subrack houses a midplane that provides reliable connections for interface modules and distributes power and signals to inner modules.

Appearance

Figure 4-59 shows the appearance of a system subrack.

Figure 4-59 System subrack



4.6.2.2 Controller

A controller is the core component of a storage system. It processes storage services, receives configuration management commands, saves configuration data, connects to disk enclosures, and saves critical data onto coffer disks.

NOTE

Each controller has one or more built-in disks to store system data. If a power failure occurs, such disks also store cache data. The disks built in one controller and those built in another are redundant for each other.


Appearance

Figure 4-60 shows the appearance of a controller. **Figure 4-61** shows the front view of a controller.

Figure 4-60 Appearance of a controller



Figure 4-61 Front view of a controller



Indicators

Table 4-19 describes the indicators on a controller of a storage system that is powered on.

Table 4-19 Indicators on a controller

Indicator	Status and Description
Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.

Indicator	Status and Description
Controller alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the controller. ● Off: The controller is working correctly.
Controller power indicator	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process. ● Off: The controller cannot be detected or is powered off.

4.6.2.3 Assistant Cooling Unit

When two controllers are deployed in a controller enclosure, the assistant cooling units are inserted into the lower slots to help the controller enclosure in heat dissipation.


Appearance

[Figure 4-62](#) shows the appearance of an assistant cooling unit. [Figure 4-63](#) shows the front view of an assistant cooling unit.

Figure 4-62 Appearance of an assistant cooling unit



Figure 4-63 Front view of an assistant cooling unit



Indicators

Table 4-20 describes the indicators on an assistant cooling unit of a storage system that is powered on.

Table 4-20 Indicators on an assistant cooling unit

Indicator	Status and Description
Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.
Assistant cooling unit alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the assistant cooling unit. ● Off: The assistant cooling unit is working correctly.
Assistant cooling unit power indicator	<ul style="list-style-type: none"> ● Steady green: The assistant cooling unit is powered on. ● Blinking green (0.5 Hz): The assistant cooling unit is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The assistant cooling unit is in the operating system boot process. ● Off: The assistant cooling unit cannot be detected or is powered off.

4.6.2.4 Fan Module

A fan module dissipates heat and enables a controller enclosure to work properly at the maximum power consumption.


Appearance

Figure 4-64 shows the appearance of a fan module. **Figure 4-65** shows the front view of a fan module.

Figure 4-64 Appearance of a fan module



Figure 4-65 Front view of a fan module



Indicators

Table 4-21 describes indicators on a fan module of a powered-on storage system.

Table 4-21 Indicators on a fan module

Indicator	Status and Description
Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.

4.6.2.5 BBU

A BBU provides backup power for a storage system during an external power failure, protecting the integrity of service data. When the external power supply is normal, BBUs are standby. In the event of a power failure, BBUs provide power for the storage system. A faulty BBU can be isolated without affecting the normal running of the storage system. If a power failure occurs, BBUs ensure that the storage system writes cached data to the built-in disks of the controllers, preventing data loss. After the external power supply resumes, the driver reads data from the built-in disks of the controllers to the cache. In a system using the lithium batteries, the battery capacity is updated and detected by charging and discharging the batteries. In this way, the problems can be detected in advance that the battery capacity attenuates, the batteries fail to meet the power backup requirements of the system, and thus the data backup fails when the batteries are not used for a long time. Then, the reliability of data protection upon the system power failure can be improved.


Appearance

Figure 4-66 shows the appearance of a BBU. Figure 4-67 shows the front view of a BBU.

Figure 4-66 Appearance of a BBU



Figure 4-67 Front view of a BBU



Indicator

Table 4-22 describes the indicator on a BBU of a storage system that is powered on.

Table 4-22 Indicator on a BBU

Indicator	Status and Description
Running/Alarm indicator on a BBU	<ul style="list-style-type: none"> ● Steady green: The BBU is fully charged. ● Blinking green (1 Hz): The BBU is being charged. ● Blinking green (4 Hz): The BBU is being discharged. ● Steady red: The BBU is faulty. ● Off: The interface module is powered off or swappable.


4.6.2.6 Management Module

A management module provides management ports, including a USB port, management network port, serial port, and maintenance network port.

Ports

Figure 4-68 shows a management module.

Figure 4-68 Management module



NOTE

Management network ports 1 and 2 are reserved and have no function.

Indicators

Table 4-23 describes the indicators on a management module of a storage system that is powered on.

Table 4-23 Indicators on a management module

Indicators	Status and Description
Power indicator on the management module	<ul style="list-style-type: none"> ● Steady green: The module is working correctly. ● Blinking green: The module receives a hot swap request. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.
Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.
Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.

4.6.2.7 Power Module

Power modules are AC power modules and DC power modules that allow a controller enclosure to work properly at the maximum power consumption.

Appearance

Figure 4-69 shows the appearance of an AC power module. **Figure 4-70** shows the appearance of a DC power module.

Figure 4-69 AC power module





Figure 4-70 DC power module



Indicators

Table 4-24 describes indicators on a power module of a powered-on storage system.

Table 4-24 Indicators on a power module

Indicator	Status and Description
Running/Alarm indicator of the power module	<ul style="list-style-type: none"> ● Steady green: The power supply is correct. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power supply is faulty. ● Off: No external power input is found.

4.6.3 Indicator Introduction

After a controller enclosure is powered on, you can check the current operating status of the controller enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-71 shows the indicators on the front panel of a controller enclosure.

Figure 4-71 Indicators on the front panel of a controller enclosure




Table 4-25 describes the indicators on the front panel of a controller enclosure.

Table 4-25 Indicators on the front panel of a controller enclosure

Module	Indicator	Status and Description
BBU	Running/Alarm indicator on a BBU	<ul style="list-style-type: none"> ● Steady green: The BBU is fully charged. ● Blinking green (1 Hz): The BBU is being charged. ● Blinking green (4 Hz): The BBU is being discharged. ● Steady red: The BBU is faulty.
Controller	Fan module Running/Alarm indicator	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.

Module	Indicator	Status and Description
	Controller power indicator	<ul style="list-style-type: none"> ● Steady green: The controller is powered on. ● Blinking green (0.5 Hz): The controller is powered on and in the BIOS boot process. ● Blinking green (2 Hz): The controller is in the operating system boot process. ● Off: The controller cannot be detected or is powered off.
System subrack	Alarm indicator on the controller enclosure	<ul style="list-style-type: none"> ● Steady red: An alarm whose severity is major or higher is generated on the storage system. ● Off: The storage system is running properly.
	Power indicator/Power button on the controller enclosure	<ul style="list-style-type: none"> ● Steady green: The controller enclosure is powered on. ● Blinking green (0.5 Hz): The controller enclosure is powered on for a short time. ● Blinking green (1 Hz): The controller enclosure is in the burn-in test. ● Blinking green (2 Hz): The controller enclosure is in the operating system boot process, or is being powered off. ● Off: The controller enclosure is powered off or powered by BBUs.
	Location indicator on the controller enclosure	<ul style="list-style-type: none"> ● Blinking blue: The controller enclosure is being located. ● Off: The controller enclosure is not located.
Controller	Controller alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm about the controller is generated. ● Off: The controller is working correctly.

Indicators on the Rear Panel

[Figure 4-72](#) shows the indicators on the rear panel of a controller enclosure.

Figure 4-72 Indicators on the rear panel of a controller enclosure




Table 4-26 describes the indicators on the rear panel of a controller enclosure.

Table 4-26 Indicators on the rear panel of a controller enclosure

Module	Indicator	Status and Description
Power module	Running/Alarm indicator on a power module	<ul style="list-style-type: none"> ● Steady green: The power supply is normal. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module is faulty. ● Off: No external power input is available.
Interface module	Power indicator/Hot Swap button on an interface module	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or swappable.
Management module	Power indicator on a management module	<ul style="list-style-type: none"> ● Steady green: The module is working correctly. ● Blinking green: The module receives a hot swap request. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.
	Speed indicator of the management network port	<ul style="list-style-type: none"> ● Steady orange: Data is being transferred at the highest rate. ● Off: The data transfer speed is lower than the highest speed.

Module	Indicator	Status and Description
	Link/Active indicator of the management network port	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Blinking green: Data is being transferred. ● Off: The port is connected abnormally.
Interface module	Link/Speed indicator of an 8 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate is 8 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: The data transfer rate is 2 Gbit/s or 4 Gbit/s. ● Blinking green: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.
	Mini SAS HD expansion port indicator	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.7 Interface Module

Interface modules are used to connect storage devices to application servers. This section describes the functions, appearance, and indicator status of interface modules. For details about the types of hot-swappable interface modules supported by each product model, see "Hardware Specifications".

4.7.1 GE Electrical Interface Module


Function

A GE electrical interface module has four 1 Gbit/s electrical ports.

Ports

[Figure 4-73](#) shows the appearance of a GE electrical interface module.

Figure 4-73 GE electrical interface module



Indicators

Table 4-27 describes indicators on a GE electrical interface module of a powered-on storage system.

Table 4-27 Indicators on a GE electrical interface module

Indicator	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The interface module is powered off or hot swappable.
Link/Active indicator of the GE electrical port	<ul style="list-style-type: none"> ● Steady green: The link to the application server is normal. ● Blinking green: Data is being transferred. ● Off: The link to the application server is down or no link exists.
Speed indicator of the GE electrical port	<ul style="list-style-type: none"> ● Steady yellow: The speed is the highest. ● Off: The speed is not the highest.

4.7.2 10GE Electrical Interface Module


Function

A 10GE electrical interface module has four 10 Gbit/s electrical ports.

Ports

Figure 4-74 shows the appearance of a 10GE electrical interface module. 10GE electrical interface modules of the storage system support GE/10GE autonegotiation.

Figure 4-74 10GE electrical interface module



Indicators

Table 4-28 describes indicators on a 10GE electrical interface module of a powered-on storage system.

Table 4-28 Indicators on a 10GE electrical interface module

Indicator	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.
Link/Active indicator of the 10GE electrical port	<ul style="list-style-type: none"> ● Steady green: The link to the application server is normal. ● Blinking green: Data is being transferred. ● Off: The link to the application server is down or no link exists.
Speed indicator of the 10GE electrical port	<ul style="list-style-type: none"> ● Steady yellow: The speed is the highest. ● Off: The speed is not the highest.

4.7.3 40GE Interface Module


Function

A 40GE interface module provides two 40 Gbit/s optical ports.

Interface

Figure 4-75 shows the appearance of a 40GE interface module.

Figure 4-75 40GE interface module



Indicator

Table 4-29 describes the indicators on a 40GE interface module after the storage system is powered on.

Table 4-29 Indicators on a 40GE interface module

Indicator	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.

Indicator	Status and Description
Speed indicator of the 40GE port	<ul style="list-style-type: none"> ● Steady blue: The speed is the highest. ● Blinking blue (2 Hz): The port is transmitting data at the highest speed. ● Steady green: The speed is not the highest. ● Blinking green (2 Hz): The port is transmitting data, but not at the highest speed. ● Steady red: The optical module or cable is faulty or not supported by the port. ● Off: The port is not connected.

4.7.4 100GE Interface Module


Function

A 100GE interface module provides two 100 Gbit/s optical ports.

Interface

[Figure 4-76](#) shows the appearance of a 100GE interface module.

Figure 4-76 100GE interface module



Indicator

[Table 4-30](#) describes the indicators on a 100GE interface module after the storage system is powered on.

Table 4-30 Indicators on a 100GE interface module

Indicator	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The module is powered off or hot swappable.
Speed indicator of the 100GE port	<ul style="list-style-type: none"> ● Steady blue: The speed is the highest. ● Blinking blue (2 Hz): The port is transmitting data at the highest speed. ● Steady green: The speed is not the highest. ● Blinking green (2 Hz): The port is transmitting data, but not at the highest speed. ● Steady red: The optical module or cable is faulty or not supported by the port. ● Off: The port is not connected.

4.7.5 SmartIO Interface Module

Function

- In versions earlier than V500R007C30, SmartIO interface modules (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s) are supported.
- In V500R007C30 and later versions, there are two types of SmartIO interface modules with the following speeds:
 - 8 Gbit/s, 10 Gbit/s, and 16 Gbit/s
 - 8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s


 **NOTE**

The interface module supports 8, 16, and 32 Gbit/s Fibre Channel, 10GE, and 25GE ports.

Interface

- [Figure 4-77](#) shows a SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s).

Figure 4-77 SmartIO interface module



- **Figure 4-78, Figure 4-79, Figure 4-80, Figure 4-81, and Figure 4-82** show 8 Gbit/s, 10 Gbit/s, and 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s SmartIO interface modules respectively.

Figure 4-78 8 Gbit/s SmartIO interface module




Figure 4-79 10 Gbit/s SmartIO interface module




Figure 4-80 16 Gbit/s SmartIO interface module




Figure 4-81 25 Gbit/s SmartIO interface module





Figure 4-82 32 Gbit/s SmartIO interface module



Indicators

Table1 Indicator status description for a SmartIO interface module describes the states of indicators and their meanings on a SmartIO interface module after the storage system is powered on.

Table 4-31 Indicator status description for a SmartIO interface module

Indicator	Status Description
Power indicator/Hot Swap button of the module	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The interface module is powered off or hot swappable.
Port link/active/mode indicator	<ul style="list-style-type: none"> ● Blinking blue slowly (1 Hz): The interface module is working in FC mode, and the port link is down. ● Blinking blue quickly (2 Hz): The interface module is working in FC mode, and data is being transmitted. ● Steady blue: The interface module is working in FC mode, the port link is up, and no data is being transmitted. ● Blinking green slowly (1 Hz): The interface module is working in ETH mode, and the port link is down. ● Blinking green quickly (2 Hz): The interface module is working in ETH mode, and data is being transmitted. ● Steady green: The interface module is working in ETH mode, the port link is up, and no data is being transmitted. ● Steady red: The port is faulty. ● Off: The port is powered off.

 **NOTE**

The SmartIO interface module supports multiple working modes which need to be adjusted based on the used optical module. For details, see section "Checking and Setting the Working Mode of SmartIO Interface Modules" in the *Installation Guide*.

4.7.6 8 Gbit/s Fibre Channel Interface Module (Four Ports)


Function

An 8 Gbit/s Fibre Channel interface module (four ports) provides four 8 Gbit/s Fibre Channel ports. If the port speed is auto-negotiable, the port will auto-negotiate 2 Gbit/s, 4 Gbit/s, or 8 Gbit/s. If the port speed is manually set but inconsistent with the data transfer speed of the connected application server, the connection will be interrupted.

Ports

Figure 4-83 shows the appearance of an 8 Gbit/s Fibre Channel interface module (four ports).

Figure 4-83 8 Gbit/s Fibre Channel interface module (four ports)



Indicators

Table 4-32 describes the indicators on an 8 Gbit/s Fibre Channel interface module (four ports) of a storage system that is powered on.

Table 4-32 Indicators on an 8 Gbit/s Fibre Channel interface module (four ports)

Indicators	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or hot swappable.
Link/Speed indicator of an 8 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate between the storage system and the application server is 8 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: The data transfer rate between the storage system and the application server is 2 Gbit/s or 4 Gbit/s. ● Blinking green: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.7.7 8 Gbit/s Fibre Channel Interface Module (Eight Ports)


Function

An 8 Gbit/s Fibre Channel interface module (eight ports) provides two ports and can be converted to eight 8 Gbit/s Fibre Channel ports through dedicated fiber cables. If the port speed is auto-negotiable, the port will auto-negotiate 2 Gbit/s, 4 Gbit/s, or 8 Gbit/s. If the port speed is manually set but inconsistent with the data transfer speed of the connected application server, the connection will be interrupted.

Interface

Figure 4-84 shows the appearance of an 8 Gbit/s Fibre Channel interface module (eight ports).

Figure 4-84 8 Gbit/s Fibre Channel interface module (eight ports)



Indicators

Table 4-33 describes the states of indicators and their meanings on an 8 Gbit/s Fibre Channel interface module (eight ports) after the storage device is powered on.

Table 4-33 Indicator status description for an 8 Gbit/s Fibre Channel interface module (eight ports)

Indicator	Status Description
Module Power/Hot Swap indicator	<ul style="list-style-type: none"> ● Steady green: The interface module is running properly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is not powered on or can be hot-swappable.
Link/Speed indicator of the 8 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: Data is being transmitted between the storage system and the application server at a rate of 8 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: Data is being transmitted between the storage system and the application server at a rate of 2 Gbit/s or 4 Gbit/s. ● Blinking green: Data is being transmitted. ● Steady red: The port is faulty. ● Off: The port link is down.

4.7.8 16 Gbit/s Fibre Channel Interface Module (Eight Ports)


Function

A 16 Gbit/s Fiber Channel interface (eight ports) module provides two ports and can be converted to eight 16 Gbit/s Fibre Channel ports through dedicated fiber cables. If the port speed is auto-negotiable, the port will auto-negotiate 4 Gbit/s, 8 Gbit/s, or 16 Gbit/s. If the port speed is manually set but inconsistent with the data transfer speed of the connected application server, the connection will be interrupted.

Interface

Figure 4-85 shows the appearance of a 16 Gbit/s Fibre Channel interface module (eight ports).

Figure 4-85 16 Gbit/s Fibre Channel interface module (eight ports)



Indicators

Table 4-34 describes the states of indicators and their meanings on a 16 Gbit/s Fibre Channel interface module (eight ports) after the storage device is powered on.

Table 4-34 Indicator status description for a 16 Gbit/s Fibre Channel interface module (eight ports)

Indicator	Status Description
Module Power/Hot Swap indicator	<ul style="list-style-type: none"> ● Steady green: The interface module is running properly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is not powered on or can be hot-swappable.
Link/Speed indicator of the 16 Gbit/s Fibre Channel port	<ul style="list-style-type: none"> ● Steady blue: Data is being transmitted between the storage system and the application server at a rate of 16 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady green: Data is being transmitted between the storage system and the application server at a rate of 4 Gbit/s or 8 Gbit/s. ● Blinking green: Data is being transmitted. ● Steady red: The port is faulty. ● Off: The port link is down.

4.7.9 10 Gbit/s FCoE Interface Module (Two Ports)

Function

A 10 Gbit/s FCoE interface module provides two 10 Gbit/s FCoE ports.


Ports

Figure 4-86 shows the appearance of a 10 Gbit/s FCoE interface module.

NOTE

- A 10 Gbit/s two-port FCoE interface module only supports direct connection networking.
- You are not advised to run iSCSI and FCoE protocols simultaneously for a 10 Gbit/s two-port FCoE interface module to prevent performance deterioration and fluctuation.

Figure 4-86 10 Gbit/s FCoE interface module



Indicators

Table 4-35 describes the indicators on a 10 Gbit/s FCoE interface module of a storage system that is powered on.

Table 4-35 Indicators on a 10 Gbit/s FCoE interface module

Indicators	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: The interface module receives a hot swap request. ● Steady red: The interface module is faulty. ● Off: The interface module is powered off or hot swappable.

Indicators	Status and Description
Link/Speed indicator of a 10 Gbit/s FCoE port	<ul style="list-style-type: none"> ● Steady blue: The data transfer rate between the storage system and the application server is 10 Gbit/s. ● Blinking blue: Data is being transferred. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.7.10 56 Gbit/s InfiniBand Interface Module


Function

A 56 Gbit/s InfiniBand interface module provides two 4 x 14 Gbit/s InfiniBand ports.

Interface

Figure 4-87 shows the appearance of a 56 Gbit/s InfiniBand interface module.

Figure 4-87 56 Gbit/s InfiniBand interface module



Indicators

Table 4-36 describes the states of indicators and their meanings on a 56 Gbit/s InfiniBand interface module after the storage device is powered on.

Table 4-36 Indicator status description for a 56 Gbit/s InfiniBand interface module

Indicator	Status Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The interface module is powered off or hot swappable.
56 Gbit/s InfiniBand port Link indicator	<ul style="list-style-type: none"> ● Steady green: The port is connected properly. ● Off: The port link is down.
56 Gbit/s InfiniBand port Active indicator	<ul style="list-style-type: none"> ● Steady orange: Data is being transmitted. ● Off: No data is being transmitted.

4.7.11 12 Gbit/s SAS Expansion Module

An expansion module provides expansion ports that are used for communication between a controller enclosure and a disk enclosure.


Function

A SAS interface module provides four 4 x 12 Gbit/s mini SAS HD expansion ports that provide connectivity to disk enclosures. The SAS interface module connects to the back-end storage array of the storage system through a mini SAS HD cable. When the transfer rate of the connected device is less than that of the expansion port, the expansion port automatically adjusts the transfer rate to that of the connected device to ensure the connectivity of the data transfer channel.

Ports

[Figure 4-88](#) shows the appearance of a 12 Gbit/s SAS expansion module.

Figure 4-88 12 Gbit/s SAS expansion module



Indicators

[Table 4-37](#) describes indicators on a 12 Gbit/s SAS expansion module of a powered-on storage system.

Table 4-37 Indicators on a 12 Gbit/s SAS expansion module

Indicator	Status and Description
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The interface module is working correctly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The interface module is powered off or hot swappable.
Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.7.12 12 Gbit/s SAS Shared Expansion Module

An expansion module provides expansion ports that are used for communication between a controller enclosure and a disk enclosure.


Function

A 12 Gbit/s SAS shared expansion module on an engine provides twelve 4 x 12 Gbit/s mini SAS ports to connect the engine to a disk enclosure through a mini SAS HD cable. When the transfer rate of the connected device is less than that of the expansion port, the expansion port automatically adjusts the transfer rate to that of the connected device to ensure the connectivity of the data transfer channel.

Ports

[Figure 4-89](#) shows a 12 Gbit/s SAS shared expansion module.

Figure 4-89 12 Gbit/s SAS shared expansion module



Indicators

Table 4-38 describes indicators on a 12 Gbit/s SAS shared expansion module of a powered-on storage system.

Table 4-38 Indicators on a 12 Gbit/s SAS shared expansion module

Indicator	Status and Description
Port Link/Speed indicator	<ul style="list-style-type: none"> ● Steady blue: Data is being transferred at the highest rate. ● Steady green: The data transfer speed is lower than the highest speed. ● Steady red: The port is faulty. ● Blinking red: The module is being located. ● Off: The link of the port is down.
Power indicator/Hot Swap button	<ul style="list-style-type: none"> ● Steady green: The module is working properly. ● Blinking green: There is a hot swap request to the module. ● Steady red: The module is faulty. ● Off: The module is powered off.

4.8 2 U Disk Enclosure (2.5-Inch Disks)

This section describes a disk enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.

4.8.1 Overview

The disk enclosure consists of a system subrack, expansion modules, disk modules, and power modules.


Overall Structure

Figure 4-90 shows the overall structure of a disk enclosure.

 **NOTE**

A 2 U SAS disk enclosure can use AC or DC power modules. The following figure uses the AC power module as an example.


Figure 4-90 Overall structure of a disk enclosure



Front View

Figure 4-91 shows the front view of a disk enclosure.

Figure 4-91 Front view of a disk enclosure



NOTE


The disk slots are numbered 0 to 24 from left to right.

The first four disks (slot 0 to slot 3) in the first disk enclosure that is connected to the 3 U or 6 U controller enclosure are coffer disks.

Rear View


- **Figure 4-92** shows the rear view of a disk enclosure with the DC power module.

Figure 4-92 Rear view of a disk enclosure with the DC power module



- **Figure 4-93** shows the rear view of a disk enclosure with the AC power module.

Figure 4-93 Rear view of a disk enclosure with the AC power module



4.8.2 Component Description

This section provides the detailed illustration and description for each component.

4.8.2.1 System Subrack

The system subrack houses a midplane to provide reliable connections for interface modules and to distribute power and signals to inner modules.

Appearance

Figure 4-94 shows the appearance of a system subrack.

Figure 4-94 System subrack



4.8.2.2 Expansion Module

An expansion module provides expansion ports for communication between a disk enclosure and a controller enclosure. Each expansion module provides a P0 expansion port and a P1 expansion port.

Appearance

Figure 4-95 shows the appearance of an expansion module.


Figure 4-95 Expansion module



Ports

Figure 4-96 shows the ports of an expansion module.

Figure 4-96 Interfaces of an expansion module



Indicators

Table 4-39 describes indicators on an expansion module of a powered-on storage system.

Table 4-39 Indicators on an expansion module

Indicator	Status and Description
Alarm indicator of the expansion module	<ul style="list-style-type: none"> ● Steady red: An alarm is generated in the expansion module. ● Off: The expansion module is working correctly.
Power indicator of the expansion module	<ul style="list-style-type: none"> ● Steady green: The expansion module is powered on. ● Off: The expansion module is powered off.
Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.8.2.3 Power Module

The storage system supports AC and DC power modules. Power modules can ensure that the disk enclosure works correctly in maximum power consumption mode.

Appearance

Figure 4-97 shows the appearance of an AC power module. **Figure 4-98** shows the appearance of a DC power module.

Figure 4-97 AC power module





Figure 4-98 DC power module



Indicators

Table 4-40 describes indicators on a power module of a powered-on storage system.

Table 4-40 Indicators on a power module

Indicator	Status and Description
Running/Alarm indicator of the power/fan module	<ul style="list-style-type: none">● Steady green: The power module and fan module are normal.● Blinking green: The power input is normal but the device is powered off.● Steady red: The power module or fan module is faulty.● Off: No external power input is found.


4.8.2.4 Disk Module

Disk modules provide storage capacity for a storage system. Disk modules can function as system coffer disks to save service data, system data, and cache data.

Appearance

Figure 4-99 shows the appearance of a disk module.

Figure 4-99 Disk module



Indicators

Table 4-41 describes indicators on a disk module of a powered-on storage system.

Table 4-41 Indicators on a disk module

Indicator	Status and Description
Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.
Alarm/Location indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.

4.8.3 Indicator Introduction

After a disk enclosure is powered on, you can check the current operating status of the disk enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-100 shows the indicators on the front panel of a disk enclosure.

Figure 4-100 Indicators on the front panel of a disk enclosure




Table 4-42 describes the indicators on the front panel of the disk enclosure.

Table 4-42 Description of the indicators on the front panel of a disk enclosure

Module	Indicator	Status and Description
Disk module	Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.

Module	Indicator	Status and Description
	Alarm/Location indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.
System subrack	Location indicator of the disk enclosure	<ul style="list-style-type: none"> ● Blinking blue: The disk enclosure is being located. ● Off: The disk enclosure is not located.
	Alarm indicator of the disk enclosure	<ul style="list-style-type: none"> ● Steady red: An alarm is generated in the disk enclosure. ● Off: The disk enclosure is working correctly.
	Power indicator of the disk enclosure	<ul style="list-style-type: none"> ● Steady green: The disk enclosure is powered on. ● Off: The disk enclosure is powered off.

Indicators on the Rear Panel

Figure 4-101 shows the indicators on the rear panel of a disk enclosure.

Figure 4-101 Indicators on the rear panel of a disk enclosure




Table 4-43 describes the indicators on the rear panel of the disk enclosure.

Table 4-43 Description of the indicators on the rear panel of a disk enclosure

Module	Indicator	Status and Description
Expansion module	Alarm indicator of the expansion module	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the expansion module. ● Off: The expansion module is working correctly.

Module	Indicator	Status and Description
	Power indicator of the expansion module	<ul style="list-style-type: none"> ● Steady green: The expansion module is powered on. ● Off: The expansion module is powered off.
	Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.
Power module	Running/ Alarm indicator of the power/fan module	<ul style="list-style-type: none"> ● Steady green: The power module and fan module are normal. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module or fan module is faulty. ● Off: No external power input is found.

4.9 4 U Disk Enclosure (3.5-Inch Disks)

This section describes a disk enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.


4.9.1 Overview

The disk enclosure consists of a system subrack, expansion modules, power modules, fan modules, and disk modules.

Overall Structure

[Figure 4-102](#) shows the overall structure of a 4 U disk enclosure.


Figure 4-102 Overall structure of a 4 U disk enclosure



Front View

Figure 4-103 shows the front view of a 4 U disk enclosure.

Figure 4-103 Front view of a 4 U disk enclosure




NOTE

The disk slots of a 4 U disk enclosure are numbered 0 to 23 from left to right and from top to bottom. The first four disks in the first disk enclosure that is connected to the 3 U or 6 U controller enclosure are coffer disks. The coffer disks are inserted into slot 0 to slot 3.

Rear View

Figure 4-104 shows the rear view of a disk enclosure with the AC power module as an example.

Figure 4-104 Rear view of a disk enclosure



4.9.2 Component Description

This section provides the detailed illustration and description for each component.


4.9.2.1 System Subrack

The system subrack houses a midplane to provide reliable connections for interface modules and to distribute power and signals to inner modules.

Appearance

Figure 4-105 shows the appearance of a system subrack.

Figure 4-105 System subrack



4.9.2.2 Expansion Module

An expansion module connects a disk enclosure and a controller enclosure through expansion ports. Each expansion module provides a P0 expansion port and a P1 expansion port.

Appearance

[Figure 4-106](#) shows the appearance of an expansion module.


Figure 4-106 Expansion module



Ports

Figure 4-107 shows the ports of an expansion module.

Figure 4-107 Interfaces of an expansion module



Indicators

Table 4-44 describes indicators on an expansion module of a powered-on storage system.

Table 4-44 Indicators on an expansion module

Indicator	Status and Description
Alarm indicator of the expansion module	<ul style="list-style-type: none"> ● Steady red: An alarm is generated in the expansion module. ● Off: The expansion module is working correctly.

Indicator	Status and Description
Power indicator of the expansion module	<ul style="list-style-type: none"> ● Steady green: The expansion module is powered on. ● Off: The expansion module is powered off.
Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.

4.9.2.3 Power Module

The storage system supports AC and DC power modules. Power modules can ensure that the disk enclosure works correctly in maximum power consumption mode.

Appearance

Figure 4-108 shows the appearance of an AC power module. **Figure 4-109** shows the appearance of a DC power module.

Figure 4-108 AC power module





Figure 4-109 DC power module



Indicators

Table 4-45 describes indicators on a power module of a powered-on storage system.

Table 4-45 Indicators on a power module

Indicator	Status and Description
Running/Alarm indicator of the power/fan module	<ul style="list-style-type: none"> ● Steady green: The power module and fan module are normal. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module or fan module is faulty. ● Off: No external power input is found.


4.9.2.4 Fan Module

A fan module provides heat dissipation and supports the normal running of the disk enclosure in maximum power consumption mode.

Appearance

Figure 4-110 shows the appearance of a fan module.

Figure 4-110 Fan module



Indicators

Table 4-46 describes indicators on a fan module of a powered-on storage system.

Table 4-46 Indicators on a fan module

Indicator	Status and Description
Running/Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.


4.9.2.5 Disk Module

Disk modules provide storage capacity for a storage system to store service data and can function as system coffer disks.

Appearance

Figure 4-111 shows the appearance of a disk module.

Figure 4-111 Disk module



Indicators

Table 4-47 describes indicators on a disk module of a powered-on storage system.

Table 4-47 Indicators on a disk module

Indicator	Status and Description
Alarm/Location indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.
Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.

4.9.3 Indicator Introduction

After a disk enclosure is powered on, you can check the current operating status of the disk enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-112 shows the indicators on the front panel of a disk enclosure.

Figure 4-112 Indicators on the front panel of a disk enclosure




Table 4-48 describes the indicators on the front panel of the disk enclosure.

Table 4-48 Description of the indicators on the front panel of a disk enclosure

Module	Indicator	Status and Description
Disk module	Running indicator of the disk module	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Off: The disk module is powered off or powered on incorrectly.
	Alarm/Location indicator of the disk module	<ul style="list-style-type: none"> ● Steady red: The disk module is faulty. ● Blinking red: The disk module is being located. ● Off: The disk module is working correctly or hot swappable.
System subrack	Location indicator of the disk enclosure	<ul style="list-style-type: none"> ● Blinking blue: The disk enclosure is being located. ● Off: The disk enclosure is not located.
	Alarm indicator of the disk enclosure	<ul style="list-style-type: none"> ● Steady red: An alarm is generated in the disk enclosure. ● Off: The disk enclosure is working correctly.
	Power indicator of the disk enclosure	<ul style="list-style-type: none"> ● Steady green: The disk enclosure is powered on. ● Off: The disk enclosure is powered off.

Indicators on the Rear Panel

Figure 4-113 shows the indicators on the rear panel of a disk enclosure.

Figure 4-113 Indicators on the rear panel of a disk enclosure




Table 4-49 describes the indicators on the rear panel of the disk enclosure.

Table 4-49 Description of the indicators on the rear panel of a disk enclosure

Module	Indicator	Status and Description
Fan module	Running/ Alarm indicator of the fan module	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.
Power module	Running/ Alarm indicator of the power/fan module	<ul style="list-style-type: none"> ● Steady green: The power module and fan module are normal. ● Blinking green: The power input is normal but the device is powered off. ● Steady red: The power module or fan module is faulty. ● Off: No external power input is found.
Expansion module	Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: Data is transferred to the downstream disk enclosure at the rate of 4 x 12 Gbit/s. ● Steady green: Data is transferred to the downstream disk enclosure at the rate of 4 x 3 Gbit/s or 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the port is down.
	Power indicator of the expansion module	<ul style="list-style-type: none"> ● Steady green: The expansion module is powered on. ● Off: The expansion module is powered off.

Module	Indicator	Status and Description
	Alarm indicator of the expansion module	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the expansion module. ● Off: The expansion module is working correctly.

4.10 High-Density Disk Enclosure

This chapter describes a high-density disk enclosure in terms of its hardware structure, component functions, front and rear views, and indicators.


4.10.1 Overview

A high-density disk enclosure employs a modular design and consists of a system subrack, disk modules, fan modules, power modules, and expansion modules.

Overall Structure

Figure 4-114 shows the overall structure of a high-density disk enclosure.


Figure 4-114 Overall structure of a high-density disk enclosure with four 1200 W power modules



Front View

Figure 4-115 shows the front view of a high-density disk enclosure.


Figure 4-115 Front view of a high-density disk enclosure



Rear View

Figure 4-116 shows the rear view of a high-density disk enclosure.


Figure 4-116 Rear view of a high-density disk enclosure



Top View

Figure 4-117 shows the top view of a high-density disk enclosure.

Figure 4-117 Top view of a high-density disk enclosure



The disk number of a high-density disk enclosure displayed on DeviceManager or CLI ranges from 0 to 74. These disks are numbered from left to right (15 columns) and from bottom to top (five rows). The slots of a high-density disk enclosure are numbered 0 to 14 from left to right (15 columns), and A to E from bottom to top (five rows). For example, in the preceding figure, the disk in the red box is numbered 40 in slot C10.

Table 4-50 lists the mappings between disk numbers and slot numbers of high-density disk enclosures.

Table 4-50 Mappings between disk numbers and slot numbers of high-density disk enclosures

Disk No.	Slot No.	Disk No.	Slot No.	Disk No.	Slot No.	Disk No.	Slot No.	Disk No.	Slot No.
0	A0	15	B0	30	C0	45	D0	60	E0
1	A1	16	B1	31	C1	46	D1	61	E1
2	A2	17	B2	32	C2	47	D2	62	E2
3	A3	18	B3	33	C3	48	D3	63	E3
4	A4	19	B4	34	C4	49	D4	64	E4
5	A5	20	B5	35	C5	50	D5	65	E5
6	A6	21	B6	36	C6	51	D6	66	E6
7	A7	22	B7	37	C7	52	D7	67	E7
8	A8	23	B8	38	C8	53	D8	68	E8
9	A9	24	B9	39	C9	54	D9	69	E9
10	A10	25	B10	40	C10	55	D10	70	E10
11	A11	26	B11	41	C11	56	D11	71	E11
12	A12	27	B12	42	C12	57	D12	72	E12
13	A13	28	B13	43	C13	58	D13	73	E13
14	A14	29	B14	44	C14	59	D14	74	E14

4.10.2 Component Description

This section provides the detailed illustration and description for each component.

4.10.2.1 System Subrack

The system subrack houses a midplane to provide reliable connections for interface modules and to distribute power and signals to inner modules.

Appearance

[Figure 4-118](#) shows the appearance of a system subrack.

Figure 4-118 System subrack




4.10.2.2 Expansion Module

Each expansion module provides two PRI HD expansion ports and two EXP HD expansion ports. Expansion modules enable a high-density disk enclosure to communicate with a controller enclosure or another high-density disk enclosure.

Appearance

Figure 4-119 shows the appearance of an expansion module.


Figure 4-119 Expansion module



Ports

Figure 4-120 shows the ports of an expansion module.

Figure 4-120 Ports on an expansion module



Indicators

Table 4-51 describes the indicators on a disk enclosure expansion module of a storage system that is powered on.

Table 4-51 Indicators on an expansion module in a disk enclosure

Indicator	Status and Description
Power indicator of the expansion module	<ul style="list-style-type: none"> ● Steady green: The expansion module is working correctly. ● Off: The expansion module is powered off.
Alarm indicator of the expansion module	<ul style="list-style-type: none"> ● Steady red: An alarm about the expansion module is generated. ● Off: The expansion module is powered off or working correctly.
Mini SAS HD expansion port indicator	<ul style="list-style-type: none"> ● Steady blue: The link to the expansion port is normal, and the data transfer rate is 4 x 12 Gbit/s. ● Steady green: The link to the expansion port is normal, and the data transfer rate is 4 x 6 Gbit/s. ● Steady red: The port is faulty. ● Off: The link to the expansion port is down.

4.10.2.3 Disk Module

Disk modules provide storage capacity for a storage system to store service data.

Appearance

Figure 4-121 shows the appearance of a disk module.

Figure 4-121 Disk module



Indicator

Table 4-52 describes the indicator on a disk module of a storage system that is powered on.

Table 4-52 Indicator on a disk module

Indicator	Status and Description
Disk module status indicator	<ul style="list-style-type: none"> ● Steady green: The disk module is working correctly. ● Blinking green: Data is being read and written on the disk module. ● Steady red: The disk module is faulty. ● Blinking red: The disk module is located. ● Off: The disk module is powered off or powered on incorrectly.


4.10.2.4 Power Module

The storage system supports AC power modules that ensure that a high-density disk enclosure works correctly in maximum power consumption mode.

Appearance

Figure 4-122 shows the appearance of a power module.

Figure 4-122 AC power module



Indicator

Table 4-53 describes the indicator on a power module of a storage system that is powered on.

Table 4-53 Indicator on a power module

Indicator	Status and Description
Running/Alarm indicator of the power module	<ul style="list-style-type: none">● Steady green: The power module is working correctly.● Off: The power module is powered off, or undervoltage, overvoltage, overtemperature, or short-circuit occurs.


4.10.2.5 Fan Module

A fan module provides heat dissipation and supports the normal running of the disk enclosure in maximum power consumption mode.

Appearance

Figure 4-123 shows the appearance of a fan module.

Figure 4-123 Fan module



Indicator

Table 4-54 describes the indicator on a fan module of a storage system that is powered-on.

Table 4-54 Indicator on a fan module

Indicator	Status and Description
Fan module Running/Alarm indicator	<ul style="list-style-type: none"> ● Steady green: The fan module is working correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is powered off.

4.10.3 Indicator Introduction

After a disk enclosure is powered on, you can check the current operating status of the disk enclosure by viewing its indicators.

Indicators on the Front Panel

Figure 4-124 shows the indicators on the front panel of a high-density disk enclosure.

Figure 4-124 Indicators on the front panel of a high-density disk enclosure




Table 4-55 describes the indicators on the front panel of a high-density disk enclosure.

Table 4-55 Description of the indicators on the front panel of a high-density disk enclosure

Module	Indicator	Status and Description
System subrack	Location indicator	<ul style="list-style-type: none"> ● Blinking blue: The high-density disk enclosure has been located. ● Off: The high-density disk enclosure is not located.
	Alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm is generated in the high-density disk enclosure. ● Off: The high-density disk enclosure is running correctly.
	Power indicator	<ul style="list-style-type: none"> ● Steady green: The high-density disk enclosure is powered on. ● Off: The high-density disk enclosure is not powered on.
	Overtemperature Alarm indicator	<ul style="list-style-type: none"> ● Steady red: The temperature of the high-density disk enclosure is too high. ● Off: The temperature of the high-density disk enclosure is within the normal range.
	Internal module Alarm indicator	<ul style="list-style-type: none"> ● Steady red: Internal disk modules of the high-density disk enclosure are faulty. ● Off: Internal disk modules are running correctly.

Module	Indicator	Status and Description
	Rear module Alarm indicator	<ul style="list-style-type: none"> ● Steady red: The number of rear field replaceable units (FRUs) is fewer than half of that in standard configuration or rear FRUs are faulty. <p>NOTE Modules on the rear of the high-density disk enclosure include power modules, fan modules, and expansion modules.</p> <ul style="list-style-type: none"> ● Off: Rear FRUs are running correctly.

Indicators on the Rear Panel

Figure 4-125 shows the indicators on the rear panel of a high-density disk enclosure.

Figure 4-125 Indicators on the rear panel of a high-density disk enclosure




Table 4-56 describes the indicators on the rear panel of a high-density disk enclosure.

Table 4-56 Description of the indicators on the rear panel of a high-density disk enclosure

Module	Indicator	Status and Description
Power module	Running/Alarm indicator of the power module	<ul style="list-style-type: none"> ● Steady green: The power module is working correctly. ● Off: The power module is powered off, or the undervoltage, overvoltage, overtemperature, overcurrent, fan fault, or short-circuit occurs.

Module	Indicator	Status and Description
Expansion module	Indicator of the mini SAS HD expansion port	<ul style="list-style-type: none"> ● Steady blue: The link is up and the data transfer rate is 4 x 12 Gbit/s. ● Steady green: The link is up and the data transfer rate is 4 x 6 Gbit/s. ● Steady red: The expansion port is faulty. ● Off: The link is down.
Fan module	Fan module Running/Alarm indicator	<ul style="list-style-type: none"> ● Steady green: The fan module is running correctly. ● Steady red: The fan module is faulty. ● Off: The fan module is not powered on.
Expansion module	Expansion module Alarm indicator	<ul style="list-style-type: none"> ● Steady red: An alarm is generated on the expansion module. ● Off: The expansion module is running correctly.
	Expansion module Power indicator	<ul style="list-style-type: none"> ● Steady green: The expansion module is running correctly. ● Off: The expansion module is not powered on.

4.11 Coffer Disk

The storage system has two kinds of coffer disks: built-in coffer disk and external coffer disk. Coffer disks are used to store three types of data: cache data requiring power failure protection, OceanStor OS system data, and system configuration information and logs.

Built-in Coffer Disk

Each controller houses one or more disks as coffer disks. [Table 4-57](#) describes capacity partitions of the built-in coffer disks.

Table 4-57 Capacity partitions of built-in coffer disks

Built-in Coffer Disk	5110 V5	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5	Description
Size	2 x 16 GB SSDs	2 x 32 GB SSDs	1 x 64 GB SSD	1 x 64 GB SSD	2 x 64 GB SSDs	1 x 800 GB NVMe SSD	-

Built-in Coffer Disk	5110 V5	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5	Description
Cache dirty data partition	4.5 GB		21 GB	32 GB	32 GB	64 GB	Stores the cache dirty data that has not been written into a disk when the storage system is powered off.
OS system partition	6 GB		10 GB				Stores the OceanStor OS system data.
Cluster Configuration Database (CCDB) partition	1.4 GB		2 GB				Stores the user configuration information (such as remote replication, HyperMetro, and NAS data).
LogZone partition	400 MB		2 GB			4 GB	Stores system logs and run logs when the storage system is powered off and write through is enabled.
DB partition	300 MB		1 GB				Stores the user configuration information (such as information about the LUN capacity, ID, WWN, Fibre Channel ports, and iSCSI ports).

External Coffer Disk

If a storage system employs the disk and controller separation architecture, the first four disks in the first disk enclosure are configured as coffer disks. If a storage system employs the disk and controller integration architecture, the first four disks in the storage system are configured as coffer disks. SAS, NL-SAS, and SSD disks can be used as coffer disks. The type of the four coffer disks must be the same.

Appearance

[Figure 4-126](#) and [Figure 4-127](#) show the appearance of a coffer disk.

Figure 4-126 2.5-inch coffer disk





Figure 4-127 3.5-inch coffer disk



Positions

- If a storage system employs the disk and controller integration architecture, the first four disks in the storage system are configured as coffer disks. **Figure 4-128** uses a 2 U controller enclosure with 25 disk slots as an example.

Figure 4-128 Positions of external coffer disks in the disk and controller integration architecture



- If a storage system employs the disk and controller separation architecture, the first four disks in the first disk enclosure are planned as coffer disks. **Figure 4-129** uses a 2 U disk enclosure with 25 disk slots as an example.

Figure 4-129 Positions of external coffer disks in the disk and controller separation architecture



Capacity partitions: For the four disks, each spares 5 GB (for 5000 V5 series) or 7 GB (for 6000 V5 series) of space to form a RAID 1 group. The rest of the coffer disk space can be used to store service data. **Table 4-58** describes capacity partitions of external coffer disks.

Table 4-58 Capacity partitions of external coffer disks

Partition Name	Partition Size	Description
CCDB partition	2 GB	Stores the user configuration information (such as remote replication, HyperMetro, and NAS data). The four coffer disks are mirrors of each other for redundancy.
LogZone partition	<ul style="list-style-type: none"> ● 2 GB (for 5000 V5 series) ● 4 GB (for 6000 V5 series) 	Stores system logs and run logs when the storage system is powered off and write through is enabled. The four coffer disks are mirrors of each other for redundancy.
DB partition	1 GB	Stores the user configuration information (such as information about the LUN capacity, ID, WWN, Fibre Channel ports, and iSCSI ports). The four coffer disks are mirrors of each other for redundancy.

4.12 (Optional) Data Switch

Data switches provide a high bandwidth and low latency to connect controller enclosures for their control information exchange and service data flows. They are typically used for connections between multiple controllers when:

- The storage system is installed for the first time. For detailed connection diagrams and configurations, see the *Installation Guide* corresponding to your product model.
- The storage system capacity is expanded. To expand the capacity of storage components, contact the technical support center.

When a storage system uses a switch-connection network for capacity expansion, only some functions of the switches are used. For more information about the switches, see the *CloudEngine 8800&7800&6800&5800 Product Documentation*.


NOTE

To obtain the latest *CloudEngine 8800&7800&6800&5800 Product Documentation*, log in to <https://e.huawei.com>. In the search bar, enter the document name to search, browse, and download the documents of the corresponding version.

Data Switch

The data switch used by OceanStor storage systems is CE6855-48S6Q-HI, as shown in [Figure 4-130](#).

Figure 4-130 Appearance of the data switch



4.13 (Optional) Quorum Server

This section describes Huawei quorum servers: RH1288 V3, 1288H V5, and TaiShan 200 (2280 balanced model).

NOTE

When HyperMetro is used, the storage systems can also connect to third-party quorum servers. For the compatibility requirements on third-party quorum servers, see [Huawei Storage Interoperability Navigator](#).


4.13.1 (Optional) Quorum Server (RH1288 V3)

For HyperMetro, if the heartbeats between two storage arrays are interrupted, the quorum server decides which storage array continues providing services, thereby greatly improving host service continuity.

Front Panel of the Quorum Server

[Figure 4-131](#) shows the front panel of the quorum server.

Figure 4-131 Front panel of the quorum server



1	Disk	2	Disk Fault indicator
3	Disk Active indicator	4	Fault diagnosis LED
5	Health indicator	6	Network port Link indicator
7	NMI button	8	Power button/indicator
9	UID button/indicator	10	USB 2.0 port
11	USB 2.0 port	12	VGA port
13	Label (including ESN label)	-	-

Table 4-59 describes the indicators and buttons on the quorum server front panel.

Table 4-59 Indicators and buttons on the front panel

Number	Meaning	Color	State Description
4	Fault diagnosis LED	None	<ul style="list-style-type: none"> ● ---: The quorum server is operating properly. ● Error Code: A fault occurs in quorum server hardware.


Number	Meaning	Color	State Description
8	Power button/ indicator	Yellow and green	<ul style="list-style-type: none"> ● Off: The quorum server is not powered on. ● Blinking yellow: The iBMC is starting. ● Steady yellow: The server is in the standby state. ● Steady green: The server is properly powered on. <p>NOTE You can hold down the power button for 6 seconds to power off the quorum server.</p>
9	UID button/ indicator	Blue	<p>The UID button/indicator helps identify and locate a quorum server in a rack. You can turn on or off the UID indicator by manually pressing the UID button or remotely running a command on the iBMC CLI.</p> <ul style="list-style-type: none"> ● Steady on: The quorum server is located. ● Off: The quorum server is not located. ● You can hold down the UID button for 4 to 6 seconds to reset the system.
5	Health indicator	Red and green	<ul style="list-style-type: none"> ● Steady green: The quorum server is operating properly. ● Blinking red at 1 Hz: A major alarm is generated. ● Blinking red at 5 Hz: A critical alarm is generated.

Number	Meaning	Color	State Description
7	NMI button	None	<p>The NMI button triggers a quorum server to generate a non-maskable interrupt. You can press this button or control it remotely through the WebUI.</p> <p>NOTE</p> <ul style="list-style-type: none"> ● Click the NMI button only when the OS is abnormal. Do not click this button when the quorum server is operating properly. ● Click the NMI button only for internal commissioning. Before clicking this button, ensure that the OS has the handler for NMI interrupt. Otherwise, the OS may crash. Exercise caution when clicking this button.
3	Disk Active indicator	Green	<ul style="list-style-type: none"> ● Off: The disk is not detected or is faulty. ● Blinking green: Data is being read from, written to the disk, or synchronized between disks. ● Steady green: The disk is inactive.
2	Disk Fault indicator	Yellow	<ul style="list-style-type: none"> ● Off: The disk is working properly. ● Blinking yellow: The disk is being located, or the RAID is being reconstructed. ● Steady yellow: The disk is faulty, or hard disk members of the RAID array the hard disk is in are abnormal.
6	Network port Link indicator	Green	<p>Each indicator shows the status of an Ethernet port on the network interface card (NIC).</p> <ul style="list-style-type: none"> ● Steady green: The port is properly connected. ● Off: The port is not in use. <p>NOTE</p> <p>If the NIC provides only two network ports, network port indicators 1 and 2 on the front panel are used.</p>

Rear View of the Quorum Server

[Figure 4-132](#) shows the rear view of the quorum server.

Figure 4-132 Rear view of the quorum server



1	Power socket for a power module	2	Power module indicator
3	Power module	4	Serial port
5	VGA port	6	UID indicator
7	USB 3.0 port	8	USB 3.0 port
9	Management network port	10	GE electrical port P4
11	GE electrical port P3	12	GE electrical port P2
13	GE electrical port P1	14	Data transmission status indicator
15	Connectivity status indicator	16	Full-height PCIe slot NOTE This slot is reserved and does not install PCIe here.
17	Half-height PCIe slot	-	-

NOTE

The default IP address of the management network port on the quorum server is 192.168.128.200, and the default subnet mask is 255.255.255.0.

Table 4-60 describes the indicators on the quorum server rear panel.

Table 4-60 Indicators on the rear panel

Number	Indicator	Color	State
14	Data transmission status indicator	Yellow	<ul style="list-style-type: none"> ● Off: No data is being transmitted. ● Blinking: Data is being transmitted.
15	Connectivity status indicator	Green	<ul style="list-style-type: none"> ● Steady green: The network is properly connected. ● Off: The network is not connected.

Number	Indicator	Color	State
6	UID indicator	Blue	<p>The UID button/indicator helps identify and locate a quorum server in a rack. You can turn on or off the UID indicator by manually pressing the UID button or remotely running a command on the CLI.</p> <ul style="list-style-type: none"> ● Steady on: The quorum server is located. ● Off: The quorum server is not located. ● You can hold down the UID button for 4 to 6 seconds to reset the system.
2	Power module indicator	Green	<ul style="list-style-type: none"> ● Steady green: The power input is normal. ● Off: There is no AC power input, or the power module is in the standby state or is faulty.

4.13.2 (Optional) Quorum Server (1288H V5)

For HyperMetro, if the heartbeats between two storage arrays are interrupted, the quorum server decides which storage array continues providing services, thereby greatly improving host service continuity.

Front Panel of the Quorum Server

Figure 4-133 shows the front panel of the quorum server.

Figure 4-133 Front panel of the quorum server




Table 4-61 describes the indicators and buttons on the quorum server front panel.

Table 4-61 Indicators and buttons on the front panel


Indicator and Button	Color	State
Fault diagnosis LED	None	<ul style="list-style-type: none"> ● ---: The quorum server is operating properly. ● Error Code: A fault occurs in quorum server hardware.
Power button/indicator	Yellow and green	<ul style="list-style-type: none"> ● Off: The quorum server is not powered on. ● Blinking yellow: The iBMC is starting. ● Steady yellow: The server is in the standby state. ● Steady green: The server is properly powered on. <p>NOTE You can hold down the power button for 6 seconds to power off the quorum server.</p>
UID button/indicator	Blue	<p>The UID button/indicator helps identify and locate a quorum server in a rack. You can turn on or off the UID indicator by manually pressing the UID button or remotely running a command on the iBMC CLI.</p> <ul style="list-style-type: none"> ● Steady on: The quorum server is located. ● Off: The quorum server is not located. ● You can hold down the UID button for 4 to 6 seconds to reset the system.
Health indicator	Red and green	<ul style="list-style-type: none"> ● Steady green: The quorum server is operating properly. ● Blinking red at 1 Hz: A major alarm is generated. ● Blinking red at 5 Hz: A critical alarm is generated.

Indicator and Button	Color	State
NMI button	None	<p>The NMI button triggers a quorum server to generate a non-maskable interrupt. You can press this button or control it remotely through the WebUI.</p> <p>NOTE</p> <ul style="list-style-type: none"> ● Click the NMI button only when the OS is abnormal. Do not click this button when the quorum server is operating properly. ● Click the NMI button only for internal commissioning. Before clicking this button, ensure that the OS has the handler for NMI interrupt. Otherwise, the OS may crash. Exercise caution when clicking this button.
Disk Active indicator	Green	<ul style="list-style-type: none"> ● Off: The disk is not detected or is faulty. ● Blinking green: Data is being read from, written to the disk, or synchronized between disks. ● Steady green: The disk is inactive.
Disk Fault indicator	Yellow	<ul style="list-style-type: none"> ● Off: The disk is working properly or disks cannot be detected in the RAID group. ● Blinking yellow: The disk is being located, or the RAID is being reconstructed. ● Steady yellow: The disk is faulty or member disks in the RAID group are abnormal.
Network port Link indicator	Green	<p>Each indicator shows the status of an Ethernet port on the network interface card (NIC).</p> <ul style="list-style-type: none"> ● Steady green: The port is properly connected. ● Off: The port is not in use. <p>NOTE</p> <p>If the NIC provides only two network ports, network port indicators 1 and 2 on the front panel are used.</p>

Rear View of the Quorum Server

[Figure 4-134](#) shows the rear view of the quorum server.

Figure 4-134 Rear view of the quorum server



NOTE

- The default IP address of the management network port on the quorum server is 192.168.2.100, and the default subnet mask is 255.255.255.0.
- a: This port is reserved and does not have any function. Do not connect cables here.

Table 4-62 describes the indicators on the quorum server rear panel.

Table 4-62 Indicators on the rear panel

Indicator	Color	State
Data transmission status indicator	Yellow	<ul style="list-style-type: none"> ● Off: No data is being transmitted. ● Blinking: Data is being transmitted.
Connectivity status indicator	Green	<ul style="list-style-type: none"> ● Steady green: The port is properly connected. ● Off: The port is not in use.
UID indicator	Blue	<p>The UID indicator helps identify and locate a quorum server in a rack. You can turn on or off the UID indicator by manually pressing the UID button or remotely running a command on the iBMC CLI.</p> <ul style="list-style-type: none"> ● Steady on: The quorum server is located. ● Off: The quorum server is not located. ● You can hold down the UID button for 4 to 6 seconds to reset the system.
Power module indicator	Green	<ul style="list-style-type: none"> ● Steady green: The power input is normal. ● Off: There is no AC power input, or the power module is in the standby state or is faulty.

4.13.3 (Optional) Quorum Server (TaiShan 200)

This section describes the 2280 balanced model (2280 for short) of the TaiShan 200 server. For HyperMetro, if the heartbeats between two storage arrays are interrupted, the quorum server decides which storage array continues providing services, thereby greatly improving host service continuity.

Front Panel Components

Figure 4-135 shows the components on the front panel of a server with 12 x 3.5-inch disks.

Figure 4-135 Components on the front panel of a server with 12 x 3.5-inch disks



1	Disk	2	VGA port
3	USB 3.0 port	4	Label plate with an SN label

Table 4-63 Description of ports on the front panel

Port	Type	Description
USB port	USB 3.0	The USB ports allow USB devices to be connected to the server. NOTE Before connecting an external USB device, check that the USB device functions properly. A server may operate abnormally if an abnormal USB device is connected.
VGA port	DB15	The VGA port is connected to a terminal, such as a monitor or KVM.

Front Panel Indicators and Buttons

Figure 4-136 shows the indicators and buttons on the front panel of a server with 12 x 3.5-inch disks.

Figure 4-136 Indicators and buttons on the front panel of a server with 12 x 3.5-inch disks



1	UID button/indicator	2	Health indicator
3	Power button/indicator	4	Fault diagnosis LED
5	FlexIO presence indicators (1 and 2)	-	-

Table 4-64 Indicators and buttons on the front panel


No.	Type	Description
1	UID button/indicator	<p>The UID button/indicator helps identify and locate a device.</p> <p>UID indicator:</p> <ul style="list-style-type: none"> ● Off: The device is not being located. ● Blinking blue: The device has been located and is differentiated from other devices that have also been located. ● Steady blue: The device is being located. <p>UID button:</p> <ul style="list-style-type: none"> ● You can turn on or off the UID indicator by pressing the UID button on the panel or by using the iBMC CLI or WebUI. ● You can press this button to turn on or off the UID indicator. ● You can press and hold down this button for 4 to 6 seconds to reset the iBMC.
2	Health indicator	<ul style="list-style-type: none"> ● Steady green: The server is operating properly. ● Blinking red at 1 Hz: A major alarm is generated. ● Blinking red at 5 Hz: A critical alarm is generated.

No.	Type	Description
3	Power button/indicator	<p>Power indicator:</p> <ul style="list-style-type: none"> ● Steady yellow: The server is in the standby state. ● Steady green: The server is properly powered on. ● Blinking yellow: The iBMC is starting. ● Off: The server is not connected to a power source. <p>Power button:</p> <ul style="list-style-type: none"> ● When the server is powered on, you can press this button to shut down the OS. ● When the server is powered on, you can hold down this button for 6 seconds to forcibly power off the server. ● When the server is ready to power on, you can press this button to start the server.
4	Fault diagnosis LED	<ul style="list-style-type: none"> ● ---: The server is operating normally. ● Error code: A server component is faulty.
5	FlexIO presence indicators (1 and 2)	<ul style="list-style-type: none"> ● 1 and 2: The numbers 1 and 2 respectively represent the FlexIOs 1 and 2. ● Steady green: The FlexIO is properly connected. ● Off: The FlexIO is faulty or not in use.

Rear Panel Components

Figure 4-137 shows the components on the rear panel of the 2280.

Figure 4-137 Rear panel components



1	I/O module 1	2	I/O module 2
3	I/O module 3	4	PSU socket

5	Power supply unit (PSU)	6	FlexIO 2
7	USB 3.0 port	8	VGA port
9	Serial port	10	Management network port
11	FlexIO 1	-	-

 **NOTE**

- I/O modules 1, 2 and 3 can be disk modules or riser modules. The preceding figure is for reference only.
- FlexIO 1 or 2 can be a NIC with four GE electrical ports.
- FlexIO 1 or 2 is not hot-swappable. If you need to replace it, power off the server.


Table 4-65 Ports on the rear panel

Port	Type	Quantity	Description
VGA port	DB15	1	The VGA port is connected to a terminal, such as a monitor or KVM.
USB port	USB 3.0	2	The USB ports allow USB devices to be connected to the server. NOTE Before connecting an external USB device, check that the USB device functions properly. A server may operate abnormally if an abnormal USB device is connected.
Management network port	RJ45	1	This 1000 Mbit/s Ethernet port is used for server management.
Serial port	RJ45	1	The serial port is used as the system serial port by default. You can set it as the iBMC serial port by using the iBMC CLI. This port is used for debugging.
GE electrical port	RJ45	4/8	The mainboard CPU can provide GE electrical ports. A maximum of eight GE electrical ports can be provided through the two FlexIOs.
PSU socket	-	2	Determine the number of PSUs based on actual requirements, but ensure that the rated power of the PSUs is greater than that of the server. When one PSU is used, Predicted PSU Status cannot be set to Active/Standby on the iBMC WebUI.

Rear Panel Indicators

[Figure 4-138](#) shows the indicators on the rear panel of the 2280.

Figure 4-138 Rear panel indicators



1	PSU indicator	2	GE electrical port link status indicator
3	GE electrical port data transmission status indicator	4	UID indicator
5	Management network port link status indicator	6	Management network port data transmission status indicator

Table 4-66 Indicators on the rear panel

No.	Indicator	Status
1	PSU indicator	<ul style="list-style-type: none"> ● Steady green: The power input and output are normal. ● Steady orange: The input is normal, but no power output is supplied due to overheat protection, overcurrent protection, short circuit protection, output overvoltage protection, or some component failures. ● Blinking green at 1 Hz: <ul style="list-style-type: none"> - The input is normal, the server is standby. - The input is overvoltage or undervoltage. ● Blinking green at 4 Hz: under online PSU firmware upgrade. ● Off: No AC power is supplied.
2	GE electrical port link status indicator	<ul style="list-style-type: none"> ● Steady green: The network is properly connected. ● Off: The network is not connected.
3	GE electrical port data transmission status indicator	<ul style="list-style-type: none"> ● Blinking yellow: Data is being transmitted. ● Off: No data is being transmitted.

No.	Indicator	Status
4	UID indicator	<p>The UID indicator helps identify and locate a device.</p> <ul style="list-style-type: none"> ● Off: The device is not being located. ● Blinking blue: The device has been located and is differentiated from other devices that have also been located. ● Steady blue: The device is being located. <p>NOTE You can turn on or off the UID indicator by pressing the UID button or remotely running a command on the iBMC CLI.</p>
5	Management network port link status indicator	<ul style="list-style-type: none"> ● Steady green: The network is properly connected. ● Off: The network is not connected.
6	Management network port data transmission status indicator	<ul style="list-style-type: none"> ● Blinking yellow: Data is being transmitted. ● Off: No data is being transmitted.

 **NOTE**

For details about the components of the 2280 balanced model of the TaiShan 200 server, see the *TaiShan 200 Server User Guide (Model 2280)*.

4.14 Device Cables

Device cables used in the storage system include power cables, ground cables, and signal cables. This section displays their appearances and describes the functions and specifications of various cables.

4.14.1 Power Cables

Power cables are classified into DC power cables, AC power cables, and power distribution unit (PDU) power cables. Power cables supply power to devices in a cabinet. One end of a power cable is connected to the power socket of the storage system, and the other end to an external power supply.

DC Power

Each DC power module is equipped with two DC power cables. [Figure 4-139](#) shows the appearance of DC power cables.

Figure 4-139 DC power cable



 **NOTE**

Connect the black cable to the positive pole of the battery (+) and the blue cable to the negative pole (-).

AC Power

- Each AC power module is equipped with one AC power cable. [Figure 4-140](#) shows the appearance of an AC power cable.

Figure 4-140 AC power cable



- If a cabinet is equipped with PDUs, use PDU power cables to supply power to devices in the cabinet. [Figure 4-141](#) shows the appearance of a PDU power cable.

Figure 4-141 PDU power cable




4.14.2 Ground Cables

Ground cables are used for device grounding to improve the security when you perform operations on a storage device.

Appearance

[Figure 4-142](#) shows the appearance of a ground cable.

Figure 4-142 Ground cable



4.14.3 Network Cables

The storage system uses network cables for its management network ports, service network ports, and other ports to connect to other devices or application servers for communication.

Appearance

The storage system communicates with the external network using network cables. One end of the network cable connects to the management network port, service network port, or other maintenance network port of the storage system, and the other end connects to the network switch, application server, or other devices.

Figure 4-143 shows the appearance of a network cable.

 **NOTE**

GE electrical ports employ CAT5 network cables or CAT6A shielded network cables. 10GE electrical ports employ 1 m to 3 m CAT6A shielded network cables.

Figure 4-143 Network cable



4.14.4 Serial Cables

Serial cables are used to connect the serial ports of the storage system to other devices.

Appearance

A serial cable connects the serial port of the storage system to the port of the maintenance terminal.

One end of a serial cable is the RJ-45 port used to connect to the serial port of a storage system. The other end is a DB-9 port used to connect to the port of the maintenance terminal.

Figure 4-144 shows the appearance of a serial cable.

Figure 4-144 Serial cable



4.14.5 Mini SAS HD Cables

Mini SAS HD cables are used to connect expansion ports. Mini SAS HD cables are divided into mini SAS HD electrical cables and mini SAS HD optical cables.

NOTE

- For the lengths of the mini SAS HD electrical and optical cables, see the "Hardware Specifications".
- For OceanStor 5110 V5/5300 V5, use mini SAS HD electrical cables to connect controller enclosures to disk enclosures. It is recommended that a controller enclosure and its connected disk enclosure be installed in the same cabinet.
- The mini SAS HD optical cables can be used to connect devices over distance, for example, cross-cabinet connections.
- The optical connector of a mini SAS HD optical cable has a built-in O/E conversion module and provides electrical ports.

4.14.5.1 Mini SAS HD Electrical Cables

Mini SAS HD electrical cables are used to connect a controller enclosure to a disk enclosure or connect two disk enclosures.

[Figure 4-145](#) shows the appearance of a mini SAS HD electrical cable.

Figure 4-145 Mini SAS HD electrical cable



4.14.5.2 Mini SAS HD Optical Cables

Mini SAS HD optical cables are used to connect a controller enclosure to a disk enclosure or connect two disk enclosures.

[Figure 4-146](#) shows the appearance of a mini SAS HD optical cable.

 **NOTE**

- The interface of a mini SAS HD optical cable is inconsistent with that of an optical fiber. Bind the mini SAS HD optical cable according to the cable binding method. For details about how to bind the mini SAS HD optical cable, see section "Cable Routing and Binding Basics" in *Installation Guide*.
- Mini SAS HD optical cables cannot be used to connect high-density disk enclosures, including controllers to high-density enclosures or two high-density disk enclosures.

Figure 4-146 Mini SAS HD optical cable



4.14.6 Optical Fibers

The storage system communicates with Fibre Channel switches through optical fibers. One end of the optical fiber connects to the Fibre Channel host bus adapter (HBA), and the other end connects to the Fibre Channel switch or the application server. The two ends of the optical fiber are LC connectors.

Figure 4-147 shows the appearance of optical fibers.

 **NOTE**

- Huawei provides orange OM1 optical fibers and blue OM3 and OM4 optical fibers.
- Huawei provides no longer than 10 m OM1 optical fibers.
- When connecting cables, select proper cables according to site requirements and label information.
- For details about how to bind the cables, see section "Cable Routing and Bundling Basics" in *Installation Guide*.

Figure 4-147 Optical fibers



4.14.7 FDR Cables

Fourteen data rate (FDR) cables are used for 56 Gbit/s IB interface module.

Figure 4-148 shows the appearance of an FDR cable.

Figure 4-148 FDR cable



4.14.8 MPO-4*DLC Fiber

MPO-4*DLC fiber is used for the 8 Gbit/s Fibre Channel interface module (eight ports) and 16 Gbit/s Fibre Channel interface module (eight ports).

Figure 4-149 shows the appearance of the MPO-4*DLC fiber.

Figure 4-149 MPO-4*DLC fiber



5 Software Architecture

Storage system software manages storage devices and the data stored on them, and assists application servers in data operations.

The software suite of the storage system (OceanStor 5110 V5, 5300 V5, 5500 V5, 5600 V5, 5800 V5, or 6800 V5) consists of software running on a storage system, software running on a maintenance terminal, and software running on an application server. These three types of software work jointly to deliver storage, backup, and disaster recovery services in a smart, efficient, and cost-effective manner.

Figure 5-1 shows the storage system software architecture.

Figure 5-1 Storage system software architecture




Table 5-1 describes the software running on a storage system. The dedicated operating system OceanStor OS manages storage system hardware and supports the running of storage service software. The basic function control software provides basic data storage and access functions. The value-added function control software provides advanced functions such as backup, disaster recovery, and performance tuning. The management function control software provides the management utilities to the storage system.

Table 5-1 Description of software running on a storage system

Software Set	Software	Function
Storage system operating system	-	Manages storage system hardware and supports the running of storage service software.

Software Set	Software	Function
Management function control software	DeviceManager	DeviceManager is an integrated storage management platform developed by Huawei. DeviceManager provides easy configuration, management, and maintenance of storage devices.
	SNMP ^{ab}	The storage system can be connected to third-party management software using the SNMP protocol. In addition, the storage system provides the functions supported by the third-party management software using the MIB interface. A variety of network management software supports SNMP. Users can choose the software based on their requirements.
	CLI ^c	The storage system supports CLI-based management and configuration. Users can use a third-party terminal software to log in to the storage system through its serial port or management network port (over SSH), and manage the storage system on the CLI.
	Syslog	The storage system can send alarm information to a third party. Syslog software is used to receive and save the information. Among various third-party Syslog software, users can choose one based on site requirements.
Basic function control software	SCSI software module	Manages the status of SCSI commands, and dispatches, resolves, and processes SCSI commands.
	Cache software module	Converts a high-speed and small-capacity memory to a buffer of low-speed and large-capacity disks for tiered storage and improved system performance. Its major functions include data caching, delayed writes, and prefetch.
	SRAID software module	Uses data stripping and redundancy to provide high performance, large capacity, and high reliability for data storage. A wide range of RAID levels are provided for diversified data reliability and access performance.
	SPool software module	Logically combines disks from different disk enclosures into a disk domain, in which storage pools are created to provide storage resources for services.

Software Set	Software	Function
	File protocol module	Provides file system sharing and backup functions. It supports CIFS and NFS file sharing protocols.
	Quota management module	Provides quota management for file system sharing. A shared file system allows you to specify the maximum storage capacity available to a specific directory.
	Volume management module of file system	Implements virtualized management based on volumes.
Value-added function control software	SmartVirtualization software module	Provides the SmartVirtualization function. SmartVirtualization enables a local storage system to centrally manage storage resources of heterogeneous storage systems, simplifying storage system management and reducing maintenance costs.
	SmartErase software module	Provides the SmartErase function. SmartErase erases unnecessary data on a specified LUN several times so that the data on the LUN cannot be recovered in case of leakage.
	SmartMulti-Tenant software module	Provides the SmartMulti-Tenant function. SmartMulti-Tenant enables a storage system to provide different tenants with shared storage resources and to separate tenant access and management.
	SmartCache software module	Provides SmartCache function, which uses SSDs as cache resources to significantly promote system read performance when random, small I/Os with hot data require more read operations than write operations.
	SmartQoS software module	Provides the SmartQoS function. SmartQoS controls the storage performance of LUNs or file systems, and prioritizes the quality of service (QoS) of critical applications.
	SmartMotion software module	Provides the SmartMotion function. Based on the analysis on service status, SmartMotion dynamically balances capacity and performance by evenly distributing data across storage media of the same type.

Software Set	Software	Function
	HyperLock software module	Implements WORM to set critical data to read-only state, preventing unauthorized data change and deletion during a specified period of time.
	SmartPartition software module	Provides the SmartPartition function. SmartPartition allocates the cache resources from storage system engines on demand to improve QoS for mission-critical applications and high-level users.
	SmartDedupe&SmartComPRESSION software module	Provides deduplication and compression. The deduplication function is used to analyze and delete duplicate data in a storage system. The compression function is used to minimize space occupied by data.
	HyperMetro software module	Provides the HyperMetro function of SAN and NAS. HyperMetro enables real-time data synchronization and access between two storage systems, improving resource utilization. When data access fails, HyperMetro implements seamless service switchover, ensuring data security and service continuity.
	HyperVault software module	Provides the HyperVault function. HyperVault enables storage systems to protect their data.
	SmartThin software module	Provides the SmartThin function. SmartThin achieves the on-demand space allocation. It allocates free storage space in quota to application servers only as needed, increasing the storage space usage.
	SmartTier software module	Provides the SmartTier function. SmartTier periodically detects hotspot data per unit time, and promotes them from low-speed storage media to high-speed one, boosting the system performance at an affordable cost.
	SmartMigration software module	Provides the SmartMigration function. SmartMigration migrates services on a source LUN or file system transparently to a target LUN or file system without interrupting host services. After the migration, the target LUN or file system can replace the source LUN or file system to carry the services.

Software Set	Software	Function
	HyperMirror software module	Provides the HyperMirror function. HyperMirror backs up data in real time. If the source data becomes unavailable, applications can automatically use the data copy, ensuring data security and application continuity.
	HyperSnap software module	Provides the snapshot function. Snapshot does not provide a complete physical duplicate but only an image of the source data, and locates the image through a mapping table.
	HyperReplication software module	Provides the remote replication function. Remote replication creates an available data duplicate almost in real time on a storage system that resides in a different region from the local storage system. The duplicate can be used immediately without data recovery, protecting service continuity and data availability to the maximum.
	HyperCopy software module	Provides the LUN copy function. HyperCopy copies the source LUN data onto the target LUN, addressing the requirements of applications such as tiered storage, application upgrade, and remote backup.
	HyperClone software module	Provides the clone function. Clone generates a full data copy of the source data in the local storage system.
	Consistency group software module	Provides the consistency group function. A consistency group manages remote replication tasks in batches. Any operation to the consistency group is also applied to the remote replication tasks in the group, ensuring data consistency throughout those remote replication tasks.
<p>a: Simple Network Management Protocol</p> <p>b: The supported character encoding is UTF-8.</p> <p>c: command-line interface</p>		

Table 5-2 describes the software running on a maintenance terminal. Maintenance terminal software configures and maintains the storage system. The software includes SmartKit, OceanStor SystemReporter, and OceanStor eService.

Table 5-2 Description of software running on a maintenance terminal

Software	Function
SmartKit	Helps service engineers and O&M engineers deploy, maintain, and upgrade devices.
OceanStor eService	A piece of remote maintenance and management software used for device monitoring, alarm reporting, and device inspection.
OceanStor SystemReporter	A dedicated performance and capacity report analysis tool for the storage system.

Table 5-3 describes the software running on an application server. On a SAN network, software running on an application server enables the application server to communicate and cooperate with the storage system. This software category includes BCManager eReplication, UltraPath, and eSDK OceanStor.

Table 5-3 Description of software running on an application server (SAN)

Software	Function
BCManager eReplication	Provides data protection and disaster recovery for application servers based on the related storage system value-added features (HyperReplication/S, HyperReplication/A, HyperSnap, HyperCopy, HyperClone, HyperMetro, and HyperVault). It centrally manages the requirements for data protection and disaster recovery between the storage system and application servers.
UltraPath	A storage system driver program installed on application servers. When multiple data channels are set up between an application server and a storage system, the UltraPath selects an optimal channel for the application server to access the storage system. Therefore, UltraPath is an easy and efficient path management solution for proven data transmission reliability and high path security.
eSDK OceanStor	A Huawei-developed integration platform for storage devices. It has open capabilities and provides standard interfaces and preinstalled plug-ins. The plug-ins and providers of eSDK OceanStor enable the storage system to interconnect with vCenter and System Center so that customers can use their existing network management systems to manage Huawei's storage devices.

6 Product Specifications

About This Chapter

This chapter describes the hardware specifications and software specifications of the storage system.

[6.1 Hardware Specifications \(5300 V5/5500 V5/5600 V5/5800 V5/6800 V5\)](#)

[6.2 Hardware Specifications \(5110 V5\)](#)

[6.3 Software Specifications \(5300 V5/5500 V5/5600 V5/5800 V5/6800 V5\)](#)

[6.4 Software Specifications \(5110 V5\)](#)

6.1 Hardware Specifications (5300 V5/5500 V5/5600 V5/5800 V5/6800 V5)

Hardware specifications cover the hardware configuration, port specifications, disk specifications, dimensions, weight, electrical specifications, and reliability specifications.

Table 6-1 describes the hardware specification categories to help you quickly find out the specification information you need.

Table 6-1 Description of hardware specification categories

Category	Description
Hardware Configuration	Describes the configuration of major hardware components, such as processors, memory capacity, hard disks, and ports.
Port Specifications	Describes the port specifications, such as the maximum number of ports provided by each type of interface module and the maximum number of interface modules supported by each controller.
Disk Specifications	Describes the dimensions, rotational speed, capacity, and weight of each type of disks.

Category	Description
Dimensions and Weight (Unpackaged)	Describes the dimensions and weight of controller enclosures and disk enclosures.
Electrical Specifications	Describes the electrical specifications of controller enclosures and disk enclosures.
Reliability Specifications	Describes the reliability specifications of the storage system.

Hardware Configuration

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Processors per controller	1 x 16-core processor	1 x 8-core processor	2 x 8-core processor	2 x 14-core processor	<ul style="list-style-type: none"> ● 256 GB per controller: 2 x 8-core processor ● 512 GB or 1 TB per controller: 2 x 14-core processor
Cache size per controller	<ul style="list-style-type: none"> ● 32 GB ● 64 GB 	<ul style="list-style-type: none"> ● 64 GB ● 128 GB 	<ul style="list-style-type: none"> ● 128 GB ● 256 GB 	<ul style="list-style-type: none"> ● 256 GB ● 512 GB 	<ul style="list-style-type: none"> ● 256 GB ● 512 GB ● 1 TB
Maximum number of controllers per enclosure	2				4
Maximum number of IP scale-out controllers	8				
Maximum number of disks	<ul style="list-style-type: none"> ● Versions earlier than V500R007C20: 500 ● V500R007C20 and later versions: 1000 	<ul style="list-style-type: none"> ● Versions earlier than V500R007C20: 750 ● V500R007C20 and later versions: 1200 	<ul style="list-style-type: none"> ● Versions earlier than V500R007C20: 1200 ● V500R007C20 and later versions: 1600 	<ul style="list-style-type: none"> ● Versions earlier than V500R007C20: 1500 ● V500R007C20 and later versions: 2000 	3200

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Controller enclosure configuration	<ul style="list-style-type: none"> ● 2 U controller enclosure with twenty-five 2.5-inch disks ● 2 U controller enclosure with twelve 3.5-inch disks 		3 U controller enclosure without disks		6 U controller enclosure without disks
Supported disk enclosure types	<ul style="list-style-type: none"> ● 2 U SAS disk enclosure with twenty-five 2.5-inch disks ● 4 U SAS disk enclosure with twenty-four 3.5-inch disks ● 4 U SAS high-density disk enclosure with seventy-five 3.5-inch disks 				
Maximum number of disk enclosures	<p>Versions earlier than V500R007C20:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 21 ● 4 U SAS disk enclosure: 21 ● 4 U SAS high-density disk enclosure: 7 <p>V500R007C20 and later versions:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 42 ● 4 U SAS disk enclosure: 42 ● 4 U SAS high-density disk enclosure: 14 	<p>Versions earlier than V500R007C20:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 31 ● 4 U SAS disk enclosure: 31 ● 4 U SAS high-density disk enclosure: 10 <p>V500R007C20 and later versions:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 48 ● 4 U SAS disk enclosure: 48 ● 4 U SAS high-density disk enclosure: 16 	<p>Versions earlier than V500R007C20:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 50 ● 4 U SAS disk enclosure: 50 ● 4 U SAS high-density disk enclosure: 16 <p>V500R007C20 and later versions:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 67 ● 4 U SAS disk enclosure: 67 ● 4 U SAS high-density disk enclosure: 22 	<p>Versions earlier than V500R007C20:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 63 ● 4 U SAS disk enclosure: 63 ● 4 U SAS high-density disk enclosure: 20 <p>V500R007C20 and later versions:</p> <ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 84 ● 4 U SAS disk enclosure: 84 ● 4 U SAS high-density disk enclosure: 24 	<ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 96 ● 4 U SAS disk enclosure: 96 ● 4 U SAS high-density disk enclosure: 24

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Maximum number of disk enclosures connected to back-end channels (ports)	<ul style="list-style-type: none"> ● A maximum of eight SAS disk enclosures can be connected to a pair of SAS ports. Two are recommended. ● A maximum of seven high-density disk enclosures can be connected to every two pairs of SAS ports (a pair consists of two adjacent ports on the same card). Two are recommended. ● Common disk enclosures and high-density disk enclosures cannot be connected in a mixed manner in the same back-end loop of a SAS interface module. 	<ul style="list-style-type: none"> ● A maximum of eight SAS disk enclosures can be connected to a pair of SAS ports. Two are recommended. ● A maximum of eight high-density disk enclosures can be connected to every two pairs of SAS ports (a pair consists of two adjacent ports on the same card). Two are recommended. ● Standard and high-density disk enclosures cannot be connected to the same back-end loop of a SAS interface module. 			<ul style="list-style-type: none"> ● A maximum of four standard SAS disk enclosures can be connected to a pair of SAS ports. ● A maximum of four high-density disk enclosures can be connected to a pair of SAS ports (in single-uplink networking only). Two are recommended. ● Standard and high-density disk enclosures cannot be connected to the same back-end loop of a SAS interface module.
Supported disk types	SSD, SAS, and NL-SAS				

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Supported hot-swappable interface module types	<ul style="list-style-type: none"> ● 8 Gbit/s Fibre Channel ● 16 Gbit/s Fibre Channel ● GE ● 10GE (electrical) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s) ● 40GE ● 100GE 	<ul style="list-style-type: none"> ● 8 Gbit/s Fibre Channel ● 16 Gbit/s Fibre Channel ● GE ● 10GE (electrical) ● 10 Gbit/s FCoE ● 56 Gbit/s (4 x 14 Gbit/s) IB ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s) ● 40GE ● 100GE 	<ul style="list-style-type: none"> ● 8 Gbit/s Fibre Channel ● GE ● 10GE (electrical) ● 10 Gbit/s FCoE ● 56 Gbit/s (4 x 14 Gbit/s) IB ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s) ● 40GE ● 100GE 		<ul style="list-style-type: none"> ● 8 Gbit/s Fibre Channel ● 16 Gbit/s Fibre Channel ● GE ● 10GE (electrical) ● 10 Gbit/s FCoE ● 56 Gbit/s (4 x 14 Gbit/s) IB ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s) ● 40GE ● 100GE
Supported hot-swappable expansion module type	12 Gbit/s SAS				12 Gbit/s SAS shared expansion module
Maximum number of hot-swappable I/O interface modules per controller	2		8		6

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Length of expansion SAS cables	<p>Controller enclosure</p> <ul style="list-style-type: none"> ● Electrical cables: 1 m, 2 m, and 3 m <p>Common disk enclosure</p> <ul style="list-style-type: none"> ● Electrical cables: 1 m, 2 m, 3 m, and 5 m ● Optical cables: 15 m <p>High-density disk enclosure</p> <ul style="list-style-type: none"> ● Electrical cables: 5 m <p>Controller enclosures interconnected with high-density disk enclosures support only 3 m electrical cables.</p>	<p>Common disk enclosure</p> <ul style="list-style-type: none"> ● Electrical cables: 1 m, 2 m, 3 m, and 5 m ● Optical cables: 15 m <p>High-density disk enclosure</p> <ul style="list-style-type: none"> ● Electrical cables: 5 m 			
Redundancy of main components	<ul style="list-style-type: none"> ● BBU: 1 (per controller) ● Power modules: 1+1 ● Fans: 1+1 	<ul style="list-style-type: none"> ● BBU: 1+1 ● Power modules: 1+1 ● Fans: 3+1 	<ul style="list-style-type: none"> ● BBU: 2+1 ● Power modules: 1+1 ● Fans: 5+1 ● Management module: 1+1 		<ul style="list-style-type: none"> ● BBU: 3+1 ● Power modules: 2+2 ● Fans: 5+1 (dual controllers), 11+1 (four controllers) ● Management module: 1+1

Port Specifications

Maximum Number of Ports per Interface Module	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
8 Gbit/s Fibre Channel interface module	Four ports for each front-end module				
8 Gbit/s Fibre Channel interface module	Eight ports for each front-end module				
16 Gbit/s Fibre Channel interface module	Eight ports for each front-end module		-		Eight ports for each front-end module
GE electrical interface module	Four ports for each front-end module				
10GE electrical interface module	Four ports for each front-end module				
10 Gbit/s FCoE interface module	-	Two ports for each front-end module			
12 Gbit/s SAS expansion module	Four ports for each back-end module				-
12 Gbit/s SAS shared expansion module	-				Twelve ports for each back-end module
56 Gbit/s (4 x 14 Gbit/s) IB interface module	-	Two ports for each front-end module (The module is used for SAN services only and cannot be used for NAS services. It supports electrical ports only.)			

Maximum Number of Ports per Interface Module	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s)	Used for front-end access and networking between storage arrays, each with four ports. The port type can be 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, or 10 Gbit/s ETH (optical).				
SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s)	Used for front-end access, each with four optical ports. The port type can be 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, 32 Gbit/s Fibre Channel, 10 Gbit/s ETH, or 25 Gbit/s ETH (cannot be negotiated to GE). NOTE Applicable to V500R007C30 and later versions.				
40GE interface module	Two 40 Gbit/s ETH ports (optical) for each front-end module				
100GE interface module	Two 100 Gbit/s ETH ports (optical) for each front-end module				

Maximum Number of Ports per Controller	5300 V5 ^a	5500 V5 ^b	5600 V5	5800 V5	6800 V5
8 Gbit/s Fibre Channel port	16 ^c	20 ^d	36		28
16 Gbit/s Fibre Channel port	16	20 ^e	28		28
GE port	14	8	28		20
10GE port (electrical)	8	8	28		20
10GE port (optical)	8	12	28		20
10 Gbit/s FCoE port (VN2VF)	8	8	28		20

Maximum Number of Ports per Controller	5300 V5 ^a	5500 V5 ^b	5600 V5	5800 V5	6800 V5
10 Gbit/s FCoE port (VN2VN)	-	4	14		10
12 Gbit/s SAS expansion port	6	6	24		-
12 Gbit/s SAS shared expansion port	-				48 NOTE This configuration is for dual-controller or single-engine scenarios.
56 Gbit/s (4 x 14 Gbit/s) IB port	-	4	14		10
40GE port	4	4	14	14	10
100GE port	4	4	14	14	10
32 Gbit/s Fibre Channel port	8	8	28	28	20
25GE port (optical)	8	8	28	28	20
<p>a: On OceanStor 5300 V5, the onboard front-end ports are GE ports and onboard back-end ports are SAS ports.</p> <p>b: On OceanStor 5500 V5, the onboard front-end ports are SmartIO ports and onboard back-end ports are SAS ports.</p> <p>c: The number of ports can reach the upper limit when 8 Gbit/s Fibre Channel high-density interface modules are configured.</p> <p>d: The number of ports can reach the upper limit when 8 Gbit/s Fibre Channel high-density interface modules are configured and 8 Gbit/s Fibre Channel optical modules are configured for onboard SmartIO ports.</p> <p>e: The number of ports can reach the upper limit when 16 Gbit/s Fibre Channel high-density interface modules are configured and 16 Gbit/s Fibre Channel optical modules are configured for onboard SmartIO ports.</p>					

Disk Specifications

Disk Type ^a	Dimensions	Rotational Speed	Weight	Capacity
SAS	2.5-inch	10,000 rpm	0.25 kg (0.55 lb)	<ul style="list-style-type: none"> ● 600 GB^b ● 1.2 TB^b ● 1.8 TB ● 2.4 TB
		15,000 rpm	0.25 kg (0.55 lb)	<ul style="list-style-type: none"> ● 300 GB ● 600 GB
NL-SAS	3.5-inch	7200 rpm	0.725 kg (1.60 lb)	<ul style="list-style-type: none"> ● 2 TB ● 4 TB^d ● 6 TB^d ● 8 TB ● 10 TB^d ● 12 TB^c ● 14 TB
SSD	2.5-inch	-	0.25 kg (0.55 lb)	<ul style="list-style-type: none"> ● 600 GB ● 800 GB ● 900 GB ● 960 GB^b ● 1.6 TB ● 1.92 TB^b ● 3.2 TB ● 3.84 TB^b ● 7.68 TB^b ● 15.36 TB ● 30.72 TB
	3.5-inch		0.35 kg (0.77 lb)	960 GB

Disk Type ^a	Dimensions	Rotational Speed	Weight	Capacity
<p>a: Restricted by the storage principles, SSDs and mechanical disks such as NL-SAS and SAS disks cannot be preserved for a long term while they are powered off.</p> <ul style="list-style-type: none"> ● SSDs where no data is stored can be preserved for a maximum of 12 months while they are powered off. SSDs where data has been stored can be preserved for a maximum of 3 months while they are powered off. If the maximum preservation time is exceeded, data loss or SSD failure may occur. ● Packed mechanical disks and unpacked mechanical disks that are powered off can be preserved for a maximum of six months. If the maximum preservation time is exceeded, data loss or disk failure may occur. The maximum preservation time is determined based on the disk preservation specifications provided by the mechanical disk vendor. For details about the specifications, see the manual provided by the vendor. <p>b: Self-encrypting drives (SEDs) are supported (not sold in mainland China).</p> <p>c: High-density disk enclosures are supported.</p> <p>d: SEDs and high-density disk enclosures are supported.</p>				

Dimensions and Weight (Unpackaged)

Module	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Controller enclosure	Dimensions	<ul style="list-style-type: none"> ● Depth: 488 mm (19.21 in.) ● Width: 447 mm (17.60 in.) ● Height: 86.1 mm (3.39 in.) 	<ul style="list-style-type: none"> ● Depth: 748 mm (29.45 in.) ● Width: 447 mm (17.60 in.) ● Height: 86.1 mm (3.39 in.) 	<ul style="list-style-type: none"> ● Depth: 750 mm (29.53 in.) ● Width: 447 mm (17.60 in.) ● Height: 130.5 mm (5.14 in.) 		<ul style="list-style-type: none"> ● Depth: 750 mm (29.53 in.) ● Width: 447 mm (17.60 in.) ● Height: 263.9 mm (10.39 in.)

Module	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Weight (without disks)	15.9 kg (35.05 lb)	31.8 kg (70.11 lb)	58.9 kg (129.85 lb)		78.4 kg (172.84 lb, dual controllers) 95.7 kg (210.98 lb, four controllers)
2 U SAS disk enclosure	Dimensions	<ul style="list-style-type: none"> ● Depth: 488 mm (19.21 in.) ● Width: 447 mm (17.60 in.) ● Height: 86.1 mm (3.39 in.) 				
	Weight (without disks)	17.5 kg (38.58 lb)				
4 U SAS disk enclosure	Dimensions	<ul style="list-style-type: none"> ● Depth: 488 mm (19.21 in.) ● Width: 447 mm (17.60 in.) ● Height: 175 mm (6.89 in.) 				
	Weight (without disks)	26.5 kg (58.42 lb)				
4 U high-density disk enclosure	Dimensions	Cable managers not included: <ul style="list-style-type: none"> ● Depth: 790 mm (31.10 in.) ● Width: 446 mm (17.56 in.) ● Height: 176.5 mm (6.95 in.) Cable managers included: <ul style="list-style-type: none"> ● Depth: 974 mm (38.4 in.) ● Width: 446 mm (17.56 in.) ● Height: 176.5 mm (6.95 in.) 				
	Weight (without disks)	50.5 kg (111.33 lb)				

Electrical Specifications

Item		5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Power consumption	Controller enclosure	<ul style="list-style-type: none"> ● Max: 477 W^a/520 W^b ● Typical: 366 W^a/399 W^b ● Min: 317 W^a/268 W^b 	<ul style="list-style-type: none"> ● Max: 782 W ● Typical: 552 W ● Min: 361 W 	<ul style="list-style-type: none"> ● Max: 1045 W ● Typical: 801 W ● Min: 602 W 	<ul style="list-style-type: none"> ● Max: 1270 W ● Typical: 1002 W ● Min: 640 W 	<ul style="list-style-type: none"> ● Max: 1956 W^c/3117 W^d ● Typical: 1149 W^c/2144 W^d ● Min: 797 W^c/1514 W^d
	2 U disk enclosure	<ul style="list-style-type: none"> ● Max: 323 W ● Typical: 209 W ● Min: 138 W 				
	4 U disk enclosure	<ul style="list-style-type: none"> ● Max: 582 W ● Typical: 406 W ● Min: 354 W 				
	4 U high-density disk enclosure	<ul style="list-style-type: none"> ● Max: 1250 W ● Typical: 995 W ● Min: 735 W 				

Item		5300 V5	5500 V5	5600 V5	5800 V5	6800 V5	
Power voltage and rated current	Controller enclosure	<p>AC:</p> <ul style="list-style-type: none"> ● 100 V to 240 V, AC $\pm 10\%$, 10 A, single-phase, 50/60 Hz <p>DC:</p> <ul style="list-style-type: none"> ● -48 V to -60 V, DC $\pm 20\%$, 18.5 A <p>High voltage DC (N/A for North America and Canada)</p> <ul style="list-style-type: none"> ● High voltage DC: 240 V, DC $\pm 20\%$, 10 A 	<p>AC:</p> <ul style="list-style-type: none"> ● 100 V to 240 V, AC $\pm 10\%$, 12 A to 6 A, single-phase, 50/60 Hz <ul style="list-style-type: none"> ● Supports dual-live-line input (2 W+PE), 200 V to 240 V, AC $\pm 10\%$ <p>DC:</p> <ul style="list-style-type: none"> ● -48 V to -60 V, DC $\pm 20\%$, 30 A <p>High voltage DC (N/A for North America and Canada)</p> <ul style="list-style-type: none"> ● High voltage DC: 240 V, DC $\pm 20\%$, 6.5 A 	<p>AC:</p> <ul style="list-style-type: none"> ● 200 V to 240 V, AC $\pm 10\%$, 10 A, single-phase, 50/60 Hz ● Supports dual-live-line input (2 W+PE), 200 V to 240 V, AC $\pm 10\%$ <p>DC:</p> <ul style="list-style-type: none"> ● -48 V to -60 V, DC $\pm 20\%$, 50 A <p>High voltage DC (N/A for North America and Canada)</p> <ul style="list-style-type: none"> ● 240 V, DC $\pm 20\%$, 10 A 			
	Disk enclosure	<p>AC:</p> <ul style="list-style-type: none"> ● 100 V to 240 V, AC $\pm 10\%$, 10 A, single-phase, 50/60 Hz <p>DC:</p> <ul style="list-style-type: none"> ● -48 V to -60 V, DC $\pm 20\%$, 18.5 A <p>High voltage DC (N/A for North America and Canada)</p> <ul style="list-style-type: none"> ● 240 V, DC $\pm 20\%$, 10 A 					

Item		5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
High-density disk enclosure	AC:	<ul style="list-style-type: none"> ● 100 V to 127 V, AC±10%, 10 A, single-phase, 50/60 Hz ● 200 V to 240 V, AC±10%, 5 A, single-phase, 50/60 Hz 				
	AC power input type (socket type)	<ul style="list-style-type: none"> ● AC: IEC60320-C14 ● High voltage DC: IEC60320-C14 ● DC: OT-M6 				
Each BBU capacity/Overall power backup duration		-	16 Wh	32 Wh	32 Wh	32 Wh
Power supply by the backup power module		600 Ws	-			
<p>a: Twelve 3.5-inch disks b: Twenty-five 2.5-inch disks c: Dual controllers d: Four controllers</p> <p>NOTE</p> <ul style="list-style-type: none"> ● The max power consumption of controller enclosure of 5500 V5: 256 GB memory, 25 x 2.5-inch 1.2 TB SAS disks, AC, dual controllers (each with 128 GB memory), 4 x SmartIO interface module (16 Gbit/s Fibre Channel). ● The max power consumption of controller enclosure of 5600 V5: 512 GB memory, 4 x 4-port 12 Gbit/s SAS, 12 x SmartIO interface module (16 Gbit/s Fibre Channel). ● The max power consumption of controller enclosure of 5800 V5: 1 TB memory, 4 x 4-port 12 Gbit/s SAS, 12 x SmartIO interface module (16 Gbit/s Fibre Channel) ● The max power consumption of controller enclosure of 6800 V5: four controllers, 2 TB memory, 4 x 12-port 12 Gbit/s SAS interface module, 16 x SmartIO interface module (16 Gbit/s FC). Dual controllers, 2 TB memory, 4 x 12-port 12 Gbit/s SAS interface module, 8 x SmartIO interface module (16 Gbit/s Fibre Channel) 						

Reliability Specifications

Item	Value
Solution reliability	99.9999%
Mean Time Between Failures (MTBF)	1,000,000 hours
Mean Time To Repair (MTTR)	2 hours

6.2 Hardware Specifications (5110 V5)

Hardware specifications cover the hardware configuration, port specifications, disk specifications, dimensions, weight, electrical specifications, and reliability specifications.

Table 6-2 describes the hardware specification categories to help you quickly find out the specification information you need.

Table 6-2 Description of hardware specification categories

Category	Description
Hardware Configuration	Describes the configuration of major hardware components, such as processors, memory capacity, hard disks, and ports.
Port Specifications	Describes the port specifications, such as the maximum number of ports provided by each type of interface module and the maximum number of interface modules supported by each controller.
Disk Specifications	Describes the dimensions, rotational speed, capacity, and weight of each type of disks.
Dimensions and Weight (Unpackaged)	Describes the dimensions and weight of controller enclosures and disk enclosures.
Electrical Specifications	Describes the electrical specifications of controller enclosures and disk enclosures.
Reliability Specifications	Describes the reliability specifications of the storage system.

Hardware Configuration

Item	5110 V5
Processors per controller	1 x 16-core processor
Cache size per controller	<ul style="list-style-type: none"> ● 16 GB ● 32 GB
Maximum number of controllers per enclosure	2
Maximum number of IP scale-out controllers	8
Maximum number of disks	500
Controller enclosure configuration	<ul style="list-style-type: none"> ● 2 U controller enclosure with twenty-five 2.5-inch disks ● 2 U controller enclosure with twelve 3.5-inch disks

Item	5110 V5
Supported disk enclosure types	<ul style="list-style-type: none"> ● 2 U SAS disk enclosure with twenty-five 2.5-inch disks ● 4 U SAS disk enclosure with twenty-four 3.5-inch disks
Maximum number of disk enclosures	<ul style="list-style-type: none"> ● 2 U SAS disk enclosure: 21 ● 4 U SAS disk enclosure: 21
Maximum number of disk enclosures connected to back-end channels (ports)	A maximum of eight SAS disk enclosures can be connected to a pair of SAS ports. Two are recommended.
Supported disk types	SSD, SAS, and NL-SAS
Supported hot-swappable interface module types	<ul style="list-style-type: none"> ● 8 Gbit/s Fibre Channel ● 16 Gbit/s Fibre Channel ● GE ● 10GE (electrical) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s) ● SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s)
Supported hot-swappable expansion module type	12 Gbit/s SAS
Maximum number of hot-swappable I/O interface modules per controller	2
Length of expansion SAS cables	Controller enclosure <ul style="list-style-type: none"> ● Electrical cables: 1 m, 2 m, and 3 m Common disk enclosure <ul style="list-style-type: none"> ● Electrical cables: 1 m, 2 m, 3 m, and 5 m ● Optical cables: 15 m
Redundancy of main components	<ul style="list-style-type: none"> ● BBU: 1 (per controller) ● Power modules: 1+1 ● Fans: 1+1

Port Specifications

Maximum Number of Ports per Interface Module	5110 V5
8 Gbit/s Fibre Channel interface module	Four ports for each front-end module
8 Gbit/s Fibre Channel interface module	Eight ports for each front-end module

Maximum Number of Ports per Interface Module	5110 V5
16 Gbit/s Fibre Channel interface module	Eight ports for each front-end module
GE electrical interface module	Four ports for each front-end module
10GE electrical interface module	Four ports for each front-end module
12 Gbit/s SAS expansion module	Four ports for each back-end module
SmartIO interface module (8 Gbit/s, 10 Gbit/s, and 16 Gbit/s)	Used for front-end access and networking between storage arrays, each with four ports. The port type can be 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, or 10 Gbit/s ETH (optical).
SmartIO interface module (8 Gbit/s, 10 Gbit/s, 16 Gbit/s, 25 Gbit/s, and 32 Gbit/s)	Used for front-end access, each with four optical ports. The port type can be 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, 32 Gbit/s Fibre Channel, 10 Gbit/s ETH, or 25 Gbit/s ETH (cannot be negotiated to GE).

Maximum Number of Ports per Controller	5110 V5 ^a
8 Gbit/s Fibre Channel port	16
16 Gbit/s Fibre Channel port	16
GE port	14
10GE port (electrical)	8
10GE port (optical)	8
10 Gbit/s FCoE port (VN2VF)	8
12 Gbit/s SAS expansion port	6
32 Gbit/s Fibre Channel port	8
25GE port (optical)	8
a: On OceanStor 5110 V5, the onboard front-end ports are GE ports and onboard back-end ports are SAS ports.	

Disk Specifications

Disk Type ^a	Dimensions	Rotational Speed	Weight	Capacity
SAS	2.5-inch	10,000 rpm	0.25 kg (0.55 lb)	<ul style="list-style-type: none"> ● 600 GB ● 1.2 TB^b ● 1.8 TB^b ● 2.4 TB
		15,000 rpm	0.25 kg (0.55 lb)	<ul style="list-style-type: none"> ● 300 GB ● 600 GB
NL-SAS	3.5-inch	7200 rpm	0.725 kg (1.60 lb)	<ul style="list-style-type: none"> ● 2 TB ● 4 TB^b ● 6 TB^b ● 8 TB ● 10 TB^b ● 12 TB
SSD	2.5-inch	-	0.25 kg (0.55 lb)	<ul style="list-style-type: none"> ● 960 GB ● 1.92 TB ● 3.84 TB^b ● 7.68 TB^b ● 15.36 TB
	3.5-inch		0.35 kg (0.77 lb)	<ul style="list-style-type: none"> ● 960 GB ● 1.92 TB ● 3.84 TB
<p>a: Restricted by the storage principles, SSDs and mechanical disks such as NL-SAS and SAS disks cannot be preserved for a long term while they are powered off.</p> <ul style="list-style-type: none"> ● SSDs where no data is stored can be preserved for a maximum of 12 months while they are powered off. SSDs where data has been stored can be preserved for a maximum of 3 months while they are powered off. If the maximum preservation time is exceeded, data loss or SSD failure may occur. ● Packed mechanical disks and unpacked mechanical disks that are powered off can be preserved for a maximum of six months. If the maximum preservation time is exceeded, data loss or disk failure may occur. The maximum preservation time is determined based on the disk preservation specifications provided by the mechanical disk vendor. For details about the specifications, see the manual provided by the vendor. <p>b: Self-encrypting drives (SEDs) are supported (not sold in mainland China).</p>				

Dimensions and Weight (Unpackaged)

Enclosure	Parameter	5110 V5
Controller enclosure	Dimensions	<ul style="list-style-type: none"> ● Depth: 488 mm (19.21 in.) ● Width: 447 mm (17.60 in.) ● Height: 86.1 mm (3.39 in.)
	Weight (without disks)	15.9 kg (35.05 lb)
2 U SAS disk enclosure	Dimensions	<ul style="list-style-type: none"> ● Depth: 488 mm (19.21 in.) ● Width: 447 mm (17.60 in.) ● Height: 86.1 mm (3.39 in.)
	Weight (without disks)	17.5 kg (38.58 lb)
4 U SAS disk enclosure	Dimensions	<ul style="list-style-type: none"> ● Depth: 488 mm (19.21 in.) ● Width: 447 mm (17.60 in.) ● Height: 175 mm (6.89 in.)
	Weight (without disks)	26.5 kg (58.42 lb)
4 U high-density disk enclosure	Dimensions	Cable managers not included: <ul style="list-style-type: none"> ● Depth: 790 mm (31.10 in.) ● Width: 446 mm (17.56 in.) ● Height: 176.5 mm (6.95 in.) Cable managers included: <ul style="list-style-type: none"> ● Depth: 974 mm (38.4 in.) ● Width: 446 mm (17.56 in.) ● Height: 176.5 mm (6.95 in.)
	Weight (without disks)	50.5 kg (111.33 lb)

Electrical Specifications

Power	Item	5110 V5
Power consumption	Controller enclosure	<ul style="list-style-type: none"> ● Max: 477 W^a/520 W^b ● Typical: 366 W^a/399 W^b ● Min: 317 W^a/268 W^b
	2 U disk enclosure	<ul style="list-style-type: none"> ● Max: 323 W ● Typical: 209 W ● Min: 138 W

Power	Item	5110 V5
	4 U disk enclosure	<ul style="list-style-type: none"> ● Max: 582 W ● Typical: 406 W ● Min: 354 W
Power voltage and rated current	Controller enclosure	AC: <ul style="list-style-type: none"> ● 100 V to 240 V, AC±10%, 10 A, single-phase, 50/60 Hz High voltage DC (N/A for North America and Canada) <ul style="list-style-type: none"> ● High voltage DC: 240 V, DC±20%, 10 A
	Disk enclosure	AC: <ul style="list-style-type: none"> ● 100 V to 240 V, AC±10%, 10 A, single-phase, 50/60 Hz High voltage DC (N/A for North America and Canada) <ul style="list-style-type: none"> ● 240 V, DC±20%, 10 A
	IP switch	AC: <ul style="list-style-type: none"> ● 100 V to 240 V, AC±10%, 10 A, single-phase, 50/60 Hz
	AC power input type (socket type)	<ul style="list-style-type: none"> ● AC: IEC60320-C14 ● High voltage DC: IEC60320-C14
Power supply	Backup power module	600 Ws
a: Twelve 3.5-inch disks b: Twenty-five 2.5-inch disks		

Reliability Specifications

Item	Value
Solution reliability	99.9999%
Mean Time Between Failures (MTBF)	1,000,000 hours
Mean Time To Repair (MTTR)	2 hours

6.3 Software Specifications (5300 V5/5500 V5/5600 V5/5800 V5/6800 V5)

Software specifications include basic specifications, feature specifications, performance specifications, supported operating systems, and license control.

Table 6-3 describes the categories of storage software specifications to help you quickly locate the specification information you need.

Table 6-3 Description of software specification categories

Category	Description
Basic Specifications	Describes the basic software specifications of the storage system, including the maximum number of connected application servers, maximum number of LUNs, and maximum number of mapping views.
Feature Specifications	Describes the feature specifications of the storage system, such as snapshot, remote replication, and LUN copy.
Supported Operating Systems	Describes the operating systems supported by the storage system.
License Control	Describes whether software features of the storage unit are controlled by licenses.

Basic Specifications

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Maximum number of connected application servers	<ul style="list-style-type: none"> ● Fibre Channel: 2048 ● iSCSI ports: 1024 	<ul style="list-style-type: none"> ● Fibre Channel and IB ports: 4096 ● iSCSI ports: 1024 		<ul style="list-style-type: none"> ● Fibre Channel and IB ports: 8192 ● iSCSI ports: <ul style="list-style-type: none"> - Versions earlier than V500R007C20: 1024 - V500R007C20 and later versions: 2048 	
Maximum number of hosts per host group	64				
Maximum number of LUNs ^a	4096	8192	16,384		65,536

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Maximum number of LUN groups	2048	4096		8192	
Maximum number of LUNs that can be mapped to a host	255	511			
Maximum number of PE LUNs	64				
Maximum number of VVol LUNs ^a	4096	8192	16,384		65,536
Maximum number of mapping views	2047	4095		8191	
Maximum number of disk domains	32	64		128	
Maximum number of disks in a disk domain	500	750	1200	1500	3200
Minimum number of disks in a disk domain per engine	4				
Maximum number of storage pools	32	64		128	
Maximum number of LUNs in a storage pool	4096	8192	16,384	16,384	65,536
RAID level	0, 1, 3, 5, 6, 10, 50				

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Minimum capacity of a LUN	512 KB				
Maximum capacity of a LUN	256 TB				
Maximum number of file systems	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 1024. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 4096. 	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 2048. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 8192. 	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 2048. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 16,384. 	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 4096. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 16,384. 	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 4096. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 65,536.
Minimum capacity of a file system	1 GB				
Maximum capacity of a file system	16 PB				
Maximum number of files per file system	2 billion				

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Maximum capacity of a file	256 TB				
Maximum number of sub-directories per directory	30 million				
Maximum number of SMB shares	12,000				
Maximum number of NFS shares	10,000				
Maximum number of CIFS and NFS connections per controller	11,000	16,000	21,000	26,000	31,000
Maximum number of FTP connections per controller	32	128			192
Maximum number of HTTP connections per controller	32	64	128		256
Maximum number of NDMP flows per controller	8		16		32
Maximum number of local users	1000	2000	2000	2000	4000

Item	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Maximum number of local user groups	30,000	50,000	50,000	50,000	70,000
Maximum number of users in a user group	100,000	150,000	150,000	150,000	250,000
Maximum file path length	4096 bytes				
Maximum length of a single file name or directory name	1024 bytes				
Maximum directory depth of a file system	256				
Maximum number of files that can be opened at a time on a controller	100,000	150,000	200,000	300,000	400,000
Maximum number of logical ports per controller	128			256	
Maximum number of VLANs per controller	128			256	
a: Maximum total number of clone file systems, file systems, LUNs, and writable LUN snapshots, plus the number of PE LUNs and VVol LUNs.					

Feature Specifications

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
HyperSnap	Maximum number of LUN snapshots	2048	4096	8192		32,768
	Maximum number of read-only snapshots in a file system	32,000	64,000		128,000	
	Maximum number of source LUNs	1024	2048	4096		16,384
	Maximum number of snapshots for a source LUN	256	512	1024		
	Maximum number of read-only snapshots for a source file system	2048				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of LUNs that can be batch activated	64	512			8192
	Minimum interval of periodic snapshots for a file system	1 minute				
	Recovery time of a file system snapshot	< 10 seconds				
LUN copy	Maximum number of LUN copies	64		256		
	Maximum number of target LUNs for each source LUN	64		128		
LUN clone	Maximum number of primary LUNs	128	256	1024		

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of secondary LUNs	256	1024	2048		
	Maximum number of secondary LUNs in a clone group	8				
	Maximum number of consistent split pairs	64		512		

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
File system clone	Maximum number of clone file systems	<ul style="list-style-type: none"> The total number of clone file systems and file systems cannot exceed 1024. The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 4096. 	<ul style="list-style-type: none"> The total number of clone file systems and file systems cannot exceed 2048. The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 8192. 	<ul style="list-style-type: none"> The total number of clone file systems and file systems cannot exceed 2048. The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 16,384. 	<ul style="list-style-type: none"> The total number of clone file systems and file systems cannot exceed 4096. The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 16,384. 	<ul style="list-style-type: none"> The total number of clone file systems and file systems cannot exceed 4096. The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 65,536.
	Maximum levels of cascading clones	8				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
HyperReplication	Maximum number of pairs in a remote replication (synchronous + asynchronous) ^a	256	1024		2048	
	Maximum number of secondary LUNs in a pair	<ul style="list-style-type: none"> ● Synchronous: 1 ● Asynchronous: 2 				
	Maximum number of secondary file systems in a pair	Asynchronous: 1				
	Maximum number of connected remote storage devices	64				
	Maximum number of remote replication consistency groups	64 (synchronous + asynchronous)	512 (synchronous + asynchronous)			

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of pairs in a remote replication consistent group	64	512			
	Maximum number of remote replication vStore pairs	63	127		255	
SmartQoS	Maximum number of SmartQoS policies	128	<ul style="list-style-type: none"> ● Versions earlier than V500R007C30: 1024 ● V500R007C30 and later versions: 4096 			4096
	Maximum number of LUNs supported by a policy	64				
	Number of priority levels	3				
SmartPartition	Maximum cache partitions for every two controllers	8				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Minimum size of a cache partition	256 MB				
	Maximum size of a cache partition	2 GB	5 GB	5 GB	10 GB	20 GB
SmartTier	Maximum number of tiers	<ul style="list-style-type: none"> ● SAN: 3 (SSD/SAS/NL-SAS) ● NAS: 2 (SSD/HDD, HDD including SAS and NL-SAS) 				
	Migration granularity (configurable)	<ul style="list-style-type: none"> ● SAN: 512 KB, 1 MB, 2 MB, 4 MB, 8 MB, 16 MB, 32 MB, or 64 MB (4 MB by default) ● NAS: file size 				
	Data migration speed	<ul style="list-style-type: none"> ● SAN: High/Medium/Low ● NAS: automatically (unconfigurable) 				
SmartMotion	Granularity	64 MB				
SmartThin	Maximum number of thin LUNs (same as the maximum number of thick LUNs)	4096	8192	16,384		65,536
	Maximum capacity of a thin LUN	256 TB				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Conversion between thin and thick LUNs	Supported (Implemented through LUN migration)				
	Granularity of a thin LUN	<ul style="list-style-type: none"> ● When SmartDedupe&SmartCompression is not enabled, the value is fixed at 64 KB. ● When SmartDedupe&SmartCompression is enabled, the default value is 16 KB. The value can be set to 4 KB, 8 KB, 16 KB, 32 KB, or 64 KB on the CLI. 				
	Space reclamation	Supported				
SmartMigration (SAN)	Maximum number of LUNs that can be simultaneously migrated for each controller	8				
	Maximum number of LUNs for which migration can be configured at a time	512		1024		

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of LUNs for which consistency split can be performed	512		1024		
SmartMigration (NAS) ^b	Maximum number of file systems that can be migrated simultaneously by each controller	32			64	
	Number of file systems for which migration can be configured at a time	64	128	256		

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
SmartErase	Maximum number of LUNs whose data can be simultaneously destructed on each controller	8		16		
SmartMulti-Tenant	Maximum number of tenants	63	127	127	255	255
	Maximum number of tenant administrators	128	256	256	512	512
	Maximum number of tenant administrators for a tenant	32				
SmartVirtualization	Maximum number of external LUNs	256	2048		4096	
	Maximum number of external storage arrays	32		128		256

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of paths for each external LUN	8				32
	Maximum number of masqueraded LUNs	512	2048		4096	8192
	Maximum number of links that connect to external arrays	256		1024		8192
	Maximum number of links that connect to external arrays on a single controller	128		512		2048
HyperMirror	Maximum number of volume mirrors	128		256		512

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Number of copies per volume mirror	2				
SmartQuota	Number of quota directory trees per file system	4096				
	User quota	1000			2000	3000
	User group quota	20,000	30,000	40,000	50,000	60,000
SmartCompression	Granularity of data block compression	<ul style="list-style-type: none"> ● File system: 8 KB, 16 KB, 32 KB, or 64 KB self-adaptable ● LUN: 4 KB, 8 KB, 16 KB, 32 KB, or 64 KB self-adaptable 				
SmartDedupe	Granularity of data block deduplication (configurable)	4 KB, 8 KB, 16 KB, 32 KB, or 64 KB self-adaptable				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5	
SmartCache	Total SSD cache capacity per controller	<ul style="list-style-type: none"> ● 1600 GB (32 GB per controller) ● 4800 GB (64 GB per controller) 	<ul style="list-style-type: none"> ● 4800 GB (64 GB per controller) ● 4800 GB (128 GB per controller) 	<ul style="list-style-type: none"> ● 4800 GB (128 GB per controller) ● 9600 GB (256 GB per controller) 	<ul style="list-style-type: none"> ● 9600 GB (256 GB per controller) ● 16 TB (512 GB per controller) 	<ul style="list-style-type: none"> ● 9600 GB (256 GB per controller) ● 16 TB (512 GB per controller) ● 16 TB (1 TB per controller) 	
	Number of SSD cache partitions for every two controllers	Eight user partitions and one default cache partition					
	Data block granularity of SSD cache	4 KB, 8 KB, 16 KB, 32 KB, 64 KB, or 128 KB self-adaptable					
NAS antivirus	Virus-scanning mode	CIFS share (scanning starts when files are closed)					
	Maximum number of antivirus servers	128	256		512		

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of file systems that can be monitored	1024	2048		4096	
	Maximum number of virus scanning policies	256	512		1024	
	Maximum number of antivirus servers per vStore	32				
HyperMetro (SAN)	Maximum number of HyperMetro domains	1 The number of NAS and SAN HyperMetro domains cannot exceed 1.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.
	Maximum number of HyperMetro LUN consistency groups	32	128		256	

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of HyperMetro pairs	128	512		1024	
	Maximum number of pairs in a consistency group	128	512		1024	
	Maximum number of pairs in a HyperMetro domain	128	512		1024	
	Maximum number of physical links that connect to a controller	<ul style="list-style-type: none"> ● Versions earlier than V500R007C10: 8 ● V500R007C10 and later versions: 256 				
	Maximum distance	< 300 km				
	Supported physical link types	<ul style="list-style-type: none"> ● Versions earlier than V500R007C30: 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, or 10GE ● V500R007C30 and later versions: 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, 10GE, 25GE, 40GE, or 100GE 				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Supported protocol types	iSCSI or Fibre Channel				
	Arbitration mode	Static priority mode Quorum server mode				
HyperMetro (NAS)	Maximum number of HyperMetro domains	1 The number of NAS and SAN HyperMetro domains cannot exceed 1.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.	2 The number of NAS and SAN HyperMetro domains cannot exceed 2.
	Maximum number of HyperMetro vStore pairs	63	127	127	255	255
	Maximum number of file system pairs	64	256	512	1024	2048
	Maximum number of physical links that connect to a controller	<ul style="list-style-type: none"> ● Versions earlier than V500R007C10: 8 ● V500R007C10 and later versions: 256 				
	Maximum distance	< 300 km				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Supported physical link types	<ul style="list-style-type: none"> ● Versions earlier than V500R007C30: 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, or 10GE ● V500R007C30 and later versions: 8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, 10GE, 25GE, 40GE, or 100GE 				
	Supported protocol types	SMB3.0/NFSv3/NFSv4.0/NFSv4.1 NOTE Only storage systems in V500R007C20 and later versions support NFSv4.1.				
	Arbitration mode	Static priority mode Quorum server mode				
Quorum client	Maximum number of quorum servers that can be connected to an array	2	4	8	16	32
	Maximum number of quorum servers that can be connected to a HyperMetro domain	2				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of IP addresses (at the server side) that can be added to a quorum server	2				
	Maximum number of links that can be connected from each controller of an array to the same quorum server	2				
HyperVault	Maximum number of backup pairs	128	512		1024	
	Maximum number of backup copies	2048	4096		8192	
	Backup speed	Fast, high, medium, low				
	Backup period	5 minutes to 1 month				

Feature Name	Parameter	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
	Maximum number of backup policies per pair	Local backup policy: 4 Remote backup policy: 4				
	Maximum number of backup copies per pair	Local backup policy: 256 Remote backup policy: 256				
<p>a: total number of SAN HyperReplication pairs, NAS HyperReplication pairs, SAN HyperMetro pairs, NAS HyperMetro pairs, HyperVault pairs, and doubled NAS SmartMigration tasks</p> <p>NOTE For V500R007C20 and later versions, intra-array asynchronous replication is supported. An intra-array asynchronous replication pair is displayed as two remote replication pairs and has the same specifications as those of two remote replication pairs.</p> <p>b: supported in V500R007C50 and later versions</p>						

Supported Operating Systems

Operating System	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Windows	<p>Mainstream Windows operating systems are supported, including but not limited to the following:</p> <ul style="list-style-type: none"> ● Windows Server 2003 R2 Standard SP2 ● Windows Server 2003 R2 Datacenter SP2 ● Windows Server 2003 R2 Enterprise Edition SP2 ● Windows Server 2008 R2 Standard SP1 ● Windows Server 2008 R2 Datacenter SP1 ● Windows Server 2008 R2 Enterprise Edition SP1 ● Windows Server 2012 Standard ● Windows Server 2012 Datacenter ● Windows Server 2012 Essentials ● Windows Server 2012 Foundation X64 Edition 				

Operating System	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Linux	Mainstream Linux operating systems, including but not limited to the following: <ul style="list-style-type: none"> ● SUSE Linux Enterprise Server 10 ● SUSE Linux Enterprise Server 11 ● Red Hat Enterprise Server AS 5 ● Red Hat Enterprise Server AS 6 				
Other mainstream operating systems	<ul style="list-style-type: none"> ● HP-UX 11i v2 ● HP-UX 11i v3 ● AIX 6.1 ● AIX 7.1 ● Solaris 10 for Sparc ● Solaris 11 for Sparc ● VMware ESXi 4.1 ● VMware ESXi 5.0 ● Citrix XenServer 5.6 ● Citrix XenServer 6.0 ● MAC OS X 10.7 ● Other common operating systems 				

License Control

Function	Requiring a License or Not
HyperSnap	Yes ^a
HyperClone	Yes
HyperCopy	Yes
HyperReplication	Yes ^b
SmartQoS	Yes
SmartTier	Yes
SmartMotion	Yes
SmartThin	Yes
SmartPartition	Yes
SmartMigration	Yes
SmartErase	Yes

Function	Requiring a License or Not
SmartMulti-Tenant	Yes
SmartVirtualization	Yes
HyperMirror	Yes
SmartCompression (for LUN&FS)	Yes
SmartDedupe (for LUN&FS)	Yes
SmartQuota	Yes
CIFS	Yes
NFS	Yes
SmartCache	Yes
WORM (HyperLock)	Yes
NDMP	Yes
HyperMetro (for LUN)	Yes
HyperMetro (for FS)	Yes
HyperVault	Yes
<p>a: The same license is used for HyperSnap for block and file services. After importing the license file for the HyperSnap feature, a user can create snapshots for both block and file services.</p> <p>b: The same license is used for HyperReplication for block and file services. After importing the license file for the HyperReplication feature, a user can create remote replications for both block and file services.</p>	

 **NOTE**

As the OceanStor SystemReporter and OceanStor UltraPath are not deployed on a storage system, you cannot check them on the license management page of the storage system. To view purchased features, you can obtain the product authorization certificate from your dealer, which shows the purchased features.

Interoperability

You can go to [Huawei Storage Interoperability Navigator](#) and select components such as an operating system and multipathing software you want to check to obtain the interoperability information.

6.4 Software Specifications (5110 V5)

Software specifications include basic specifications, feature specifications, performance specifications, supported operating systems, and license control.

Table 6-4 describes the categories of storage software specifications to help you quickly locate the specification information you need.

Table 6-4 Description of software specification categories

Category	Description
Basic Specifications	Describes the basic software specifications of the storage system, including the maximum number of connected application servers, maximum number of LUNs, and maximum number of mapping views.
Feature Specifications	Describes the feature specifications of the storage system, such as snapshot, remote replication, and LUN copy.
Supported Operating Systems	Describes the operating systems supported by the storage system.
License Control	Describes whether software features of the storage unit are controlled by licenses.

Basic Specifications

Item	5110 V5
Maximum number of connected application servers	<ul style="list-style-type: none"> ● Fibre Channel: 2048 ● iSCSI ports: 256
Maximum number of hosts per host group	64
Maximum number of LUNs ^a	4096
Maximum number of LUN groups	2048
Maximum number of LUNs that can be mapped to a host	255
Maximum number of PE LUNs	64
Maximum number of VVol LUNs ^a	4096
Maximum number of mapping views	2047
Maximum number of disk domains	32
Maximum number of disks in a disk domain	500
Minimum number of disks in a disk domain per engine	4
Maximum number of storage pools	32
Maximum number of LUNs in a storage pool	4096

Item	5110 V5
RAID level	0, 1, 3, 5, 6, 10, 50
Minimum capacity of a LUN	512 KB
Maximum capacity of a LUN	256 TB
Maximum number of file systems	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 1024. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 4096.
Minimum capacity of a file system	1 GB
Maximum capacity of a file system	16 PB
Maximum number of files per file system	2 billion
Maximum capacity of a file	256 TB
Maximum number of subdirectories and files per directory	30 million
Maximum number of SMB shares	12,000
Maximum number of NFS shares	10,000
Maximum number of CIFS and NFS connections per controller	11,000
Maximum number of FTP connections per controller	32
Maximum number of HTTP connections per controller	32
Maximum number of NDMP flows per controller	8
Maximum number of local users	1000
Maximum number of local user groups	20,000
Maximum number of users in a user group	80,000
Maximum file path length	4096 bytes
Maximum length of a single file name or directory name	1024 bytes
Maximum directory depth of a file system	256
Maximum number of files that can be opened at a time on a controller	100,000
Maximum number of logical ports per controller	128

Item	5110 V5
Maximum number of VLANs per controller	128
a: Maximum total number of clone file systems, file systems, LUNs, and writable LUN snapshots, plus the number of PE LUNs and VVol LUNs.	

Feature Specifications

Feature Name	Parameter	5110 V5
HyperSnap	Maximum number of LUN snapshots	2048
	Maximum number of read-only snapshots in a file system	32,000
	Maximum number of source LUNs	1024
	Maximum number of snapshots for a source LUN	256
	Maximum number of read-only snapshots for a source file system	2048
	Maximum number of LUNs that can be batch activated	64
	Minimum interval of periodic snapshots for a file system	1 minute
	Recovery time of a file system snapshot	< 10 seconds
LUN copy	Maximum number of LUN copies	64
	Maximum number of target LUNs for each source LUN	64
LUN clone	Maximum number of primary LUNs	128
	Maximum number of secondary LUNs	256

Feature Name	Parameter	5110 V5
	Maximum number of secondary LUNs in a clone group	8
	Maximum number of consistent split pairs	64
File system clone	Maximum number of clone file systems	<ul style="list-style-type: none"> ● The total number of clone file systems and file systems cannot exceed 1024. ● The total number of clone file systems, file systems, LUNs, and writable LUN snapshots cannot exceed 4096.
	Maximum levels of cascading clones	8
HyperReplication	Maximum number of pairs in a remote replication (synchronous + asynchronous) ^a	256
	Maximum number of secondary LUNs in a pair	<ul style="list-style-type: none"> ● Synchronous: 1 ● Asynchronous: 2
	Maximum number of secondary file systems in a pair	Asynchronous: 1
	Maximum number of connected remote storage devices	64
	Maximum number of remote replication consistency groups	64 (synchronous + asynchronous)
	Maximum number of pairs in a remote replication consistent group	64
	Maximum number of remote replication vStore pairs	63
SmartQoS	Maximum number of SmartQoS policies	128

Feature Name	Parameter	5110 V5
	Maximum number of LUNs supported by a policy	64
	Number of priority levels	3
SmartPartition	Maximum cache partitions for every two controllers	8
	Minimum size of a cache partition	256 MB
	Maximum size of a cache partition	2 GB
SmartTier	Maximum number of tiers	<ul style="list-style-type: none"> ● SAN: 3 (SSD/SAS/NL-SAS) ● NAS: 2 (SSD/HDD, HDD including SAS and NL-SAS)
	Migration granularity (configurable)	<ul style="list-style-type: none"> ● SAN: 512 KB, 1 MB, 2 MB, 4 MB, 8 MB, 16 MB, 32 MB, or 64 MB (4 MB by default) ● NAS: file size
	Data migration speed	<ul style="list-style-type: none"> ● SAN: High/Medium/Low ● NAS: automatically (unconfigurable)
	Maximum number of file migration policies	8192 (up to 10 policies for each file system)
SmartMotion	Granularity	64 MB
SmartThin	Maximum number of thin LUNs (same as the maximum number of thick LUNs)	4096
	Maximum capacity of a thin LUN	256 TB
	Conversion between thin and thick LUNs	Supported (Implemented through LUN migration)

Feature Name	Parameter	5110 V5
	Granularity of a thin LUN	<ul style="list-style-type: none"> ● When SmartDedupe&SmartCompression is not enabled, the value is fixed at 64 KB. ● When SmartDedupe&SmartCompression is enabled, the default value is 16 KB. The value can be set to 4 KB, 8 KB, 16 KB, 32 KB, or 64 KB on the CLI.
	Space reclamation	Supported
SmartMigration	Maximum number of LUNs that can be simultaneously migrated for each controller	8
	Maximum number of LUNs for which migration can be configured at a time	512
SmartErase	Maximum number of LUNs whose data can be simultaneously destructed on each controller	8
SmartMulti-Tenant	Maximum number of tenants	63
	Maximum number of tenant administrators	128
	Maximum number of tenant administrators for a tenant	32
SmartVirtualization	Maximum number of external LUNs	256
	Maximum number of external storage arrays	32
	Maximum number of paths for each external LUN	8
	Maximum number of masqueraded LUNs	512

Feature Name	Parameter	5110 V5
	Maximum number of links that connect to external arrays	256
	Maximum number of links that connect to external arrays on a single controller	128
HyperMirror	Maximum number of volume mirrors	128
	Number of copies per volume mirror	2
SmartQuota	Number of quota directory trees per file system	4096
	User quota	1000
	User group quota	20,000
SmartCompression	Granularity of data block compression	<ul style="list-style-type: none"> ● File system: 8 KB, 16 KB, 32 KB, or 64 KB self-adaptable ● LUN: 4 KB, 8 KB, 16 KB, 32 KB, or 64 KB self-adaptable
SmartDedupe	Granularity of data block deduplication (same as the LUN size or file system block size configured in deduplication and compression)	4 KB, 8 KB, 16 KB, 32 KB, or 64 KB self-adaptable
SmartCache	Total SSD cache capacity per controller	<ul style="list-style-type: none"> ● 400 GB (16 GB per controller) ● 1600 GB (32 GB per controller)
	Number of SSD cache partitions for every two controllers	Eight user partitions and one default cache partition
	Data block granularity of SSD cache	4 KB, 8 KB, 16 KB, 32 KB, 64 KB, or 128 KB self-adaptable
NAS antivirus	Virus-scanning mode	CIFS share (scanning starts when files are closed)

Feature Name	Parameter	5110 V5
	Maximum number of antivirus servers	128
	Maximum number of file systems that can be monitored	1024
	Maximum number of virus scanning policies	256
	Maximum number of antivirus servers per vStore	32
HyperMetro (SAN)	Maximum number of HyperMetro domains	1 The number of NAS and SAN HyperMetro domains cannot exceed 1.
	Maximum number of HyperMetro LUN consistency groups	16
	Maximum number of HyperMetro pairs	128
	Maximum number of pairs in a consistency group	128
	Maximum number of pairs in a HyperMetro domain	128
	Maximum number of physical links that connect to a controller	256
	Maximum distance	< 300 km
	Supported physical link types	8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, or 10GE
	Supported protocol types	iSCSI or Fibre Channel
	Arbitration mode	Static priority mode Quorum server mode
HyperMetro (NAS)	Maximum number of HyperMetro domains	1 The number of NAS and SAN HyperMetro domains cannot exceed 1.

Feature Name	Parameter	5110 V5
	Maximum number of HyperMetro vStore pairs	63
	Maximum number of file system pairs	64
	Maximum number of physical links that connect to a controller	256
	Maximum distance	< 300 km
	Supported physical link types	8 Gbit/s Fibre Channel, 16 Gbit/s Fibre Channel, or 10GE
	Supported protocol types	SMB3.0/NFSv3/NFSv4.0/NFSv4.1
	Arbitration mode	Static priority mode Quorum server mode
Quorum client	Maximum number of quorum servers that can be connected to an array	2
	Maximum number of quorum servers that can be connected to a HyperMetro domain	2
	Maximum number of IP addresses (at the server side) that can be added to a quorum server	2
	Maximum number of links that can be connected from each controller of an array to the same quorum server	2
HyperVault	Maximum number of backup pairs	128
	Maximum number of backup copies	2048
	Backup speed	Fast, high, medium, low
	Backup period	5 minutes to 1 month
	Maximum number of backup policies per pair	Local backup policy: 4 Remote backup policy: 4

Feature Name	Parameter	5110 V5
	Maximum number of backup copies per pair	Local backup policy: 256 Remote backup policy: 256
<p>a: Maximum number of SAN HyperReplication pairs, NAS HyperReplication pairs, SAN HyperMetro pairs, NAS HyperMetro pairs, and HyperVault pairs.</p> <p>NOTE An intra-array asynchronous replication pair is displayed as two remote replication pairs and its specifications double those of a remote replication pair.</p>		

Supported Operating Systems

Operating System	5110 V5
Windows	<p>Mainstream Windows operating systems are supported, including but not limited to the following:</p> <ul style="list-style-type: none"> ● Windows Server 2003 R2 Standard SP2 ● Windows Server 2003 R2 Datacenter SP2 ● Windows Server 2003 R2 Enterprise Edition SP2 ● Windows Server 2008 R2 Standard SP1 ● Windows Server 2008 R2 Datacenter SP1 ● Windows Server 2008 R2 Enterprise Edition SP1 ● Windows Server 2012 Standard ● Windows Server 2012 Datacenter ● Windows Server 2012 Essentials ● Windows Server 2012 Foundation X64 Edition
Linux	<p>Mainstream Linux operating systems, including but not limited to the following:</p> <ul style="list-style-type: none"> ● SUSE Linux Enterprise Server 10 ● SUSE Linux Enterprise Server 11 ● Red Hat Enterprise Server AS 5 ● Red Hat Enterprise Server AS 6

Operating System	5110 V5
Other mainstream operating systems	<ul style="list-style-type: none"> ● HP-UX 11i v2 ● HP-UX 11i v3 ● AIX 6.1 ● AIX 7.1 ● Solaris 10 for Sparc ● Solaris 11 for Sparc ● VMware ESXi 4.1 ● VMware ESXi 5.0 ● Citrix XenServer 5.6 ● Citrix XenServer 6.0 ● MAC OS X 10.7 ● Other common operating systems

License Control

Function	Requiring a License or Not
HyperSnap	Yes ^a
HyperClone	Yes
HyperCopy	Yes
HyperReplication	Yes ^b
SmartQoS	Yes
SmartTier	Yes
SmartMotion	Yes
SmartThin	Yes
SmartPartition	Yes
SmartMigration	Yes
SmartErase	Yes
SmartMulti-Tenant	Yes
SmartVirtualization	Yes
HyperMirror	Yes
SmartCompression (for LUN&FS)	Yes
SmartDedupe (for LUN&FS)	Yes

Function	Requiring a License or Not
SmartQuota	Yes
CIFS	Yes
NFS	Yes
SmartCache	Yes
WORM (HyperLock)	Yes
NDMP	Yes
HyperMetro (for LUN)	Yes
HyperMetro (for FS)	Yes
HyperVault	Yes
a: The same license is used for HyperSnap for block and file services. After importing the license file for the HyperSnap feature, a user can create snapshots for both block and file services. b: The same license is used for HyperReplication for block and file services. After importing the license file for the HyperReplication feature, a user can create remote replications for both block and file services.	

 **NOTE**

As the OceanStor SystemReporter and OceanStor UltraPath are not deployed on a storage system, you cannot check them on the license management page of the storage system. To view purchased features, you can obtain the product authorization certificate from your dealer, which shows the purchased features.

Interoperability

You can go to [Huawei Storage Interoperability Navigator](#) and select components such as an operating system and multipathing software you want to check to obtain the interoperability information.

7 Environmental Requirements

About This Chapter

Environmental requirements cover the following aspects: temperature, humidity, particle contaminants, corrosive airborne contaminants, heat dissipation, and noise.

[7.1 Temperature, Humidity, and Altitude](#)

[7.2 Vibration and Shock](#)

[7.3 Particle Contaminants](#)

[7.4 Corrosive Airborne Contaminants](#)

[7.5 Heat Dissipation and Noise](#)

7.1 Temperature, Humidity, and Altitude

Temperature, humidity, and altitude requirements must be met so that storage systems can correctly work or be properly preserved.

Table 7-1 describes the temperature, humidity, and altitude requirements of the storage system.

Table 7-1 Requirements on ambient temperature and humidity

Parameter	Condition	Requirement
Temperature	Operating temperature	<ul style="list-style-type: none">● 5°C to 40°C (41°F to 104°F) when the altitude is between -60 m and +1800 m (-196.85 ft. and +5905.51 ft.)● At altitudes between 1800 m and 3000 m (5905.51 ft. and 9842.52 ft.), the temperature drops by 1°C for 220 m (721.78 ft.) of altitude increase.

Parameter	Condition	Requirement
	Temperature variation in the operating environment	20°C/h
	Non-operating temperature	-40°C to 70°C (-40°F to 158°F)
	Temperature variation in the non-operating environment	30°C/h
Humidity	Humidity	10% RH ^a to 90% RH
	Non-operating humidity	5% RH to 95% RH
	Maximum humidity variation	20%/h
	Storage humidity (during transportation and storage with packages)	5% RH to 95% RH
Altitude	Operating altitude of disks	-304.8 m to +3048 m (-1000 ft. to +10000 ft.)
	Non-operating altitude of disks	-305 m to +12192 m (-1000.66 ft. to +40000 ft.)
a: relative humidity (RH) NOTE The disk running is affected by the environment. Ensure that disks are used in the environment that meets environmental specifications. Otherwise, the disk failure rate may increase.		

7.2 Vibration and Shock

Vibration and shock requirements must be met so that storage systems can correctly work or be properly preserved.

Table 7-2 shows the vibration and shock requirements of storage systems.

Table 7-2 Vibration and shock requirements of storage systems

Parameter	Requirement
Operating vibration	5 to 350 Hz, PSD: 0.0002 g ² /Hz, 350 to 500 Hz, -3 dB, 0.3 Grms

Parameter	Requirement
Non-operating vibration	10 to 500 Hz, 1.49 Grms PSD: <ul style="list-style-type: none"> ● 10 HZ@0.1g²/HZ ● 20 HZ@0.1g²/HZ ● 50 HZ@0.004g²/HZ ● 100 HZ@0.001g²/HZ ● 500 HZ@0.001g²/HZ
Non-operating shock	<ul style="list-style-type: none"> ● OceanStor 5110 V5/5300 V5/5500 V5/5600 V5/5800 V5: Half sine, 70 G/2 ms ● OceanStor 6800 V5: Half sine, 50 G/2 ms

7.3 Particle Contaminants

Particle contaminants and other negative environmental factors (such as abnormal temperature and humidity) may expose IT equipment to a higher risk of corrosive failure. This section specifies the limitation on particle contaminants with the aim at avoiding such risks.

The concentration level of particle contaminants in a data center should meet the requirements listed in the white paper entitled *Gaseous and Particulate Contamination Guidelines for Data Centers published in 2011* by the American Society of Heating Refrigerating and Air-conditioning Engineers (ASHRAE) Technical Committee (TC) 9.9.

ASHRAE, affiliated to International Organization for Standardization (ISO), is an international organization operated for the exclusive purpose of advancing the arts and sciences of heating, ventilation, air-conditioning, and refrigeration (HVAC & R). The *Gaseous and Particulate Contamination Guidelines for Data Centers* is widely accepted, which is prepared by the members of ASHRAE TC 9.9, AMD, Cisco, Cray, Dell, EMC, Hitachi, HP, IBM, Intel, Seagate, SGI, and Sun.

According to the Guidelines, particle contaminants in a data center shall reach the cleanliness of ISO 14664-1 Class 8:

- Each cubic meter contains not more than 3,520,000 particles that are greater than or equal to 0.5 μm.
- Each cubic meter contains not more than 832,000 particles that are greater than or equal to 1 μm.
- Each cubic meter contains not more than 29,300 particles that are greater than or equal to 5 μm.

It is recommended that you use an effective filter to process air flowing into the data center as well as a filtering system to periodically clean the air already in the data center.

ISO 14644-1, Cleanrooms and Associated Controlled Environments - Part 1: Classification of Air Cleanliness, is the primary global standard on air cleanliness classification. [Table 7-3](#) gives the air cleanliness classification by particle concentration.

Table 7-3 Air cleanliness classification by particle concentration of ISO 14664-1 and maximum allowable concentrations (particles/m³) for particles

ISO Class	Particle Size ≥ 0.1 μm	Particle Size ≥ 0.2 μm	Particle Size ≥ 0.3 μm	Particle Size ≥ 0.5 μm	Particle Size ≥ 1 μm	Particle Size ≥ 5 μm
Class 1	10	2	-	-	-	-
Class 2	100	24	10	4	-	-
Class 3	1000	237	102	35	8	-
Class 4	10,000	2370	1020	352	83	-
Class 5	100,000	23,700	10,200	3520	832	29
Class 6	1,000,000	237,000	102,000	35,200	8320	293
Class 7	-	-	-	352,000	83,200	2930
Class 8	-	-	-	3,520,000	832,000	29,300
Class 9	-	-	-	-	8,320,000	293,000

7.4 Corrosive Airborne Contaminants

Corrosive airborne contaminants and other negative environmental factors (such as abnormal temperature and humidity) may expose IT equipment to higher risks of corrosive failure. This article specifies the limitation on corrosive airborne contaminants with an aim at avoiding such risks.

Table 7-4 lists common corrosive airborne contaminants and their sources.

Table 7-4 Common corrosive airborne contaminants and their sources

Symbol	Sources
H ₂ S	Geothermal emissions, microbiological activities, fossil fuel processing, wood rot, sewage treatment
SO ₂ , SO ₃	Coal combustion, petroleum products, automobile emissions, ore smelting, sulfuric acid manufacture
S	Foundries, sulfur manufacture, volcanoes
HF	Fertilizer manufacture, aluminum manufacture, ceramics manufacture, steel manufacture, electronics device manufacture
NO _x	Automobile emissions, fossil fuel combustion, chemical industry
NH ₃	Microbiological activities, sewage, fertilizer manufacture, geothermal emissions, refrigeration equipment

Symbol	Sources
C	Incomplete combustion (aerosol constituent), foundry
CO	Combustion, automobile emissions, microbiological activities, tree rot
Cl ₂ , ClO ₂	Chlorine manufacture, aluminum manufacture, zinc manufacture, refuse decomposition
HCl	Automobile emissions, combustion, forest fire, oceanic processes, polymer combustion
HBr, HI	Automobile emissions
O ₃	Atmospheric photochemical processes mainly involving nitrogen oxides and oxygenated hydrocarbons
C _N H _N	Automobile emissions, animal waste, sewage, tree rot

The concentration level of corrosive airborne contaminants in a data center should meet the requirements listed in the white paper entitled *Gaseous and Particulate Contamination Guidelines for Data Centers published in 2011* by the American Society of Heating, Refrigerating and Air-conditioning Engineers (ASHRAE) Technical Committee (TC) 9.9.

According to the Guidelines, corrosive airborne contaminants in a data center should meet the following requirements:

- Copper corrosion rate
Less than 300 Å/month per ANSI/ISA-71.04-1985 severity level G1.
- Silver corrosion rate
Less than 200 Å/month.

 **NOTE**

Å, or angstrom, is a unit of length. One Å is equal to 1/10,000,000,000 meter.

According to ANSI/ISA-71.04-1985 Environmental Conditions for Process Measurement and Control Systems: Airborne Contaminants, the gaseous corrosivity levels are G1 (mild), G2 (moderate), G3 (harsh), and GX (severe), as described in [Table 7-5](#).

Table 7-5 Gaseous corrosivity levels per ANSI/ISA-71.04-1985

Severity Level	Copper Reactivity Level	Description
G1 (mild)	300 Å/month	An environment sufficiently well-controlled such that corrosion is not a factor in determining equipment reliability.
G2 (moderate)	300 Å/month to 1000 Å/month	An environment in which the effects of corrosion are measurable and may be a factor in determining equipment reliability.

Severity Level	Copper Reactivity Level	Description
G3 (harsh)	1000 Å/month to 2000 Å/month	An environment in which there is high probability that corrosion will occur.
GX (severe)	> 2000 Å/month	An environment in which only specially designed and packaged equipment would be expected to survive.

See [Table 7-6](#) for the copper and silver corrosion rate requirements.

Table 7-6 Concentration limitation of corrosive airborne contaminants in a data center

Group	Gas	Unit	Concentration
Group A	H ₂ S	ppb ^a	< 3
	SO ₂	ppb	< 10
	Cl ₂	ppb	< 1
	NO ₂	ppb	< 50
Group B	HF	ppb	< 1
	NH ₃	ppb	< 500
	O ₃	ppb	< 2
a: Part per billion (ppb) is the number of units of mass of a contaminant per billion units of total mass.			

Group A and group B are common gas groups in a data center. The concentration limits of group A or group B that correspond to copper reactivity level G1 are calculated based on the premise that relative humidity in the data center is lower than 50% and that the gases in the group interact with each other. A 10% of increase in the relative humidity will heighten the gaseous corrosivity level by 1.

Corrosion is not determined by a single factor, but by comprehensive environmental factors such as temperature, relative humidity, corrosive airborne contaminants, and ventilation. Any of the environmental factors may affect the gaseous corrosivity level. Therefore, the concentration limitation values specified in the previous table are for reference only.

7.5 Heat Dissipation and Noise

A storage system can run steadily using the heat dissipation system carried in its own fan modules. An external device is necessary to remove the hot air discharged from a storage system into the equipment room to ensure proper air circulation.

Heat Dissipation

Traditional heat dissipation modes are as follows:

- Controller enclosure

Cooling air enters from the front end through small holes on the interface modules. After dissipating the heat of interface modules, controllers, and power modules, the air is discharged out of its back end by fans. The controller enclosure dynamically adjusts rotational speed of the fans based on the operational temperature of the storage system.

- Disk enclosure

Cooling air enters from the front end through the space between disks, passing the midplane, into the power modules and expansion modules. After dissipating the heat, the air is discharged out of its back end by fans. The disk enclosure dynamically adjusts rotational speed of the fans based on the operational temperature of the storage system.

For better maintenance, ventilation, and heat dissipation, pay attention to the following when installing the storage system in the cabinet:

- To ensure smooth ventilation, the cabinet should be at least 100 cm (39.4 inches) away from the equipment room walls and at least 120 cm (47.24 inches) away from other cabinets (that are in front of or behind).
- To keep air convection between the cabinet and the equipment room, no enclosed space is allowed in the cabinet. 1 U (44.45 mm or 1.75 inches) space should be left above and below each device.

The airflow parameters of the storage system are shown in [Table 7-7](#).

Table 7-7 Airflow parameters of storage systems

System Airflow	5110 V5	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Controller enclosure	<ul style="list-style-type: none"> ● 75 CFM^a (maximum fan speed) ● 24 CFM (25°C) 		<ul style="list-style-type: none"> ● 183 CFM (maximum fan speed) ● 83 CFM (25°C) 	<ul style="list-style-type: none"> ● 404 CFM (maximum fan speed) ● 102 CFM (25°C) 		<ul style="list-style-type: none"> ● 808 CFM (maximum fan speed) ● 204 CFM (25°C)
2 U disk enclosure	<ul style="list-style-type: none"> ● 117 CFM (maximum fan speed) ● 38 CFM (25°C) 					
4 U disk enclosure	<ul style="list-style-type: none"> ● 151 CFM (maximum fan speed) ● 52 CFM (25°C) 					
4 U high-density disk enclosure	-	<ul style="list-style-type: none"> ● 210 CFM (maximum fan speed) ● 116 CFM (25°C) 				
a: cubic feet per minute (CFM)						

The heat dissipation parameters of the storage system are shown in [Table 7-8](#).

Table 7-8 Heat dissipation parameters of a storage system

Maximum Heat Dissipation (in Running)	5110 V5	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Controller enclosure	<ul style="list-style-type: none"> ● 1627 BTU^a/h (twelve 3.5-inch disks) ● 1773 BTU/h (twenty-five 2.5-inch disks) 		2667 BTU/h	3563 BTU/h	4331 BTU/h	<ul style="list-style-type: none"> ● Dual controllers: 6670 BTU/h ● Four controllers: 10629 BTU/h
2 U disk enclosure	1101 BTU/h					
4 U disk enclosure	1985 BTU/h					
4 U high-density disk enclosure	-	4263 BTU/h				
a: British thermal unit (BTU)						

Noise

The disks and fans make noise when in operation, with fans being the major noise source. The intensity of fan rotation is associated with the temperature. A higher temperature leads to greater rotational speed by the fans, which in return creates greater noise. Therefore, there is a direct correlation between the noise made by a storage system and the ambient temperature in the equipment room.

When the temperature is 25°C, the parameters of the noise generated by the storage system are shown in [Table 7-9](#).

Table 7-9 Noise parameters of storage systems

Sound Power	5110 V5	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
Controller enclosure	61.3 dB		63.1 dB	69.4 dB	69.4 dB	71 dB

Sound Power	5110 V5	5300 V5	5500 V5	5600 V5	5800 V5	6800 V5
2 U disk enclosure	67.5 dB					
4 U disk enclosure	66.3 dB					
4 U high-density disk enclosure	-	75.4 dB				

8 Standards Compliance

The chapter describes the protocol standards, the safety specifications and electromagnetic compatibility (EMC) standards, and the industry standards that the storage system complies with.

Protocol Standards

Table 8-1 lists the protocol standards that the storage system complies with.

Table 8-1 Protocol standards

Name	Standard No.
SCSI system	FC-PH: ANSI X3.230
	FC-PH2: ANSI X3.297
	SCSI-FCP: ANSI X.269
	FC-AL: ANSI X.272
	FC-AL-2: ANSI NCITS 332-1999
	FC-SW: ANSI NCITS 321
	FC-SW-2: ANSI NCITS 355-2001
	FC-GS: ANSI X.288 (for FC switch)
	FC-GS2: ANSI NCITS 288 (for FC switch)
	SAS Serial Attached SCSI-1.1 (SAS-1.1)
	SAS Serial Attached SCSI-2.0 (SAS-2.0)
	SAS Serial Attached SCSI-3.0 (SAS-3.0)
	T10/1562D Rev.05 Serial Attached SCSI (SAS)
	T10/1601D Rev.07 Serial Attached SCSI Model-1.1 (SAS-1.1)
	T10/1601D Rev.07 Serial Attached SCSI Model-1.1 (SAS-2.0)

Name	Standard No.
	T10/1601D Rev.07 Serial Attached SCSI Model-1.1 (SAS-3.0)
	SFF 8301 form factor of 3.5' disk drive
	SFF 8323 3.5' disk drive form factor with serial connector
	SFF 8482 SAS plug connector
	SCSI 3 SAM-2: ANSI INCITS 366-2003
	SPC-2: ANSI INCITS 351-2001
	SBC: ANSI INCITS 306-1998
	PICMG3.0 Advanced Telecommunications Computing Architecture
	PICMG3.1 Ethernet/Fibre Channel Over PICMG3.0
	iSCSI RFC 3720/7143
TCP/IP system	SNMP v1
	SNMP v2c
	SNMP v3
PCIe system	PCI Express Base Specification R1.1
	PCI Express to PCI or PCI-X Bridge Specification v1.0
	PCI Express Base Specification v2.0

Interface Standards

Table 8-2 describes the interface standards that the storage systems comply with.

Table 8-2 Interface standards that the storage systems comply with

Name	Description
VAAI	An application programming interface (API) framework from VMware. It enables some storage-related tasks (such as thin provisioning) to be offloaded from a VMware server to a storage array.
VASA	An API used for VMware vSphere ESXi hosts to communicate with storage devices. It enables vCenter to manage storage arrays in a unified manner.
SRA	An interface between VMware Site Recovery Manager (SRM) and a storage system. It enables SRM to perform the following operations: discovery of storage systems, non-disruptive failover test, emergency or planned failover, reverse replication, backup, and restoration.

Name	Description
SMI-S	<p>A storage standard developed and maintained by the Storage Networking Industry Association (SNIA). It aims to simplify the management of a storage area network (SAN) that contains devices from various manufacturers. It provides a universal management interface for all types of network elements and simplifies the management of a heterogeneous SAN environment.</p> <p>NOTE Log in to https://support.huawei.com/enterprise/. In the search field, enter eSDK Storage, and select a path from the paths that are automatically displayed to go to the document page. Search, browse, and download the SMI-S Provider documents of the corresponding version to get more information.</p>
ODX	<p>Offloaded data transfer (ODX) is a feature of Windows Server 2012. The feature unloads files into storage arrays for transmission. High transmission bandwidth between storage arrays largely shortens the data transmission delay and improves the data copy speed, as well as reduces host server resource occupation.</p>

Safety Specifications and EMC Standards

Table 8-3 lists the safety specifications and EMC standards that the storage system complies with.

Table 8-3 Safety specifications and EMC standards

Name	Standard No.
China safety standard	GB 4943.1-2011
North America safety standard	UL 60950-1
European safety directive	2014/35/EU
European safety standard	EN 60950-1
China EMC standard	GB/T9254-2008
	GB17625.1-2012
Canada EMC standard	ICES-003
	CAN/CSA-CEI/IEC CISPR 22:02
North America EMC standard	FCC, CFR47 Part 15, Subpart B
European EMC directive	2014/30/EU
European EMC standard	EN 55032
	EN 55024

Industry Standards

Table 8-4 lists the industry standards that the storage system complies with.

Table 8-4 Industry standards

Name	Standard No.
Ethernet	IEEE 802.3
Fast Ethernet	IEEE 802.3u
Gigabit Ethernet	IEEE 802.3z
	IEEE 802.3ab
10-Gigabit Ethernet	IEEE 802.3ae
VLAN	IEEE 802.1q
IEEE standard test access port and boundary-scan architecture	IEEE 1149.1-2001
Procedure for failure modes and effects analysis (FMEA)	IEC 812
Presentation of reliability, maintainability and availability predictions	IEC 863
ETSI standard (environment)	ETS 300 019
ETSI standard (power)	ETS 300 132
ETSI standard (noise)	ETS 300 753
ETSI standard (environment)	ETS 300 119
ETSI standard (grounding)	ETS 300 253
ITUT standard (grounding)	ITUT K.27
Environmental protection	ECMA TR/70
Reliability	GR-929, Telcordia SR-332
Clean room and related controlled environments	ISO 14664-1 Class8
Airborne contaminants and environment standards	ANSI/ISA-71.04-1985 severity level G1

9 Certifications

The chapter describes the certifications of the storage system.

Table 9-1 lists the certifications that the storage system obtains.

Table 9-1 Certifications

Name	Description
CB	<p>The Certification Bodies (CB) Scheme is an international scheme operated by the IEC System for Conformity Testing and Certification of Electrical Equipment (IECEE). Member countries of the IECEE test electrical product performance based on the IEC standards. The results, which are CB test reports and CB test certificates, are recognized by all countries within the IECEE. The CB scheme is designed for eliminating the international commerce barriers resulted from the compliance with certifications and approval guidelines of different countries.</p> <p>The CB Scheme is formulated based on the IEC standard. If member countries' national standards are not completely consistent with IEC standards, the differences are allowed but must be disclosed to the other members. A CB test certificate is used in the Scheme to prove that a tested product sample has passed CB tests and meets related IEC and member countries' requirements.</p>
CCC	<p>China Compulsory Certification (CCC) is a three-in-one authoritative certification incorporating the Conformity Certification of Electrical Equipment (CCEE), the certificate for the safe license of import granted by China Commodity Inspection Bureau (CCIB), and Safety and Electro Magnetic Compatibility (EMC).</p> <p>The CCC mainly involves the products related to human health and security, animal and plant life and health, environmental protection, and public security.</p>
FCC	<p>Federal Communications Commission (FCC) authorizes and manages all RF transmission facilities and devices except for those used by the federal government. It is also responsible for the environmental damages generated by the facilities and devices it approves.</p>

Name	Description
IC	Industry Canada (IC) sets up the test standards for analog and digital terminal devices and specifies corresponding EMC certificates that all import electronic products must obtain.
NRTL	<p>A Nationally Recognized Testing Laboratory (NRTL) is an independent laboratory recognized by the Occupational Safety and Health Administration (OSHA) of the United States to test products to applicable product safety standards.</p> <p>The OSHA requires that products used in the workplace must be tested by an NRTL and obtain security certificates after the products pass all related tests to ensure the personal safety of users.</p>
CE	<p>Conformité Européenne (CE) refers to the certification required for products to be sold in Europe. Products marked with CE conform to the EMC Directive (2014/30/EU), Low Voltage Directive (2014/35/EU), and RoHS Directive (2011/65/EU) released by the European Commission.</p> <p>Products that comply with the directives mentioned previously imply conformity to the following European standards (the equivalent international standards are in parentheses):</p> <ul style="list-style-type: none"> ● EN 55032 (CISPR 32) ● EN 55024 (CISPR 24) ● EN 60950 (IEC 60950) ● EN 50581: 2012
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) is a regulation of the EU. REACH regulates the applicable products into three categories: substances, products, and articles, and puts forward different requirements. Electronic and electrical products are qualified as articles and must meet REACH requirements for articles. An article supplier must notify and inform downstream users that its articles contain Substances of Very High Concern (SVHC) substances, and must ensure that its articles do not contain substances restricted in REACH Annex XVII.
RoHS	<p>The restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) is the directive that restricts the use of certain hazardous substances in the electrical and electronic equipment.</p> <p>RoHS is the EU compulsory standard that is designed to regulate the materials and the technical standard of the electrical and electronic products. In this way, it does good to human health and environment protection. That is, the 10 hazardous substances of Pb, Cd, Hg, Cr6+, PBB, PBDE, DEHP, BBP, DBP, and DIBP must not exceed the maximum limit. The maximum limit is 100 ppm for Cd and is 1000 ppm for other nine hazardous substances.</p>
WEEE	<p>Waste Electrical and Electronic Equipment Regulation (WEEE) is an EU directive on electrical and electronic wastes.</p> <p>Electronic and electrical products sold to the EU market must comply with the 2012/19/EU directive, that is, the 3R (recovery, reuse, and recycling) of electronic and electrical wastes and symbols of crossed-out wheeled bins (EN 50419:2006).</p>

Name	Description
CU-TR	Russia, Kazakhstan, and Belarus have integrated their own certification technology requirements and formulated a unified Customs Union (CU) certification. The products within the scope of control are subject to mandatory certification of customs union technical regulations (CU-TR), unified technical regulations and evaluation modes, product qualification directories, certificate forms, and technical supervision and registration.
RCM	The Australian & New Zealand Regulatory Compliance Mark (RCM) is the mandatory compliance for selling electrical equipment products in the market.
VCCI	As the EMC mark in Japan, the VCCI certificate is managed by the Voluntary Control Council for Interference by Information Technology Equipment. The organization determines whether an information technology product meets VCCI requirements based on the Special International Committee on Radio Interference (abbreviated as CISPR from its French name) 32 standard.

Security Symbol (CCC)

The product is a Class A device based on the CCC. Use of it in a residential area is likely to cause radio interference. Users may be required to prevent the interference by taking protective measures.

FCC-DOC

<p>Supplier's Declaration of Conformity (SDoC)</p> <p>Unique Identifier: trade name: HUAWEI; product name: Storage System; model number: OceanStor 5110 V5, 5300 V5, 5500 V5, 5600 V5, 5800 V5, and 6800 V5</p> <p>Responsible Party- U.S. Contact Information</p> <p>Huawei Technologies USA Inc. 5700 Tennyson Parkway, Suite 500 Plano, Texas 75024 Main: 214-919-6000 / TAC Hotline: 877-448-2934</p> <p>FCC Compliance Statement (for products subject to Part 15)</p> <p>This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.</p>

10 Operation and Maintenance

The storage systems can be operated and maintained by using DeviceManager and the command-line interface (CLI), adapting to different environments and user habits.

Introduction to DeviceManager

Figure 10-1 shows the DeviceManager main window.

Figure 10-1 DeviceManager main window




Table 10-1 describes the components of the DeviceManager main window.

Table 10-1 Components of the DeviceManager main window

No.	Name	Description
1	Function pane	The function pane shows a page associated with the current operation.

No.	Name	Description
2	Status bar	The status bar shows information such as the user name currently logged in and the login time.
3	Navigation bar	The navigation bar shows the function modules of a storage system. Users can click a function module to configure the corresponding functions.
4	Exit, help, and language selection area	This area displays an exit button, a help button, and a language selection button. DeviceManager supports two languages: simplified Chinese and English.
5	Fault statistics area	The fault statistics area shows the number of each level of system faults, helping users understand the running status of a storage system.

Users can log in to DeviceManager using a common browser.

To master GUI-based operations, you are advised to read this document and practice the operations using the DeviceManager Demo. As a simulation program of storage system management software, the DeviceManager Demo simulates configuration and management operations on a storage system.

Introduction to the CLI

After logging in to the storage system through CLI, you can query, set, manage, and maintain the storage system.

Users need to log in to the CLI by using terminal software, such as the HyperTerminal provided by Windows, or PuTTY.

There are two ways to log in to the CLI.

- Log in through a serial port of a storage system. To connect to a serial port, the maintenance terminal must be located next to the storage system. Therefore, this login mode is applicable to the scenario where a user does not know the management IP address of a storage system or a storage system is faulty.
- Log in through a management network port of a storage system. When there are reachable routes, a user can log in to the CLI by entering the IP address of the management network port of a storage system in the terminal software. IP networks are easily accessible. Therefore, a user can log in to a storage system remotely, and this login mode is more popular.

A How to Obtain Help

If a tough or critical problem persists in routine maintenance or troubleshooting, contact Huawei for technical support.

A.1 Preparations for Contacting Huawei

To better solve the problem, you need to collect troubleshooting information and make debugging preparations before contacting Huawei.

A.1.1 Collecting Troubleshooting Information

You need to collect troubleshooting information before troubleshooting.

You need to collect the following information:

- Name and address of the customer
- Contact person and telephone number
- Time when the fault occurred
- Description of the fault phenomena
- Device type and software version
- Measures taken after the fault occurs and the related results
- Troubleshooting level and required solution deadline

A.1.2 Making Debugging Preparations

When you contact Huawei for help, the technical support engineer of Huawei might assist you to do certain operations to collect information about the fault or rectify the fault directly.

Before contacting Huawei for help, you need to prepare the boards, port modules, screwdrivers, screws, cables for serial ports, network cables, and other required materials.

A.2 How to Use the Document

Huawei provides guide documents shipped with the device. The guide documents can be used to handle the common problems occurring in daily maintenance or troubleshooting.

To better solve the problems, use the documents before you contact Huawei for technical support.

A.3 How to Obtain Help from Website

Huawei provides users with timely and efficient technical support through the regional offices, secondary technical support system, telephone technical support, remote technical support, and onsite technical support.

Contents of the Huawei technical support system are as follows:

- Huawei headquarters technical support department
- Regional office technical support center
- Customer service center
- Technical support website: <https://support.huawei.com/enterprise/>

You can query how to contact the regional offices at <https://support.huawei.com/enterprise/>.

A.4 Ways to Contact Huawei

Huawei Technologies Co., Ltd. provides customers with comprehensive technical support and service. For any assistance, contact our local office or company headquarters.

Huawei Technologies Co., Ltd.

Address: Huawei Industrial Base Bantian, Longgang Shenzhen 518129 People's Republic of China

Website: <https://e.huawei.com/>

B Glossary

If you want to obtain information about glossaries, visit <https://support.huawei.com/enterprise/>. In the search field, enter a product model, and select a path from the paths that are automatically displayed to go to the document page of the product. Browse or download the *OceanStor V5 Series V500R007 Glossary*.

C Acronyms and Abbreviations

A

ANSI American National Standards Institute

B

BBU Backup Battery Unit

C

CLI Command Line Interface

E

ESN Equipment Serial Number

F

FC Fibre Channel

FC-AL Fibre Channel Arbitrated Loop

FCoE Fibre Channel over Ethernet

G

GE Gigabit Ethernet

GUI Graphical User Interface

H

HBA Host Bus Adapter

HD High Density

I

IP Internet Protocol

ISA	Instrument Society of America
iSCSI	Internet Small Computer Systems Interface
ISO	International Organization for Standardization
L	
LUN	Logical Unit Number
M	
MTBF	Mean Time Between Failures
MTTR	Mean Time to Repair
N	
NL-SAS	Near Line Serial Attached SCSI
P	
PDU	Power Distribution Unit
U	
USB	Universal Serial Bus
R	
RAID	Redundant Array of Independent Disks
RSCN	Registered State Change Notification
S	
SAN	Storage Area Network
SAS	Serial Attached SCSI
SCSI	Small Computer System Interface
SSD	Solid State Drive
V	
VLAN	Virtual Local Area Network
VPN	Virtual Private Network